		Page: 1
SAFETY DATA SHEET		Revision Date: 11/07/2016
		Print Date: 2/8/2017
		SDS Number: R0718511
Gantrez™ AN-119 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828340		Version: 1.1

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

Substance name : GANTREZ® AN-119

Substance No.

Recommended use of the chemical and restrictions on use


Use of the Substance/Mixture : Detergent

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America EHSProductSafety@ashland.com	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-800-325-3751 Product Information 614-790-3333
---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :
 Eye irritation : Category 2A
 Germ cell mutagenicity : Category 1B
 Carcinogenicity : Category 1A
 Specific target organ systemic toxicity - repeated exposure : Category 1 (hematopoietic system)

		Page: 2
SAFETY DATA SHEET		Revision Date: 11/07/2016
		Print Date: 2/8/2017
		SDS Number: R0718511
Gantrez™ AN-119 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828340		Version: 1.1

GHS Label element

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: May form combustible dust concentrations in air.
 Causes serious eye irritation.
 May cause genetic defects.
 May cause cancer.
 Causes damage to organs (hematopoietic system) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 IF exposed or concerned: Get medical advice/ attention.
 If eye irritation persists: Get medical advice/ attention.
Storage:
 Store locked up.
Disposal:
 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

Chemical nature : Static Accumulator

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
2,5-Furandione, polymer with methoxyethene	9011-16-9	Eye Irrit. 2A; H319	100.00
BENZENE	71-43-2	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Muta. 1B; H340 Carc. 1A; H350 STOT RE 1; H372 Asp. Tox. 1; H304	1.99

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
 Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
 If on skin, rinse well with water.
 Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

Remove contact lenses.
 Protect unharmed eye.

If swallowed : Obtain medical attention.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
 Causes serious eye irritation.
 May cause genetic defects.
 May cause cancer.
 Causes damage to organs through prolonged or repeated exposure.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Organic dusts at sufficient concentration can form explosive mixtures in air.
 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".
- Avoid dust formation.
Do not breathe vapours/dust.
Do not smoke.
Ensure all equipment is electrically grounded and bonded before beginning transfer operations.
The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Observe label precautions.
 No smoking.
 Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
BENZENE	71-43-2	TWA	0.5 ppm	ACGIH
		STEL	2.5 ppm	ACGIH
		REL	0.1 ppm	NIOSH/GUIDE
		STEL	1 ppm	NIOSH/GUIDE
		TWA	10 ppm	OSHA/Z2
		Ceiling	25 ppm	OSHA/Z2
		MAX. CONC	50 ppm	OSHA/Z2
		TWA	1 ppm	OSHAS
		STEL	5 ppm	OSHAS
		OSHA ACT	0.5 ppm	OSHAS
		TWA	1 ppm	Z1A
		STEL	5 ppm	Z1A

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
BENZENE	71-43-2	t,t-Muconic acid	Creatinine in urine	Sampling time: End of shift.	500 µg/g	ACGIH BEI
Remarks:	Background					
		S-	Creatinine	Sampling	25 µg/g	ACGIH



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

		Phenylmerc apturic acid	in urine	g time: End of shift.		BEI
Remarks:	Background					

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
 Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
 Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).
 Wear as appropriate:
 Safety shoes
 Dust impervious protective suit
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid breathing dust.
 Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Odour : No data available



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Static Accumulating liquid
Flammability (liquids) Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1 g/cm ³ (20 °C)
Solubility(ies) Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Dust may form explosive mixture in air.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : fluorides
Nitric acid
perchloric acid
Strong oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Components:

2,5-Furandione, polymer with methoxyethene:

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg

BENZENE:

Acute oral toxicity : LD 50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 43.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

Method: OECD Test Guideline 403

Acute dermal toxicity : LD 50 (Rabbit): > 8,260 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species: Rabbit

Result: Mildly irritating to skin

Remarks: May cause skin irritation in susceptible persons.

Components:

2,5-Furandione, polymer with methoxyethene:

Species: Rabbit

Result: Mildly irritating to skin

BENZENE:

Species: Rabbit

Result: Irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species: Rabbit

Result: Irritating to eyes

Remarks: Product dust may be irritating to eyes, skin and respiratory system., Causes serious eye irritation.

Components:

2,5-Furandione, polymer with methoxyethene:

Species: Rabbit

Result: Irritating to eyes

BENZENE:

Species: Rabbit

Result: Irritating to eyes

Respiratory or skin sensitisation


Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

May cause genetic defects.

Components:

		Page: 11
SAFETY DATA SHEET		Revision Date: 11/07/2016
		Print Date: 2/8/2017
		SDS Number: R0718511
Gantrez™ AN-119 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828340		Version: 1.1

BENZENE:

Germ cell mutagenicity- : In vivo tests showed mutagenic effects
 Assessment

Carcinogenicity

May cause cancer.

Components:

BENZENE:

Carcinogenicity - : Positive evidence from human epidemiological studies
 Assessment

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (hematopoietic system) through prolonged or repeated exposure.

Components:

BENZENE:

Exposure routes: Ingestion

Target Organs: hematopoietic system

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Exposure routes: Inhalation

Target Organs: hematopoietic system

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Exposure routes: Skin contact

Target Organs: hematopoietic system

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity

Not classified based on available information.

Components:

BENZENE:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks: No data available



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

Carcinogenicity:

IARC

Group 1: Carcinogenic to humans

BENZENE 71-43-2

OSHA

OSHA specifically regulated carcinogen

BENZENE 71-43-2

NTP

Known to be human carcinogen

BENZENE 71-43-2

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

BENZENE:

- Toxicity to fish : LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss)): 5.3 mg/l
 Exposure time: 96 h
 Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 8.76 - 15.6 mg/l
 Exposure time: 48 h
 Test Type: static test
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201

Persistence and degradability

BENZENE:

- Biodegradability : Result: Readily biodegradable
 Biodegradation: 96 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Bioaccumulative potential

BENZENE:

- Partition coefficient: n- : log Pow: 2.13

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological : No data available
information

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MX_DG

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SAFETY DATA SHEET**

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
™ Trademark, Ashland or its subsidiaries, registered
in various countries
828340

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
BENZENE	71-43-2	10	500.025001

SARA 311/312 Hazards : Fire Hazard
Chronic Health Hazard
Acute Health Hazard

SARA 313 Component(s)

BENZENE 71-43-2 1.99 %

Pennsylvania Right To Know

2,5-Furandione, polymer with
methoxyethene 9011-16-9 90.00 -
100.00 %

BENZENE 71-43-2 1.00 - 5.00 %

New Jersey Right To Know

2,5-Furandione, polymer with
methoxyethene 9011-16-9 90.00 -
100.00 %

BENZENE 71-43-2 1.00 - 5.00 %

California Prop 65

WARNING! This product contains a chemical known to the
State of California to cause cancer.
BENZENE 71-43-2

WARNING: This product contains a chemical known to the
State of California to cause birth defects or other reproductive
harm.
BENZENE 71-43-2

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AUSTR : On the inventory, or in compliance with the inventory



SAFETY DATA SHEET

Revision Date: 11/07/2016

Print Date: 2/8/2017

SDS Number: R0718511

Version: 1.1

Gantrez™ AN-119 polymer
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 828340

ENCS : On the inventory, or in compliance with the inventory

KECL : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information


Revision Date: 11/07/2016

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td>HEALTH</td><td>2*</td></tr> <tr> <td>FLAMMABILITY</td><td>1</td></tr> <tr> <td>PHYSICAL HAZARD</td><td>0</td></tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	2*	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	2*						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Not applicable

Full text of H-Statements referred to under sections 2 and 3.

	Page: 17
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 2/8/2017
	SDS Number: R0718511
Gantrez™ AN-119 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828340	Version: 1.1

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx


N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

		Page: 18
SAFETY DATA SHEET		Revision Date: 11/07/2016
		Print Date: 2/8/2017
		SDS Number: R0718511
Gantrez™ AN-119 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 828340		Version: 1.1

PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association
 NIOSH : National Institute for Occupational Safety and Health
 OSHA : Occupational Safety and Health Administration
 PMRA : Health Canada Pest Management Regulatory Agency
 RTK : Right to Know
 WHMIS : Workplace Hazardous Materials Information System