# PILOT CHEMICAL COMPANY

# SAFETY DATA SHEET

1. Identification

Product identifier ARISTONATE® S-4600

Other means of identification

Product Code 586S30

Recommended use Emulsifier, Corrosion Inhibitor

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**Company name Address**Pilot Chemical Company
2744 East Kemper Road

Sharonville, OH 45241

**United States** 

**Telephone** (513) 326-0600 (8 AM to 5 PM Eastern)

1-800-707-4568

E-mail sdsinfo@pilotchemical.com

Emergency phone number CHEMTREC International:

CHEMTREC USA: 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

1-703-527-3887

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Harmful to aquatic life. Harmful to aquatic life

with long lasting effects.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Hazard(s) not otherwise

classified (HNOC)

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Supplemental information** 64% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 82% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

Material name: ARISTONATE® S-4600 586S30 Version #: 07 Revision date: 05-16-2016 Issue date: 08-28-2014

## 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Distillates, Petroleum, Hydrotreated Heavy Naphthenic		64742-52-5	Trade Secret
Sodium alkylbenzene sulfonate 1*		Proprietary*	Trade Secret
Sodium alkylbenzene sulfonate 2*		Proprietary*	Trade Secret
Other components below reportable I	levels		 51.5

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** 

Occupational Exposure Limits for impurities are listed in Section 8. Additional compounds which

may be formed during processing are listed in Section 8.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: ARISTONATE® S-4600

SDS US

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	Form
Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form	
Distillates, Petroleum,	TWA	5 mg/m3	Inhalable fraction.	
Hydrotroated Heavy				

Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

# **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form
Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

**Biological limit values** 

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

-	
Appearance	Oily.
Physical state	Liquid.
Form	Liquid.
Color	Brown.

Material name: ARISTONATE® S-4600

SDS US

586S30 Version #: 07 Revision date: 05-16-2016 Issue date: 08-28-2014

Odor Oily.

Odor threshold Not available. Hq 11 - 13 estimated Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 520 °F (> 271.11 °C) estimated

> 320.0 °F (> 160.0 °C) Cleveland Open Cup Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Dispersable; may gel

**Partition coefficient** 

Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

8.50 lb/gal **Density Explosive properties** Not explosive. Not oxidizing. Oxidizing properties

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain. toxicological characteristics

#### Information on toxicological effects

# **Acute toxicity**

Components **Species Test Results** 

Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

Acute

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2.18 mg/l, 4 h

Oral

LD50 Rat > 5000 mg/kg

Sodium alkylbenzene sulfonate 1

**Acute Dermal** 

LD50 Rat 1000 - 1600 mg/kg

Oral

LD50 Rat 520 mg/kg

Sodium alkylbenzene sulfonate 2

**Acute Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 1080 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ

toxicity - repeated

Not classified.

**Aspiration hazard** 

exposure

Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

Components		Species	rest nesults	
Distillates, Petroleum,	Hydrotreated Heav	y Naphthenic (CAS 64742-52-5)		
Aquatic				
Acute				
Algae	NOEL	Algae	>= 100 mg/l, 72 h	
Crustacea	EC50	Daphnia	> 10000 mg/l, 48 h	
Fish	LC50	Fathead minnow (Pimephales prome	elas) > 100 mg/l, 96 h	
Chronic				
Crustacea	NOEC	Daphnia	10 mg/l, 21 d	
Sodium alkylbenzene s	sulfonate 1			
Aquatic				
Acute				
Algae	EC50	Algae	> 160 mg/l, 72 h	
Crustacea	EC50	Daphnia	3.6 mg/l, 48 h	
Fish	LC50	Bluegill (Lepomis macrochirus)	1.67 mg/l, 96 h	
Chronic				
Crustacea	NOEC	Daphnia	1.5 mg/l, 21 d	
Fish	NOEC	Fish	0.23 mg/l, 72 d	
Sodium alkylbenzene s	sulfonate 2			
Aquatic				
Acute				
Algae	EC50	Algae	29 mg/l, 96 h	
Crustacea	EC50	Daphnia	2.9 mg/l, 48 h	
Fish	LC50	Bluegill (Lepomis macrochirus)	1.67 mg/l, 96 h	
Chronic				
Algae	NOEC	Algae	3.1 mg/l, 15 d	
Crustacea	NOEC	Daphnia	1.41 mg/l, 21 d	
Fish	NOEC	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	0.23 mg/l, 72 d	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential

No data available.

Other adverse effects

Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

This product is not expected to be readily biodegradable.

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

**US. Massachusetts RTK - Substance List** 

Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

Material name: ARISTONATE® S-4600

SDS US

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Г	Fundamental ist of Notified Chamical Culaturas (FLINCS)	Na

Europe European List of Notified Chemical Substances (ELINCS)

Japan Inventory of Existing and New Chemical Substances (ENCS)

Korea Existing Chemicals List (ECL)

New Zealand

New Zealand Inventory

Philippines

Philippine Inventory of Chemicals and Chemical Substances

Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

 Issue date
 08-28-2014

 Revision date
 05-16-2016

Version # 07

HMIS® ratings Health: 3

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 3

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Hazard(s) identification: Prevention

Hazard(s) identification: Response

Composition / Information on Ingredients: Ingredients

Accidental release measures: Methods and materials for containment and cleaning up

Physical & Chemical Properties: Multiple Properties
Physical and chemical properties: Oxidizing properties
Physical and chemical properties: Explosive properties

Regulatory information: US federal regulations

Other information, including date of preparation or last revision: Further information

Material name: ARISTONATE® S-4600

8 / 8

586S30 Version #: 07 Revision date: 05-16-2016 Issue date: 08-28-2014

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).