**Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Trade name Plasdone™ K-29/32 polymer

™ Trademark, Ashland or its subsidiaries, registered in

various countries

POLYVINYLPYRROLIDONE Substance name

Substance No.

EC-No. 618-363-4

CAS-No. 9003-39-8

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Pharmaceutical

Details of the supplier of the safety data

sheet Ashland

P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

1-614-790-3333 (USA)

Emergency telephone

1-800-ASHLAND (1-800-274-5263)

Regulatory information

1-614-790-3333 (customer service)

Product Information

1-614-790-3333 (USA)

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

Hazardous ingredientsNo hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire

fighting

: No information available.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839248	Version: 1.14

Hazardous combustion

products

Carbon dioxide (CO2)
 Carbon monoxide
 Nitrogen oxides (NOx)

Specific extinguishing

methods

:

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Avoid dust formation.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Elec

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

Keep in a dry place.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Color : white, off-white

Odor : odorless

Ashland always solving ™	Page: 5
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

Odor Threshold : Not applicable

pH : 3-5

Concentration: 5 % (as aqueous solution)

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : not determined

Evaporation rate : Not applicable

Upper explosion limit : not determined

Lower explosion limit : not determined

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : not determined

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Dust may form explosive mixture in air.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Oxidizing agents

Strong acids

Hazardous decomposition

products

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Eye contact Skin contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

**Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839248	Version: 1.14

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

MX_DG

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods	

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	

TDG_INWT_C

Not dangerous goods	

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods	

**Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

U.S. DOT - INLAND WATERWAYS

0.0.201
Not dangerous goods

CFR RAIL C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods	

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer	Version: 1.14
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839248	

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

POLYVINYLPOLYPYRROLIDONE 9003-39-8

WATER 7732-18-5

New Jersey Right To Know

POLYVINYLPOLYPYRROLIDONE 9003-39-8

WATER 7732-18-5

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Pharmaceutical substance

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839248	Version: 1.14

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)


Other regulations

US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	1	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

P Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839248	Version: 1.14

Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Material Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

U law.

The UNECE administers regional agreements implementing

Ashland always solving ™	Page: 13
SAFETY DATA SHEET	Revision Date: 02/24/2023
	Print Date:12/05/2023
	SDS Number: R0718307
Plasdone™ K-29/32 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839248	Version: 1.14

harmonised classification for labelling (GHS) and transport. Cefic, the European Chemical Industry Council. ESIS European Chemical Substances Information System

Revision Date : 02/24/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. US / EN