

ROYCO C-201

| RUTCU C-201 | | | |
|-----------------------------|--|------------------------------------|--|
| Version: 1.0 | Revision Date: 12/05/2014 | Print Date: 04/22/2015 | |
| SECTION 1. PRODUCT AND C | OMPANY IDENTIFICATION | | |
| Product name | : ROYCO C-201 | | |
| Product Use Description: | Lubricant | | |
| Company: | <u>Manufacturer</u> Anderol Specialty Lubricants, a division 215 Merry Lane East Hanover, NJ 07936 United States of America | of Chemtura Corporation | |
| | Telephone: +1 203-573-4596, Toll Free | e: +1 888-263-3765 | |
| Emergency telephone number: | CHEMTREC: (24 hours) 800-424-9300 : : 703-527-3887 | 0 | |
| | For additional emergency telephone nut Data Sheet. | mbers see section 16 of the Safety | |
| Prepared by | Product Safety Department (US) +1 866-430-2775 | | |
| | MSDSRequest@chemtura.com | | |
| Recommended use of the c | chemical and restrictions on use | | |
| Recommended use | : Lubricant | | |
| Restrictions on use | : Reserved for industrial and prof | essional use. | |

SECTION 2. HAZARDS IDENTIFICATION

| Form | viscous liquid | |
|--------|----------------|--|
| Colour | tan | |
| Odour | mild | |

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Other hazards

: None



ROYCO C-201

| | RU1CU C-201 | |
|-----------------------|---|-----------------------|
| /ersion: 1.0 | Revision Date: 12/05/2014 | Print Date: 04/22/201 |
| Not a hazardous subst | anco or mixturo | |
| Self-ignitable | : No data available | |
| | | |
| Carcinogenicity: | | |
| IARC | No component of this product prese equal to 0.1% is identified as proba human carcinogen by IARC. | 0 |
| OSHA | No component of this product press equal to 0.1% is identified as a card carcinogen by OSHA. | |
| NTP | No component of this product prese equal to 0.1% is identified as a kno by NTP. | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Chemical Name | CAS-No. | Concentration (%) |
|---|------------|-------------------|
| calcium bis(dinonylnaphthalenesulphonate) | 57855-77-3 | >= 1 - < 5 % |

SECTION 4. FIRST AID MEASURES

| If inhaled | Remove to fresh air. Aspiration may cause pulmonary oedema and pneumonitis. If breathing is difficult, give oxygen. If symptoms persist, call a physician. |
|--|---|
| In case of skin contact | Wash off with warm water and soap. If skin irritation persists, call a physician. Cool skin rapidly with cold water after contact with molten material. |
| In case of eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately. |
| If swallowed | Do NOT induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and | : None known. |
| delayed Notes to physician | : For specialist advice physicians should contact the Poisons Information Service. |
| | |



ROYCO C-201

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

SDS Number: 40000001797

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | (on small fires) Carbon dioxide (CO2) Dry chemical Dry sand Extinguishing media - large fires Water mist Foam |
|---|---|--|
| Unsuitable extinguishing media | : | Water spray jet |
| Specific hazards during firefighting | : | Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health. |
| Specific extinguishing methods | : | Cool containers/tanks with water spray. |
| Special protective equipment for firefighters | : | Self-contained breathing apparatus with full face-piece operated in positive pressure mode. Body covering protective clothing, full "turn-out" gear. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Wear suitable protective equipment. | |
|---|---|----|
| Environmental precautions | Should not be released into the environment. Do not flush into surface water or sanitary sewer system | ۱. |
| Methods and materials for containment and cleaning up | Dam up. Soak up with inert absorbent material (e.g. sar silica gel, acid binder, universal binder, sawdust). Pick u transfer to properly labelled containers. | |

SECTION 7. HANDLING AND STORAGE

SAP 6.0 SDS 2012-2 NA GHS

| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Wear suitable protective equipment. Avoid contact with skin, eyes and clothing. Keep tightly closed. Protect from contamination. |
|-----------------------------|---|
| Conditions for safe storage | : Keep tightly closed in a dry, cool and well-ventilated place. |

3/8



ROYCO C-201

Version: 1.0

Revision Date: 12/05/2014

Print Date: 04/22/2015

Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Engineering measures | : Use with adequate ventilation. |
|----------------------|----------------------------------|

Personal protective equipment

| Respiratory protection | No personal respiratory protective equipment normally required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
|----------------------------|--|
| Hand protection Remarks | : When handling hot material, use heat resistant gloves. |
| Eye protection | : Safety goggles |
| Skin and body protection | : impervious clothing |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. Avoid breathing vapours, mist or gas. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : viscous liquid | |
|-----------------------------|--------------------------------|-------------------------|
| Color | : tan | |
| Odor | : mild | |
| Odour Threshold | : No data available | |
| рН | : No data available | |
| Melting point/range | : No data available | |
| Boiling point/boiling range | : No data available | |
| Evaporation rate | : No data available | |
| Flash point | : > 200 °C Method: open cup | |
| Auto-flammability | : No data available | |
| Upper explosion limit | : No data available | |
| Lower explosion limit | : No data available | |
| SAP 6.0 SDS 2012-2 NA GHS | 4 / 8 | SDS Number: 40000001797 |



ROYCO C-201

| /ersion: 1.0 | Revision Date: 12/05/2014 | Print Date: 04/22/2015 |
|--|---------------------------|------------------------|
| Vapour pressure | : Not applicable | |
| Relative vapour density | : No data available | |
| Relative density | : 1.34 | |
| Density | : 0.9 - 0.95 g/cm3 | |
| Solubility(ies) | | |
| Water solubility | : negligible | |
| Solubility in other solvents | : partly soluble | |
| Partition coefficient: n- octanol/water | : No data available | |
| Auto-ignition temperature | : not determined | |
| Thermal decomposition | : No data available | |
| Viscosity | | |
| Viscosity, dynamic | : No data available | |
| Viscosity, kinematic | : No data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : No dangerous reaction known under conditions of normal use. | |
|------------------------------------|---|--|
| Chemical stability | : No decomposition if stored normally. | |
| Possibility of hazardous reactions | : Hazardous polymerisation does not occur. | |
| Conditions to avoid | : Exposure to moisture. Contamination | |
| Incompatible materials | : Strong oxidizing agents | |
| Hazardous decomposition products | : Oxides of calcium Sulphur oxides Carbon oxides | |

SECTION 11. TOXICOLOGICAL INFORMATION

| Acute oral toxicity calcium bis(dinonyInaphthalenesulph onate) (Component) | : LD50: > 5,000 mg/kg Species: Rat | |
|---|---------------------------------------|-------------------------|
| Acute inhalation toxicity calcium | : Acute toxicity estimate: > 15 mg/l | |
| SAP 6.0 SDS 2012-2 NA GHS | 5 / 8 | SDS Number: 40000001797 |



| | ROYCO C-201 | | | | |
|---|--|--|--|--|--|
| ersion: 1.0 | Revision Date: 12/05/2014 | Print Date: 04/22/2015 | | | |
| bis(dinonylnaphthalenesulph onate) (Component) | Method: Expert judgement | | | | |
| Acute dermal toxicity calcium bis(dinonyInaphthalenesulph onate) (Component) | : LD50: > 5,000 mg/kg Species: Rat | | | | |
| Skin irritation calcium bis(dinonyInaphthalenesulph onate) (Component) | : Species: Rabbit Result: Irritating to skin. Remarks: see user defined free | e text | | | |
| Eye irritation calcium bis(dinonyInaphthalenesulph onate) (Component) | : Species: Rabbit Result: Irritating to eyes. | | | | |
| Sensitisation calcium bis(dinonyInaphthalenesulph onate) (Component) | : Patch Test Species: Human Classification: Did not cause se | ensitisation on laboratory animals. | | | |
| Aspiration toxicity (Product) | : No aspiration toxicity classificati | ion | | | |
| CMR effects calcium bis(dinonyInaphthalenesulph onate) (Component) | : Mutagenicity: Tests on bacteria mutagenic effects. | al or mammalian cell cultures did not sh | | | |
| Further information (Product) | : No data is available on the proc | duct itself. | | | |
| ECTION 12. ECOLOGICAL INFO | ORMATION | | | | |
| Ecotoxicity effects | | | | | |
| Toxicity to fish (Product) | : Remarks: No data available | | | | |
| Elimination information (per | rsistence and degradability) | | | | |
| Bioaccumulation (Product) | : Remarks: No data available | | | | |

SDS Number: 40000001797



ROYCO C-201

| ROYCO C-201 | | | |
|---|---------------------------|--|--|
| rsion: 1.0 | Revision Date: | 12/05/2014 | Print Date: 04/22/201 |
| Mobility (Product) | : Remarks: No data ava | ilable | |
| Biodegradability (Product) | : Result: No c | lata available | |
| Further information on eco | logy | | |
| Ecotoxicology Assessmen | t | | |
| Results of PBT assessment This mixture contains no sub Additional ecological information (Product) | stance considered | I to be persistent, b on on ecology is av | ioaccumulating and toxic (PBT) ailable. |
| ECTION 13. DISPOSAL CONS | DERATIONS | | |
| Disposal methods | | | |
| Waste from residues | : In accordan | ce with local and na | tional regulations. |
| ECTION 14. TRANSPORT INFO | DRMATION | | |
| ADR | | | |

Not dangerous goods

RID Not dangerous goods

MERCOSUR Not dangerous goods

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SAP 6.0 SDS 2012-2 NA GHS

SDS Number: 40000001797



ROYCO C-201

Revision Date: 12/05/2014 Print Date: 04/22/2015 Version: 1.0 **CERCLA Reportable Quantity** This material does not contain any components with a CERCLA RQ. SARA304 Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards : No SARA Hazards **SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. **SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. **US State Regulations** California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. The components of this product are reported in the following inventories: **US.TSCA** On TSCA Inventory DSL All components of this product are on the Canadian DSL. Not in compliance with the inventory AICS Not in compliance with the inventory NZIOC ENCS Not in compliance with the inventory On the inventory, or in compliance with the inventory KECI PICCS On the inventory, or in compliance with the inventory **IECSC** Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

| Latin America: | Brazil | +55 113 711 9144 |
|----------------|---------------------|----------------------|
| | All other countries | +44 (0) 1235 239 670 |
| Mexico: | | +52 555 004 8763 |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.