



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: HYBASE® C-402

Product Use Description: Additive

Synonyms: Ca Sulfonate

Company: Chemtura Corporation  
199 Benson Road  
Middlebury, CT  
06749  
United States of America

Telephone: (US) +1 866-430-2775

Emergency telephone number: CHEMTREC: (24 hours) 800-424-9300  
:  
Chemtura Corporation Emergency Response: CHEMTURA : 800-292-5898

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department  
(US) +1 866-430-2775

MSDSRequest@chemtura.com

Recommended use of the chemical and restrictions on use

Recommended use : Additive

Restrictions on use : Restricted to professional users.

### SECTION 2. HAZARDS IDENTIFICATION

Form	viscous liquid
Colour	brown
Odour	mild hydrocarbon-like

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS Label element

Signal word : **Warning**



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

Hazard pictograms

:



Hazard statements

: H317 May cause an allergic skin reaction.

Other hazards

: None

Precautionary statements

: **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Carcinogenicity:

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	$\geq 30 - < 50$ %
calcium carbonate	471-34-1	$\geq 30 - < 50$ %
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	$\geq 10 - < 20$ %
Sulfonic acids, petroleum, calcium salts	61789-86-4	$\geq 5 - < 10$ %
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	$\geq 1 - < 5$ %

## SECTION 4. FIRST AID MEASURES



## SAFETY DATA SHEET

### HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

- |   |   |
|---|---|
| If inhaled  | : Remove to fresh air.<br>Aspiration may cause pulmonary oedema and pneumonitis.<br>If breathing is difficult, give oxygen.<br>If symptoms persist, call a physician. |
| In case of skin contact                                     | : Cool skin rapidly with cold water after contact with molten material.<br>Wash off with warm water and soap.<br>If skin irritation persists, call a physician.       |
| In case of eye contact                                      | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Obtain medical attention.   |
| If swallowed  | : Obtain medical attention.<br>Never give anything by mouth to an unconscious person.   |
| Most important symptoms and effects, both acute and delayed | : None known.   |
| Notes to physician  | : For specialist advice physicians should contact the Poisons Information Service.  |

#### SECTION 5. FIREFIGHTING MEASURES

- |   |  |
|---|--|
| Suitable extinguishing media                  | : (on small fires)<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical<br>Dry sand<br>Extinguishing media - large fires<br>Foam<br>Water mist |
| Unsuitable extinguishing media                | : High volume water jet  |
| Specific hazards during firefighting          | : Do not use a solid water stream as it may scatter and spread fire.   |
| Specific extinguishing methods                | : Cool containers/tanks with water spray.  |
| Special protective equipment for firefighters | : Wear a positive-pressure supplied-air respirator with full facepiece.<br>Use personal protective equipment.                                  |

#### SECTION 6. ACCIDENTAL RELEASE MEASURES



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
- Environmental precautions : Should not be released into the environment.  
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Clean-up methods - large spillage Dam up. Large spills should be collected mechanically (remove by pumping) for disposal. Clean-up methods - small spillage Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with skin, eyes and clothing.  
Wear suitable protective equipment.  
Keep tightly closed.  
Protect from contamination.  
Ensure all equipment is electrically grounded before beginning transfer operations.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
- Materials to avoid : Oxidizing agents, Acids and bases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL

- Engineering measures : Highly effective exhaust ventilation  
Ensure that eyewash stations and safety showers are close to



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

the workstation location.

### Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
Respirator with combination filter for vapour/particulate (EN 141).
- Hand protection  
Remarks : Impervious gloves
- Eye protection : Tightly fitting safety goggles
- Skin and body protection : impervious clothing
- Hygiene measures : Take precautionary measures against static discharges.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : viscous liquid
- Color : brown
- Odor : mild hydrocarbon-like
- Odour Threshold : No data available
- pH : No data available
- Melting point/range :  
No data available
- Boiling point/boiling range : No data available
- Evaporation rate : No data available
- Flash point : > 180 °C  
Method: open cup
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Relative density : > 1 (25 °C)
- Density : No data available
- Solubility(ies)
- Water solubility : negligible
- Solubility in other solvents : partly soluble



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : 60.0 - 90.0 mPa.s (100 °C)  
Method: ASTM D 445

Viscosity, kinematic : > 30 mm<sup>2</sup>/s (40 °C)

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Exposure to moisture.  
Contamination

Incompatible materials : Oxidizing agents  
Acids and bases

Hazardous decomposition products : Carbon oxides  
Sulphur oxides  
Metal oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (Product) : LD50: > 20,000 mg/kg  
Species: Rat  
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity (Product) : Remarks: No data available

Acute dermal toxicity (Product) : Remarks: No data available



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

Skin irritation  
calcium carbonate (Component) : Species: Rabbit  
Result: No skin irritation

Eye irritation (Product) : Remarks: No data available

Sensitisation (Product) : Remarks: Does not cause skin sensitisation.

Reproductive toxicity  
calcium carbonate (Component) : Species: Rat  
Application Route: Oral

Aspiration toxicity (Product) : No aspiration toxicity classification

CMR effects  
calcium carbonate (Component) : Teratogenicity: No effects on or via lactation  
Reproductive toxicity: No toxicity to reproduction

Further information (Product) : No data is available on the product itself.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity effects

Toxicity to fish (Product) : Remarks:  
No data available

Toxicity to daphnia and other aquatic invertebrates  
Sulfonic acids, petroleum, calcium salts (Component) : EC50: > 100 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
static test Method: OECD Test Guideline 202

Toxicity to algae  
Sulfonic acids, petroleum, calcium salts (Component) : EbC50: > 100 mg/l  
Exposure time: 72 h  
Species: Green algae (Scenedesmus subspicatus)  
static test Analytical monitoring: no  
Method: OECD Test Guideline 201



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

ErC50: > 100 mg/l  
Species: Green algae (*Scenedesmus subspicatus*)  
static test Analytical monitoring: no  
Method: OECD Test Guideline 201

### Elimination information (persistence and degradability)

Bioaccumulation (Product) : Remarks:  
No data available

Mobility (Product) : Remarks:  
No data available

Biodegradability (Product) : Result: No data available

### Further information on ecology

#### Ecotoxicology Assessment

Results of PBT assessment (Product)  
This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
Additional ecological : Avoid release to the environment.  
information (Product) The product itself has not been tested.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of wastes in an approved waste disposal facility.

## SECTION 14. TRANSPORT INFORMATION

### ADR

Not dangerous goods

### RID

Not dangerous goods

### MERCOSUR

Not dangerous goods

### DOT

Not dangerous goods





# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

### IATA

Not dangerous goods

### IMDG

Not dangerous goods

Additional advice: If shipped or transported at temperatures over 100°C (212°F) and in containers greater than 450 liters (119 gal) regulated as: ELEVATED TEMPERATURE LIQUID, N.O.S., Class 9, UN 3257, PGIII, ERG 128.

Additional advice: Not classified as dangerous in the meaning of transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : Not relevant  
Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

##### US.TSCA

On TSCA Inventory

##### DSL

All components of this product are on the Canadian DSL.

##### AICS

On the inventory, or in compliance with the inventory

##### NZIoC

On the inventory, or in compliance with the inventory

##### ENCS

On the inventory, or in compliance with the inventory

##### KECI

On the inventory, or in compliance with the inventory

##### PICCS

On the inventory, or in compliance with the inventory

##### IECSC

On the inventory, or in compliance with the inventory



# SAFETY DATA SHEET

## HYBASE® C-402

Version: 1.1

Revision Date: 03/31/2015

Print Date: 04/21/2015

### SECTION 16. OTHER INFORMATION

#### Further information

#### Other Emergency Phone Number

<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
<u>Mexico:</u>		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.