

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

**Product name:** Eastman(TM) Cellulose Acetate Propionate (CAP-504-0.2)

**Product No.:** EAN 250114. 04884-00, P0488451, P0488450, P0488452, P0488453, P0488401, P0488432, P04884AB, P0488400, P0488402, E0488401, P0488434

**Synonyms, Trade Names:** 04884-00

**Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses:** Polymer

**Uses advised against:** None known.

**Details of the supplier of the safety data sheet****Manufacturer / Supplier**

Eastman Chemical Company  
200 South Wilcox Drive  
Kingsport, TN 37660-5280 US  
+14232292000

Visit our website at [www.EASTMAN.com](http://www.EASTMAN.com) or email [emnmsds@eastman.com](mailto:emnmsds@eastman.com)

**Emergency telephone number:**

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

## SECTION 2: Hazards identification

**Hazard classification:****OSHA Specified Hazards:**

Combustible dust

May form combustible dust concentrations in air.

**Warning label items including precautionary statement:**

**Signal words:** WARNING!

**Hazard Statement(s):** May form combustible dust concentrations in air.

**Precautionary statement:**

**Prevention:** P210: Keep away from heat/sparks/open flames. - No smoking.  
P243: Take precautionary measures against static discharge.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None known.

**SECTION 3: Composition/information on ingredients**

**Substances / Mixtures**

**General information:**

Chemical name	Concentration	Additional identification	Notes
cellulose acetate propionate	100%	CAS-No.: 9004-39-1	

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.  
This substance has workplace exposure limit(s).

**SECTION 4: First aid measures**

**Description of first aid measures**

**Inhalation:** Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

**Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

**Skin contact:** Wash with soap and water. Get medical attention if symptoms occur. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Get medical attention.

**Ingestion:** Seek medical advice.

**Most important symptoms and effects, both acute and delayed:** Burns should be treated as thermal burns. The material will come off as healing occurs; therefore, immediate removal from the skin is not necessary.

**Indication of any immediate medical attention and special treatment needed**

**Hazards:** Contact with molten substance/product may cause severe burns to skin and eyes.

**Treatment:** Treat symptomatically.

**SECTION 5: Firefighting measures**

**General fire hazards:** Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.

**Extinguishing media**

**Suitable extinguishing media:** Water spray. Dry chemical. Carbon Dioxide.

**Unsuitable extinguishing media:** None known.

<b>Special hazards arising from the substance or mixture:</b>	Powdered material may form explosive dust-air mixtures.
<b>Advice for firefighters</b>	
<b>Special fire fighting procedures:</b>	Minimize dust generation and accumulation.
<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**SECTION 6: Accidental release measures**

<b>Personal precautions, protective equipment and emergency procedures:</b>	Wear appropriate personal protective equipment.
<b>Environmental precautions:</b>	Not regarded as dangerous for the environment.
<b>Methods and material for containment and cleaning up:</b>	Sweep up and place in a clearly labeled container for chemical waste.
<b>Notification Procedures:</b>	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**SECTION 7: Handling and storage:**

<b>Precautions for safe handling:</b>	Avoid contact with molten material. Mixing cellulose esters in a nonpolar hydrocarbon, such as toluene or xylene, may result in the buildup of static electricity, which can cause a flash fire or an explosion. When adding cellulose ester to any flammable liquid, an inert gas atmosphere should be maintained within the vessel.
<b>Conditions for safe storage, including any incompatibilities:</b>	Keep container closed.
<b>Specific end use(s):</b>	Polymer

**SECTION 8: Exposure controls/personal protection****Control parameters****Occupational exposure limits**

Country specific exposure limits have not been established or are not applicable unless listed below.

**Exposure controls**

**Appropriate engineering controls:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:** Eye bath. Washing facilities.

**Eye/face protection:** It is a good industrial hygiene practice to minimize eye contact. Wear a face shield when working with molten material.

**Skin protection**

**Hand protection:** It is a good industrial hygiene practice to minimize skin contact. When material is heated, wear gloves to protect against thermal burns.

**Other:** No data available.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

**Hygiene measures:** Observe good industrial hygiene practices.

**Environmental Controls:** No data available.

**SECTION 9: Physical and chemical properties**

**Information on basic physical and chemical properties**

**Appearance**

<b>Physical State:</b>	Solid
<b>Form:</b>	powder
<b>Color:</b>	White
<b>Odor:</b>	Slight
<b>Odor Threshold:</b>	Not determined.
<b>pH:</b>	No data available.
<b>Melting Point</b>	188 - 210 °C
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	not applicable, combustible solid
<b>Evaporation Rate:</b>	Not determined.
<b>Flammability (solid, gas):</b>	No data available.
<b>Flammability Limit - Upper (%)-:</b>	No data available.
<b>Flammability Limit - Lower (%)-:</b>	No data available.
<b>Vapor pressure:</b>	Not determined.

<b>Vapor density (air=1):</b>	No data available.
<b>Specific Gravity:</b>	1.22 - 1.26
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Negligible
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Autoignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	Thermal stability not tested. Low stability hazard expected at normal operating temperatures.
<b>Dynamic Viscosity:</b>	No data available.
<b>Kinematic viscosity:</b>	Not determined.
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.
<b>Other information</b>	
<b>Dust Explosion Class:</b>	St 2 - strong explosion
<b>Minimum ignition temperature:</b>	432 °C (ASTM D2155)

## SECTION 10: Stability and reactivity

<b>Reactivity:</b>	None known. Materials containing similar structural groups are normally stable.
<b>Chemical stability:</b>	Not fully evaluated.
<b>Possibility of hazardous reactions:</b>	None known.
<b>Conditions to avoid:</b>	Avoid dust formation.
<b>Incompatible materials:</b>	Strong oxidizing agents.
<b>Hazardous decomposition products:</b>	Carbon Monoxide. Carbon Dioxide.

## SECTION 11: Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	None known.
<b>Ingestion:</b>	None known.
<b>Skin contact:</b>	Molten material will produce thermal burns.
<b>Eye contact:</b>	Molten material will produce thermal burns.

### Information on toxicological effects

#### Acute Toxicity

<b>Oral</b>	
<b>Product:</b>	No data available.

**Specified substance(s)**

cellulose acetate propionate Oral LD-50: (Rat): > 6,400 mg/kg (highest dose tested)  
Oral LD-50: (Mouse): > 6,400 mg/kg (highest dose tested)

**Dermal**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate Dermal LD-50: (Guinea Pig): > 5,000 mg/kg  
propionate (highest dose tested)

**Inhalation**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Skin corrosion/irritation:**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate (Guinea Pig, 24 h): Slight  
propionate

**Serious eye damage/eye irritation:**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate No data available.  
propionate

**Respiratory or skin sensitization:**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate Skin Sensitization:, (Guinea Pig) - Not a skin sensitizer.  
propionate

**Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**In vivo**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Carcinogenicity**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Specific target organ toxicity - single exposure**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Specific target organ toxicity - repeated exposure**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Aspiration hazard**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Other adverse effects:**

No data available.

**SECTION 12: Ecological information**

**Toxicity**

**Acute toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Aquatic invertebrates**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate EC-50 (daphnid, 48 h): > 1 mg/l (highest concentration tested)

**Chronic Toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

cellulose acetate propionate No data available.

**Aquatic invertebrates**

**Product:** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Toxicity to Aquatic Plants**  
**Product:** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Persistence and degradability**

**Biodegradation**  
**Product:** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Biological Oxygen Demand:**  
**Product** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Chemical Oxygen Demand:**  
**Product** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**BOD/COD ratio**  
**Product** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Bioaccumulative potential**  
**Product:** No data available.

**Specified substance(s)**  
 cellulose acetate propionate No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**  
 cellulose acetate propionate No data available.

**Results of PBT and vPvB assessment:** No data available.

cellulose acetate propionate No data available.

**Other adverse effects:** No data available.



**SECTION 13: Disposal considerations****Waste treatment methods**

<b>General information:</b>	No data available.
<b>Disposal methods:</b>	Dispose of waste and residues in accordance with local authority requirements. Incinerate.

**SECTION 14: Transport information**

*Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.*

**DOT**

Class not regulated

**IMDG - International Maritime Dangerous Goods Code**

Class not regulated

**IATA**

Class not regulated

**SECTION 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.**

**WHMIS (Canada) Status:** noncontrolled

**SARA 311-312 Hazard Classification(s):**

fire hazard

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical List**

NONE

**OSHA:** hazardous

**TSCA (US Toxic Substances Control Act):** This product is listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

**DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act):** This product is listed on the DSL. Any impurities present in this product are exempt from listing.

**AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme):** This product is listed on AICS or otherwise complies with NICNAS.

**MITI (Japanese Handbook of Existing and New Chemical Substances):** This product is listed in the Handbook or has been approved in Japan by new substance notification.

**ECL (Korean Toxic Substances Control Act):** This product is listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.

**Inventory of Existing Chemical Substances in China:** All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

## SECTION 16: Other information

**HMIS® Hazard Ratings:** Health - 1, Flammability - 1, Chemical Reactivity - 0

*HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.*

**Revision Information:** New SDS

**Key literature references and sources for data:** No data available.

**Training information:** No data available.

**Issue date:** 10/01/2014

**SDS No.:**

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.