Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer	Version: 1.4
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
831883	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:

Product identifier

Trade name

Styleze[™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against Recommended use : Cosmetic additive

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) +1-614-790-3333	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-800-325-3751 Product Information +1-614-790-3333
EHSProductSafety@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components No hazardous ingredients

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	 If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	 Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: No symptoms known or expected.
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	 If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
831883	

Hazardous combustion products	carbon dioxide and carbon monoxide nitrogen oxides (NOx)	
Specific extinguishing methods	Product is compatible with standard fire-fighting agents.	
	Product is compatible with standard fire-fighting agents.	
Further information	Standard procedure for chemical fires.	
	Fire residues and contaminated fire extinguishing water to be disposed of in accordance with local regulations.	nust
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing appara	itus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Persons not wearing protective equipment should rom area of spill until clean-up has been complete	
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so f the product contaminates rivers and lakes or dra respective authorities.	
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, s acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,
Other information	Comply with all applicable federal, state, and local	regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Conditions for safe storage	: Protect from frost.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipment	
Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	Wear as appropriate: Safety shoes Wear resistant gloves (consult your safety equipment supplier).
Hygiene measures	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous
Physical state	:	liquid
Colour	:	cloudy
Odour	:	slight
Odour Threshold	:	No data available
рН	:	6.0 - 8.0 Concentration: 10

%

Materials to avoid : No materials to be especially mentioned.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	93.3 °C(Estimated)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Due to approximately 90% water
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1 g/cm3 (20 °C)
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Thermal decomposition	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No decomposition if stored and applied as directed.

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Eye Contact Ingestion

Acute toxicity

Not classified based on available information. <u>Product:</u> Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information. Product: Result: No skin irritation

Serious eye damage/eye irritation Not classified based on available information. Product: Result: Slight, transient irritation

Remarks: Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. **Product:** Genotoxicity in vitro : Test Type: Ames test

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Result: negative

Carcinogenicity

Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. Aspiration toxicity Not classified based on available information. Further information Product: Remarks: No data available **Carcinogenicity:** IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity <u>Product:</u> Ecotoxicology Assessment Acute aquatic toxicity	: Acute aquatic toxicity Category 3; Harmful to aquatic	life.
Chronic aquatic toxicity	: Not classified based on available information.	
Persistence and degradabili No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available	y	

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Product:

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	: Dispose of in accordance with all applicable local, state and federal regulations.
	The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.
	5 · · · · · · · · · · · · · · · · · · ·			•	

MX_DG

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TDG_INWT_C

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
831883	

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know ActCERCLA Reportable QuantityThis material does not contain any components with a CERCLA RQ.SARA 304 Extremely Hazardous Substances Reportable QuantityThis material does not contain any components with a section 304 EHS RQ.SARA 311/312 Hazards: No SARA Hazards

SARA 302	: This material does not contain any components with a section
	302 EHS TPQ.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

SARA 313		This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
US State Regulations Pennsylvania Right To Know WATER			7732-18-5
		, N-[3- propyl]-2-methyl-, polymer -pyrrolidinone, sulfate	175893-71-7
New Jersey Ri	i ght To Know WATER		7732-18-5
		, N-[3- propyl]-2-methyl-, polymer -pyrrolidinone, sulfate	175893-71-7
California Pro The compone DSL	nts of this produ	of California to cause canc reproductive harm. ct are reported in the follow	or several components that are not
AICS	:	On the inventory, or in com	pliance with the inventory
ENCS	:	Exempt	
KECI	:	On the inventory, or in com	pliance with the inventory
PICCS	:	Not in compliance with the	inventory
IECSC	:	On the inventory, or in com	pliance with the inventory
TCSI	:	On the inventory, or in com	pliance with the inventory
TSCA	:	On TSCA Inventory	

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze™ CC-10 polymer	Version: 1.4
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
831883	

SECTION 16. OTHER INFORMATION



Revision Date: 05/09/2018



NFPA Flammable and Combustible Liquids Classification Combustible Liquid Class IIIB

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 05/09/2018
	Print Date: 8/21/2018
	SDS Number: R0718344
Styleze [™] CC-10 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 831883	Version: 1.4

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**