

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : KATHON™ CG Preservative

Product code : 00000000062633210

Manufacturer or supplier's details

Company : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS
(412) 809-1000
lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or
(703) 527-3887 (Outside U.S.A) and mention CCN12916.
Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Preservative

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitization : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

H317 May cause an allergic skin reaction.

Precautionary Statements :

Prevention:
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
magnesium nitrate	10377-60-3*	>= 10 - <= 30
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1)	-	>= 0.5 - <= 1.5

* Indicates that the identifier is a CAS No.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

SECTION 4. FIRST AID MEASURES


- General advice : Consult a physician.
Move out of dangerous area.
Do not leave the victim unattended.
Show this safety data sheet to the doctor in attendance.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Get medical attention immediately.
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Continue to rinse for 30 minutes.
Chemical burns must be treated promptly by a physician.
Wash contaminated clothing before reuse.
- In case of eye contact : Get medical attention immediately.
In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.
Remove contact lenses, if present and easy to do. Continue rinsing.
Chemical burns must be treated promptly by a physician.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

- Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.
Skin: Reddening, burning, and possible permanent damage.
Skin: Causes irritation with symptoms of reddening, itching, and swelling.
Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
- Effects : May cause an allergic skin reaction.
Causes serious eye damage.
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : MATERIAL IS CORROSIVE. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock and convulsions maybe necessary.
Treat symptomatically.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : hydrogen chloride
Nitrogen oxides (NO_x)
Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
Sulfur oxides
Halogenated compounds
- Further information : Cool containers/tanks with water spray.
Minimize exposure.
Do not breathe fumes.
Contain run-off.
- Special protective equipment for fire-fighters : Self-contained breathing apparatus (EN 133)
Body covering protective clothing, full "turn-out" gear.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear a NIOSH approved (or equivalent) respirator (with organic vapor/acid gas cartridge and a dust/mist filter) during spill clean-ups and deactivation of this material.
MATERIAL IS CORROSIVE. Protective clothing, including chemical splash goggles, nitrile or butyl rubber full length gloves, rubber apron, or clothing made of nitrile or butyl rubber, and rubber overshoes must be worn during spill clean-ups and deactivation of this material. If material comes in contact with the skin during clean-up operations, IMMEDIATELY remove all contaminated clothing and wash exposed skin areas with soap and water. See SECTION 4, First Aid Measures, for further information.
- Environmental precautions : Do not allow material to contaminate ground water system.
Prevent product from entering drains.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Methods and materials for containment and cleaning up : WARNING: KEEP SPILLS AND CLEAN-UP RESIDUALS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER. Adsorb the spill with spill pillows or inert solids such as clay or vermiculite, and transfer contaminated materials to suitable containers for disposal. Deactivate spill area with freshly prepared solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water. Apply solution to the spill area at a ratio of 10 volumes deactivation solution per estimated volume of residual spill to deactivate any residual active ingredient. Let stand for 30 minutes. Flush the spill area with copious amounts of water to chemical sewer (if in accordance with local procedures, permits and regulations). DO NOT add deactivation solution to the waste pail to deactivate the adsorbed material. See Section 13, "Disposal Considerations", for information regarding the disposal of contained materials.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Corrosive
For personal protection see section 8.
Do not handle material near food, feed or drinking water.

Conditions for safe storage : Keep in a well-ventilated place.
The product as supplied may evolve gas (largely carbon dioxide) slowly. To prevent the buildup of pressure the product is packaged in specially vented containers, where necessary. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted.
Do not store this material in containers made of the following: steel
Do not store near food, foodstuffs, drugs or potable water supplies.

Further information on storage conditions : CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all (M)SDS and label warnings even after container is emptied.
Expiration date based only on retention of >95% actives during storage at 20°C-25°C (68°F-77°F).

Recommended storage temperature : 34 - 131 °F / 1 - 55 °C

Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

|| Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

Engineering measures : Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.
Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.
If there are no applicable exposure limit requirements or guidelines, use an approved respirator.
Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber - IIR Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Neoprene Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride - PVC NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Hygiene measures : General industrial hygiene practice.
When using do not eat, drink or smoke.
Wash hands before breaks and at the end of workday.
Remove contaminated clothing and protective equipment before entering eating areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Appearance : liquid

Physical state : liquid

Color : colourless to light-yellow, clear

Odor : Mild, inoffensive odor

Odor Threshold : No data available

pH : 1.7 - 3.7
Concentration: 1.5 %

Melting point/freezing point : -5.80 °F / -21.00 °C

Boiling point/boiling range : ca. 212.00 °F / 100.00 °C

Flash point : does not flash

Evaporation rate : < 1.00
water

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 0.133 hPa

Relative vapor density : 0.6500
(Air = 1.0)

Relative density : 1.2000


Density : 1.20 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : completely soluble

Solubility in other solvents : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Partition coefficient: n-octanol/water : log Pow: 0.401
Method: Method Not Specified.

Ignition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : No data available

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No data available

Incompatible materials : Oxidizing agents
Amines
Reducing agents
mercaptan

Hazardous decomposition products : Nitrogen oxides (NOx)
Sulfur oxides
hydrogen chloride

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat, female): 2,630 mg/kg
LD50 (Rat, male): 3,350 mg/kg

Acute inhalation toxicity : Assessment: Not corrosive to the respiratory tract.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Acute toxicity estimate: 22.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Components:

magnesium nitrate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: Yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit
Remarks : This material is considered caustic.


Components:

magnesium nitrate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : No
Remarks : Test results on an analogous substance/product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.
Remarks : Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Irreversible effects on the eye

Components:

magnesium nitrate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : Yes

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Remarks : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Components:

magnesium nitrate:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : Did not cause sensitization on laboratory animals.
GLP : Yes

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

GLP : Yes

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.
GLP : Yes

Germ cell mutagenicity

Not classified due to lack of data.

Components:

magnesium nitrate:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: Yes

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: Yes
Remarks: Test results on an analogous substance/product.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: Yes
Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

magnesium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Dose: 250 - 750 - 1500 mg/kg
Duration of Single Treatment: 28 d
General Toxicity Parent: NOAEL: \geq 1,500 mg/kg body weight
Method: OECD Test Guideline 422
GLP: Yes
Remarks: Test results on an analogous substance/product.

Effects on fetal development : Species: Rat, male and female
Application Route: Oral
Dose: 250 - 750 - 1500 mg/kg
Duration of Single Treatment: 53 d
General Toxicity Maternal: NOAEL: \geq 1,500 mg/kg body weight
Developmental Toxicity: NOAEL: \geq 1,500 mg/kg body weight
Method: OECD Test Guideline 422
GLP: Yes
Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : Material is corrosive. Upper respiratory tract irritation or corrosivity may be expected.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

STOT-repeated exposure

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

magnesium nitrate:

Species : Rat, male and female
NOAEL : $\geq 1,500$ mg/kg
Application Route : Oral
Exposure time : 28 d
Number of exposures : daily
Dose : 250 - 750 - 1500 mg/kg
Method : OECD Test Guideline 422
GLP : Yes
Remarks : Subacute toxicity
Test results on an analogous substance/product.

Aspiration toxicity

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

magnesium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes
Remarks: Test results on an analogous substance/product.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 490 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

aquatic invertebrates Exposure time: 48 h
Analytical monitoring: No
GLP: No
Remarks: Test results on an analogous substance/product.

Toxicity to algae/aquatic plants : EC50 (Diatom): > 1,700 mg/l
End point: Growth rate
Exposure time: 10 Days
Test Type: static test
Analytical monitoring: Yes
GLP: No
Remarks: Test results on an analogous substance/product.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Analytical monitoring: No
Method: OECD Test Guideline 209
GLP: Yes
Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.027 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.0014 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test

EC50 (Skeletonema costatum (marine diatom)): 0.0063 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.05 mg/l
Exposure time: 14 d
Test Type: flow-through test

NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l
Exposure time: 36 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l
Exposure time: 21 d
Test Type: flow-through test

Persistence and degradability

Components:

magnesium nitrate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Biodegradability : Result: Biodegradation (aquatic metabolism):5-Chloro-2-methyl-4-isothiazolin-3-one (CMIT): t_{1/2} anaerobic = 0.2 day. t_{1/2} aerobic = 0.38 – 1.3 day2-Methyl-4-isothiazolin-3-one(MIT): t_{1/2} aerobic = 0.38 – 1.4 day
Remarks: Considered rapidly degradable in the environment.

Biodegradation: < 50 %
Exposure time: 10 d

Result: Biodegradable
Biodegradation: 62 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Biodegradation: 98 %
Exposure time: 48 d
Method: Simulation study
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)
Remarks: Considered rapidly degradable in the environment.

Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 29 d
Method: OECD Test Guideline 301B
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)
GLP: Yes

Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)
GLP: Yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

aerobic
Concentration: 6 mg/l
Result: Readily biodegradable.
Biodegradation: 98 %
Exposure time: 2 d
Method: OECD Test Guideline 302B
Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)
Remarks: 10-day Window: Not applicable

Photodegradation : Degradation (direct photolysis): 50 % Degradation half life: 0.2 d
Degradation (indirect photolysis): 50 % Degradation half life: 0.38 - 1.3 d

Bioaccumulative potential

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Bioaccumulation : Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)
Remarks: Bioaccumulation is unlikely.

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

log Pow: -0.486
Method: measured
Remarks: 2-Methyl-4-isothiazolin-3-one(MIT):

log Pow: 0.401
Method: measured
Remarks: 5-Chloro-2-methyl-4-isothiazolin-3-one

Mobility in soil

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Distribution among environmental compartments : Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

an important fate process.

Koc: 28
Method: estimated
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Other adverse effects

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR


UN/ID No. : UN 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class : 8
Packing group : III
Labels : 8

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

: 
Packing instruction (cargo aircraft) : 856: 60.00 L
Packing instruction (passenger aircraft) : 852: 5.00 L
Environmentally hazardous : yes



IMDG-Code

UN number : UN 3265
UN proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class : 8
Packing group : III
Labels : 8
:



EmS Code : F-A, S-B
Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3265
Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.
(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class : 8
Packing group : III
Labels : 8
:



ERG Code : 153

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version 2.0 Revision Date: 08/28/2025 SDS Number: 203000022075 Date of last issue: 07/11/2024
Country / Language: US / EN

Marine pollutant : no

Hazard and Handling Notes

Slightly corrosive.
Environmentally hazardous substance.
Keep separated from foodstuffs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

magnesium nitrate	10377-60-3	>= 20 - < 30 %
-------------------	------------	----------------

US State Regulations

Massachusetts Right To Know

magnesium nitrate	10377-60-3
-------------------	------------

Pennsylvania Right To Know

water	7732-18-5
magnesium nitrate	10377-60-3
acetic acid	64-19-7

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : This product is regulated under the United States Food and Drug Act (FDA).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

KATHON™ CG Preservative

Version
2.0

Revision Date:
08/28/2025


SDS Number:
203000022075

Date of last issue: 07/11/2024
Country / Language: US / EN

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH		3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



KATHON™ CG Preservative

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
2.0	08/28/2025	203000022075	Country / Language: US / EN

es; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/28/2025

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

US / EN