

1 Identification

- **Product identifier**
- **Trade name: LUDOX® CL-X**
- **Application of the substance / the preparation:**
Intermediate product of varied applicability in industry and trade.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GRACE
W. R. Grace & Co.-Conn
7500 Grace Drive
Columbia MD 21044
U. S. A.
- **Information department:**
Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000
MSDS.Davison@grace.com
- **Emergency telephone number:**
Chemtrec North America: +1-800-424-9300
Chemtrec International: +1-703-527-3887
Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**
ethylene glycol
- **Hazard statements**
May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
Do not breathe dust/fume/gas/mist/vapors/spray.
Get medical advice/attention if you feel unwell.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

(Contd. on page 2)

USA

Trade name: **LUDOX® CL-X**

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 1 | Health = 1 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

· **Hazard not otherwise classified**

WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

3 Composition/information on ingredients· **Chemical characterization: Mixtures**· **Description:** Water colloidal suspension of amorphous silica.· **CAS No. and description:**

| | | |
|-----------|--|--------|
| 7631-86-9 | amorphous silicon dioxide, chemically prepared | 25-50% |
| 7732-18-5 | water, distilled, or of similar purity | 40-70% |

· **List of Dangerous Components**

| | | | |
|----------|-----------------|---|-------|
| 107-21-1 | ethylene glycol | ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302 | 5-10% |
|----------|-----------------|---|-------|

4 First-aid measures· **Description of first aid measures**· **General information:**

Immediately remove contaminated clothing if necessary to prevent direct skin contact.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:**

Immediately flush skin with water for at least 15 minutes.

Remove contaminated clothing immediately.

· **After eye contact:**

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

· **After swallowing:** Seek medical attention. Do not induce vomiting.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures· **Extinguishing media**· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.· **Hazardous combustion products** No further relevant information available.· **Advice for firefighters**· **Protective equipment:** Wear personal protective equipment.· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: **LUDOX® CL-X**

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous substances are released.
- **Protective Action Criteria for Chemicals**

• **PAC-1:**

| | | |
|-----------|--|----------|
| 7631-86-9 | amorphous silicon dioxide, chemically prepared | 18 mg/m3 |
| 107-21-1 | ethylene glycol | 30 ppm |

• **PAC-2:**

| | | |
|-----------|--|-----------|
| 7631-86-9 | amorphous silicon dioxide, chemically prepared | 740 mg/m3 |
| 107-21-1 | ethylene glycol | 150 ppm |

• **PAC-3:**

| | | |
|-----------|--|-------------|
| 7631-86-9 | amorphous silicon dioxide, chemically prepared | 4,500 mg/m3 |
| 107-21-1 | ethylene glycol | 900 ppm |

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Avoid formation of respirable particles.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Colloidal silica should be stored above 2 °C. Freezing temperatures can cause irreversible precipitation of the silica, therefore the product should be located in heated buildings. Avoid routine storage temperatures above 43 °C.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• **Components with limit values that require monitoring at the workplace:****7631-86-9 amorphous silicon dioxide, chemically prepared**

| | |
|------|---|
| IDLH | Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health |
| PEL | Long-term value: 80/%SiO ₂ mg/m ³ OSHA TWA for amorphous silica |
| REL | Long-term value: 6 mg/m ³ NIOSH TWA |
| TLV | Long-term value: 10* 5** mg/m ³ ACGIH TWA *Total dust **Respirable fraction |

(Contd. on page 4)

USA

Trade name: **LUDOX® CL-X**

(Contd. of page 3)

107-21-1 ethylene glycol

| | |
|-----|---|
| TLV | Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only |
|-----|---|

7732-18-5 water, distilled, or of similar purity

| | |
|-----|---|
| PEL | Long-term value: - OSHA TWA: NONE ESTABLISHED |
| TLV | Long-term value: - ACGIH TWA: NONE ESTABLISHED |

- **Additional information:** Valid lists at time of creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Do not breathe dust or spray mist.
- **Protection of hands:**



Protective gloves

Check protective gloves prior to each use for their proper condition.
Check the permeability prior to each new use of the glove.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Wear gloves for the protection against mechanical hazards.
Use gloves of stable material (e.g. Nitrile)

- **Material of gloves**
Butyl rubber, BR
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.35 mm
- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **For the permanent contact gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
- **Not suitable are gloves made of the following materials:**
Leather gloves
Strong fabric gloves
- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

— USA —

(Contd. on page 5)

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: LUDOX® CL-X

(Contd. of page 4)

9 Physical and chemical properties· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

| | |
|--------|--------|
| Form: | Fluid |
| Color: | Cloudy |

| | |
|--------------------------|----------------|
| · Odor: | Odorless |
| · Odor threshold: | Not available. |

| | |
|-------------------------------------|-----------|
| · pH-value at 25 °C (77 °F): | 8,5 - 9,5 |
|-------------------------------------|-----------|

· **Change in condition**

| | |
|-------------------------------------|-------------------------|
| Melting point/Melting range: | 0 °C (32 °F) (water) |
|-------------------------------------|-------------------------|

| | |
|-------------------------------------|----------------------------|
| Boiling point/Boiling range: | 100 °C (212 °F) (water) |
|-------------------------------------|----------------------------|

· **Conditions of flammability**

| | |
|---------------------|----------------|
| Flash point: | Not available. |
|---------------------|----------------|

| | |
|---|---------------------------|
| · Flammability (solid, gaseous): | Product is not flammable. |
| · Ignition temperature: | Not available. |
| · Decomposition temperature: | Not available. |

| | |
|-------------------------|-------------------------------|
| · Auto igniting: | Product is not self-igniting. |
|-------------------------|-------------------------------|

| | |
|-------------------------------|---|
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | - Vol % |
| Upper: | - Vol % |

| | |
|---|---------|
| · Vapor pressure at 25 °C (77 °F): | 3.2 kPa |
|---|---------|

| | |
|------------------------------------|--|
| · Density at 20 °C (68 °F): | ~ 1,40 g/cm ³ (~11.683 lbs/gal) |
| · Vapor density | Not available |

| | |
|---------------------------|---------------|
| · Evaporation rate | Not available |
|---------------------------|---------------|

| | |
|---|-----------------|
| · Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| · Coefficient of water/oil distribution: | Not available. |

| | |
|---------------------------|--------------|
| · Viscosity: | |
| Dynamic at 25 °C (77 °F): | max. 50 mPas |

| | |
|----------------------------|--|
| · Other information | No further relevant information available. |
|----------------------------|--|

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
In case of thermal decomposition caused by smouldering and incomplete combustion toxic fumes may be developed.
- **Incompatible materials:** Protect from contamination.
- **Hazardous decomposition products:** No dangerous decomposition products known.

— USA —

(Contd. on page 6)

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: LUDOX® CL-X

(Contd. of page 5)

11 Toxicological information

- Information on the likely routes of exposure
- Delayed and immediate effects and chronic effects from short or long term exposure
- Information on toxicological effects
- Acute toxicity:

- LD/LC50 values that are relevant for classification:

7631-86-9 amorphous silicon dioxide, chemically prepared

| | | |
|--|------|--|
| Oral | LD50 | >5,000 mg/kg (rat) (OECD 401) |
| Dermal | LD50 | >5,000 mg/kg (rabbit) |
| Inhalative | LC0 | >140->2,000 mg/m ³ /4h (rat) (OCED 403) |
| Maximum attainable concentration, mortality does not appear. | | |

107-21-1 ethylene glycol

| | | |
|--------|------|------------------------------------|
| Oral | LD50 | 7,712 mg/kg (rat) ECHA 2014 |
| | LDLo | 786 mg/kg (human being) |
| Dermal | LD50 | >3,500 mg/kg (rabbit) ECHA 2014 |

- Primary irritant effect:

- on the skin:

7631-86-9 amorphous silicon dioxide, chemically prepared

| | | |
|--------------------|----|---|
| Irritation of skin | IS | 0 (rabbit) (OECD 404) not irritating |
|--------------------|----|---|

107-21-1 ethylene glycol

| | | |
|--------------------|----|-----------------------------------|
| Irritation of skin | IS | 0 (rabbit) (in vivo) ECHA 2011 |
|--------------------|----|-----------------------------------|

- on the eye:

7631-86-9 amorphous silicon dioxide, chemically prepared

| | | |
|--------------------|----|---|
| Irritation of eyes | IS | 0 (rabbit) (OECD 405) not irritating |
|--------------------|----|---|

107-21-1 ethylene glycol

| | | |
|--------------------|----|-----------------------------------|
| Irritation of eyes | IS | 0 (rabbit) (in vivo) ECHA 2011 |
|--------------------|----|-----------------------------------|

- Respiratory sensitization No further relevant information available.
- Skin sensitization No further relevant information available.

- Additional toxicological information:

WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

| | | |
|-----------|--|---|
| 7631-86-9 | amorphous silicon dioxide, chemically prepared | 3 |
|-----------|--|---|

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Repeated dose toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

| | | |
|------|--------------|-------------------------------------|
| Oral | NOAEL (90 d) | 9,000 mg/kg bw/day (rat) (OECD 408) |
|------|--------------|-------------------------------------|

(Contd. on page 7)

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: **LUDOX® CL-X**

(Contd. of page 6)

Inhalative | NOAEC (90 d) | 1 mg/m³ (rat) (OECD 413)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Carcinogenicity** No further relevant information available.

- **Mutagenicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

| | |
|-----------|--|
| AMES Test | >5 mg/plate (in-vitro) (OECD 471) negative with and without metabolic activation |
|-----------|--|

- **Reproductive toxicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

| | |
|------|---|
| Oral | NOAEL (maternal toxicity) 1,350 mg/kg bw/day (rat) (OECD 414) |
| | NOAEL (teratogenicity) 1,350 mg/kg bw/day (rat) (OECD 414) |

- **Specific target organ toxicity (single exposure)** No further relevant information available.

- **Specific target organ toxicity (repeated exposure)** No further relevant information available.

- **Aspiration hazard** No further relevant information available.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

- **Fish toxicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

LC0 (96 h) (static) | 10,000 mg/l (zebra fish) (OECD 203)

107-21-1 ethylene glycolLC50 (96 h) | 72,860 mg/l (Pimephales promelas)
ECHA 2011LC50 (24 h) | >5,000 mg/l (Carassius auratus)
IUCLID Dataset 18-Feb-2000NOEC (7 d) | 15,380 mg/l (Pimephales promelas) (EPA 600/4-90/027)
ECHA 2011

- **Water flea toxicity**

7631-86-9 amorphous silicon dioxide, chemically prepared

EC50 (24 h) | >1,000 mg/l (Daphnia magna) (OECD 202)

107-21-1 ethylene glycolEC50 (48 h) | >100 mg/l (Daphnia magna) (OECD 202)
ECHA 2011

- **Algae toxicity**

7631-86-9 amorphous silicon dioxide, chemically preparedEC50 (72 h) | >10,000 mg/l (Scenedesmus subspicatus) (OECD 201)
comparable substance**107-21-1 ethylene glycol**EC50 (96 h) | 6,500-13,000 mg/l (Selenastrum capricornutum) (EPA 600/9-78-018)
ECHA 2011

- **Bacterial toxicity**

107-21-1 ethylene glycolEC50 (16h) | 10,000 mg/l (Pseudomonas putida)
IUCLID Dataset 18-Feb-2000

- **Persistence and degradability** No further relevant information available.

(Contd. on page 8)

USA

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: LUDOX® CL-X

(Contd. of page 7)

- **Other information:**
Do not allow product to reach sewage system, groundwater and any water course.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Recommendation:**
Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/provincial and local requirements.

14 Transport information

- | | |
|--|--|
| • UN-Number | |
| • DOT, ADR, ADN, IMDG, IATA | None |
| • UN proper shipping name | |
| • DOT, ADR, ADN, IMDG, IATA | None |
| • Transport hazard class(es) | |
| • DOT, ADR, ADN, IMDG, IATA | |
| • Class | None |
| • Packing group | |
| • DOT, ADR, IMDG, IATA | None |
| • Environmental hazards: | Not applicable. |
| • Special precautions for user | Not applicable. |
| • Transport/Additional information: | Not dangerous according to the above specifications. GRACE recommendation for air transport: Cargo aircraft only. |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA**

- **SARA 302/304**

None of the ingredients is listed.

(Contd. on page 9)

USA

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: **LUDOX® CL-X**

(Contd. of page 8)

• **SARA 313**

107-21-1 ethylene glycol

• **TSCA (Toxic Substances Control Act):**

7631-86-9 amorphous silicon dioxide, chemically prepared

107-21-1 ethylene glycol

7732-18-5 water, distilled, or of similar purity

• **Proposition 65**• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

107-21-1 ethylene glycol

• **Carcinogenic categories**• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethylene glycol

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **Canadian DSL**

7631-86-9 amorphous silicon dioxide, chemically prepared

107-21-1 ethylene glycol

7732-18-5 water, distilled, or of similar purity

• **Canadian NDSL** Not available.• **European EINECS**

All ingredients are listed or exempted from listing.

• **Philippines Inventory of Chemicals and Chemical Substances PICCS**

All ingredients are listed or exempted from listing.

• **Inventory of the Existing Chemical Substances manufactured or imported in China IECSC**

All ingredients are listed.

• **Australian Inventory of Chemical Substances AICS**

All ingredients are listed or exempted from listing.

• **Existing and New Chemical Substance List ENCS**

7631-86-9 amorphous silicon dioxide, chemically prepared

1-548

107-21-1 ethylene glycol

2-230

7732-18-5 water, distilled, or of similar purity

• **Korean Existing Chemical Inventory KECI**

7631-86-9 amorphous silicon dioxide, chemically prepared

KE-31032

107-21-1 ethylene glycol

KE-13169

7732-18-5 water, distilled, or of similar purity

KE-35400

• **TCSCA (Taiwan)**

7631-86-9 amorphous silicon dioxide, chemically prepared

EPEP4A01648271

(Contd. on page 10)

Printing date 11/29/2017

Version: 10.1

Reviewed on 11/29/2017

Trade name: **LUDOX® CL-X**

(Contd. of page 9)

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms

GHS08

· Signal word Warning**· Hazard-determining components of labeling:**

ethylene glycol

· Hazard statements

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: GRACE Safety & Health Department**· Tariff number** 3824 9996**· Contact:**

SALES OFFICES

USA:

GRACE

W. R. Grace & Co.-Conn

7500 Grace DR

Columbia, MD 21044

Tel: +1 410-531 4000

Europe:

Grace GmbH

In der Hollerhecke 1

D-67545 Worms, Germany

Tel: +49 6241 4030

Asia Pacific:

Grace Products (Singapore) Pte Ltd

230 Orchard Road

09-232, Faber House

Singapore 238854

Tel: +65 6737 3033

Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd

19th Floor K.Wah Center

1010 Huai Hai Zhong Road

Shanghai, 200031 China

T (电话): +86 21 3325 8288

F (传真): +86 21 5405 1500

(Contd. on page 11)

USA

Trade name: LUDOX® CL-X

(Contd. of page 10)

W. R. Grace Japan K.K
Kohken New River Bldg 3F
2-21-18, Shinkawa
Chuo-ku, Tokyo 104-0033
JAPAN
Tel: +81 3.3537.6006
Fax: +81 3.3537.6007

• **Date of preparation / last revision** 11/29/2017 / 10.0

• **The first date of preparation** 10/28/2003

• **Number of revision times and the latest revision date** 10.1 / 11/29/2017

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

• **Others** No further relevant information available.

• *** Data compared to the previous version altered.**

USA