

Capstone™ ST-110

Version 10.6	Revision Date: 11/13/2020		DS Number: 338449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017			
SECTIO	SECTION 1. IDENTIFICATION						
Pro	duct name	:	Capstone™ ST-1	10			
Pro	duct code	:	D14908713				
SD	S-Identcode	:	130000095911				
Ма	nufacturer or supplier's	deta	ails				
Coi	mpany name of supplier	:	The Chemours C	ompany FC, LLC			
Ado	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)				
Tel	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
Em	Emergency telephone		Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
Re	commended use of the c	cher	nical and restriction	ons on use			
Ree	Recommended use :		Stain and soil rep	ellent			
Restrictions on use :		tions involving im internal body fluic written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a it covering such use. For further information, our Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation)	:	Category 4
GHS label elements Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H332 Harmful if inhaled.
Precautionary Statements	:	Prevention: P261 Avoid breathing mist or vapors.



air

Capstone[™] ST-110

Version	Revision Date:	SDS Number:	Date of last issue: 09/10/2020
10.6	11/13/2020	1338449-00043	Date of first issue: 02/27/2017
		P271 Use only	outdoors or in a well-ventilated area.
		Response:	
			P312 IF INHALED: Remove person to fresh a prtable for breathing. Call a doctor if you feel
			o ,

unwell.

Other hazards

Inhalation of decomposition products in high concentration may cause shortness of breath (lung edema).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Terpolymer of fluorinated alkyl- methacrylates, dialkylammoniumalkyl methacrylate acetate salts, and ali- phatic acids	Trade secret	>= 20 - < 30

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Eye contact may provoke the following symptoms Discomfort Irritation Redness Lachrymation Blurred vision Inhalation may provoke the following symptoms: Shortness of breath



Capstone™ ST-110

Version 10.6	Revision Date: 11/13/2020		0S Number: 38449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017		
			Lung edema Ingestion may pro Inflammation Swelling of tissue Harmful if inhaled			
Pro	Protection of first-aiders		First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
Not	tes to physician	:	Treat symptomati	cally and supportively.		
SECTIO	N 5. FIRE-FIGHTING ME	ASL	IRES			
Sui	table extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical			
	Unsuitable extinguishing media		None known.			
	ecific hazards during fire hting	:	Exposure to comb	oustion products may be a hazard to health.		
	Hazardous combustion prod- ucts		Hydrogen fluoride carbonyl fluoride potentially toxic flu aerosolized partic Carbon oxides	uorinated compounds		
Spe ods	ecific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
				e, wear self-contained breathing apparatus. ective equipment.		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages



Capstone™ ST-110

Version	Revision Date:	SDS Number:	Date of last issue: 09/10/2020
10.6	11/13/2020	1338449-00043	Date of first issue: 02/27/2017
	ds and materials for nment and cleaning up	For large spills, p ment to keep ma pumped, store re Clean up remain bent. Local or national sal of this materi ployed in the cle which regulation Sections 13 and	rt absorbent material. provide diking or other appropriate contain- iterial from spreading. If diked material can be ecovered material in appropriate container. ing materials from spill with suitable absor- regulations may apply to releases and dispo- al, as well as those materials and items em- anup of releases. You will need to determine

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.	
Advice on safe handling	:	Avoid breathing mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.	
Conditions for safe storage	:	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.	
Materials to avoid	:	No special restrictions on storage with other products.	
Recommended storage tem- perature	:	41 - 104 °F / 5 - 40 °C	
Further information on stor- age stability	:	Perishable if frozen.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.



Capstone[™] ST-110

Version	Revision Date:	SDS Number:	Date of last issue: 09/10/2020
10.6	11/13/2020	1338449-00043	Date of first issue: 02/27/2017

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Hydrofluoric acid	7664-39-3	TWA	3 ppm	NIOSH REL
			2.5 mg/m ³	
		С	6 ppm	NIOSH REL
			5 mg/m ³	
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm	ACGIH
			(Fluorine)	
		С	2 ppm	ACGIH
			(Fluorine)	
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm	NIOSH REL
			15 mg/m ³	
		TWA	2 ppm	NIOSH REL
			5 mg/m ³	
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m ³	
		TWA	5,000 ppm	NIOSH REL
			9,000 mg/m ³	
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m ³	
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm	NIOSH REL
			40 mg/m ³	
		С	200 ppm	NIOSH REL
			229 mg/m ³	
		TWA	50 ppm	OSHA Z-1
			55 mg/m ³	

Engineering measures : Processing may form hazardous compounds (see section 10).

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection:General and local exhaust ventilation is recommended to
maintain vapor exposures below recommended limits. Where
concentrations are above recommended limits or are
unknown, appropriate respiratory protection should be worn.
Follow OSHA respirator regulations (29 CFR 1910.134) and
use NIOSH/MSHA approved respirators. Protection provided
by air purifying respirators against exposure to any hazar-
dous chemical is limited. Use a positive pressure air supplied





Version 10.6	Revision Date: 11/13/2020		DS Number: 338449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017	
respirator if there is any potential for und exposure levels are unknown, or any oth where air purifying respirators may not p protection.					
Hand	protection				
M	aterial	:	Chemical-resista	nt gloves	
R	Remarks		Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the re- sistance to chemicals of the aforementioned protective glo- ves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Еуе р	Eye protection		Wear the following personal protective equipment: Safety glasses		
Skin	Skin and body protection		Skin should be w	ashed after contact.	
Hygiene measures		:	eye flushing syste king place. When using do ne	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. red clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	Colorless to pale yellow
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	4 - 6
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	212 °F / 100 °C (1,013 hPa)
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (solid, gas)	•	Not applicable



Capstone™ ST-110

Vers 10.6		Revision Date: 11/13/2020		S Number: 8449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Relative	e density	:	No data available	
	Solubili Wate	ty(ies) er solubility	:	dispersible	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	> 392 °F / > 200	°C
	Viscosit Visc	ty osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.			
Chemical stability	:	Stable under normal conditions.			
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.			
Conditions to avoid	:	None known.			
Incompatible materials	:	None.			
Hazardous decomposition products					

Thermal decomposition : Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide



Capstone[™] ST-110

Version 10.6	Revision Date: 11/13/2020		OS Number: 38449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017
SECTION	11. TOXICOLOGICA	LINF	ORMATION	
Inhala Skin Inges	contact	tes of	exposure	
	e toxicity Iful if inhaled.			
Prod	uct:			
Acute	e oral toxicity	:	LD50 (Rat): > 5 Remarks: Base	5,000 mg/kg ed on data from similar materials
Acute	e inhalation toxicity	:	Exposure time: Test atmosphe Method: Expert	re: dust/mist
Com	ponents:			

Terpolymer of fluorinated alkylmethacrylates, dialkylammoniumalkyl methacrylate acetate salts, and aliphatic acids:

Acute inhalation toxicity	:	Acute toxicity estimate (Rat): 1.5 mg/l Exposure time: 4 h
		Test atmosphere: dust/mist
		Method: Expert judgment

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Capstone[™] ST-110

ersion D.6	Revision Date: 11/13/2020	SDS Number: 1338449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017		
•	iratory sensitization assified based on ava	ilable information.			
Produ Test∃ Speci Asses Rema	Гуре es ssment	: Mouse : Does not caus	ode assay (LLNA) se skin sensitization. a from similar materials		
	cell mutagenicity assified based on ava	ilable information.			
	uct: cell mutagenicity - ssment		dence does not support classification as a germ , Based on data from similar materials		
Carci	nogenicity				
Not cl IARC		ent of this product pre	sent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.		
OSH		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.			
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
Down	ductive toxicity				

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As-	:	Weight of evidence does not support classification for repro-
sessment		ductive toxicity, Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species	:	Rat
	:	500 - 1000 mg/kg
Application Route	:	oral (gavage)
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.



Capstone[™] ST-110

Version 10.6	Revision Date: 11/13/2020		OS Number: 38449-00043	Date of last issue: 09/10/2020 Date of first issue: 02/27/2017
SECTIO	N 12. ECOLOGICAL INFO			
SECHO				
Ecc	otoxicity			
Pro	duct:			
	icity to daphnia and other atic invertebrates	:	Exposure time: 4	nagna (Water flea)): > 120 mg/l 8 h on data from similar materials
	sistence and degradabil data available	ity		
	accumulative potential data available			
	bility in soil data available			
Oth	er adverse effects			
No	data available			
SECTIO	N 13. DISPOSAL CONSI	DEF	ATIONS	

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity



Capstone[™] ST-110

Vers 10.6		Revision Date: 11/13/2020		8 Number: 8449-00043		Date of last issue: (Date of first issue:	
	Components			CAS-No.		Component RQ (lbs)	Calculated product RQ (lbs)
	Acetic acid		64-19-7		5000	*	
*: Calculated RQ exceeds reasonably attainable upper limit.							

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Acute toxicity (any route of exposure)
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water Terpolymer of fluorinated alkylmethacrylates, dialkylammoni- umalkyl methacrylate acetate salts, and aliphatic acids	7732-18-5 Trade secret
Acetic acid	64-19-7
Tetramethylsuccinonitrile	3333-52-6

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

Additional regulatory information

Terpolymer of fluorinated alkylmethacrylates, dialkylammoniumalkyl methacrylate acetate salts, and aliphatic acids

This material contains one or more substances which are subject to a TSCA Section 5 Consent Order or Significant New Use Rule (SNUR).

This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D:


P-08-0751

SECTION 16. OTHER INFORMATION

Further information



Capstone[™] ST-110



Capstone[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

	USA. ACGIH Threshold Limit Values (TLV)
:	USA. NIOSH Recommended Exposure Limits
:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
:	8-hour, time-weighted average
:	Short-term exposure limit
:	Ceiling limit
:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
:	Ceiling value not be exceeded at any time.
	8-hour time weighted average
:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Capstone[™] ST-110

Version	Revision Date:	SDS Number:	Date of last issue: 09/10/2020
10.6	11/13/2020	1338449-00043	Date of first issue: 02/27/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/13/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8