



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_BE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Aquacat™ PF618
Clear Cationic Solution
™ Trademark, Ashland or its subsidiaries, registered in
various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Rheology modifier
in Personal Care

1.3 Details of the supplier of the safety data sheet

Ashland
P.O. Box 8619
NL3009 AP, Rotterdam
Netherlands
+31 10 497 5000 (in the Netherlands), or
contact your local CSR contact person

EUSMT@ashland.com

1.4 Emergency telephone number

+1-800-274-5263/001-859-357-3564, or contact
your local emergency telephone number at
070/245.245

Product Information

+31 10 497 5000 (in the Netherlands), or contact
your local CSR contact person

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.

SAFETY DATA SHEET

Revision Date: 07.06.2018

Print Date: 10.12.2018

SDS Number: R0704379

Version: 1.7

 Aquacat™ PF618 Clear Cationic Solution
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413713

2.3 Other hazards
Additional advice

No information available.

SECTION 3: Composition/information on ingredients
3.2 Mixtures

Modified guar

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
CATIONIC GUAR GUM, MODIFIED	65497-29-2 613-809-4	Eye Irrit.2; H319	>= 10,00 - < 15,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
 If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.
 Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
Hydrocarbons

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

SAFETY DATA SHEET

Revision Date: 07.06.2018

Print Date: 10.12.2018

SDS Number: R0704379

Version: 1.7

Aquacat™ PF618 Clear Cationic Solution
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413713

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage : No materials to be especially mentioned.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Use eye protection according to EN 166.

Hand protection

Remarks : Latex gloves butyl-rubber

Skin and body protection : Wear as appropriate:
Safety shoes

Protective clothing complying with EN 13688.
Safety shoes complying with EN ISO 20345.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : odourless

Odour Threshold : No data available



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

pH	: 5 - 7
Melting point/freezing point	: No data available
Boiling point/boiling range	: Approximate 100 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: similar to water
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: < 100 cps (20 °C)
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

No data available



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : excessive heat
UV light.
Exposure to sunlight.

10.5 Incompatible materials

Materials to avoid : Acids
Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide and carbon monoxide
Hydrocarbons

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Components:

CATIONIC GUAR GUM, MODIFIED

Result: No skin irritation



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: Slight, transient irritation

Remarks: see user defined free text

Remarks: Unlikely to cause eye irritation or injury.

Components:

CATIONIC GUAR GUM, MODIFIED

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information**Product:**

Remarks: No data available

SECTION 12: Ecological information
12.1 Toxicity**Components:**

CATIONIC GUAR GUM, MODIFIED

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 54 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : NOEC (Blue-green algae (Anabaena flos-aquae)): > 100 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

12.2 Persistence and degradability

Components:

CATIONIC GUAR GUM, MODIFIED

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

Product:

Additional ecological information : No data available

SAFETY DATA SHEET

Revision Date: 07.06.2018

Print Date: 10.12.2018

SDS Number: R0704379

Version: 1.7

 Aquacat™ PF618 Clear Cationic Solution
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413713

SECTION 13: Disposal considerations
13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

SECTION 14: Transport information
SECTION 14: Transport information
14.1 UN number

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.2 UN proper shipping name

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.3 Transport hazard class(es)

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods


RID: Not dangerous goods

14.4 Packing group

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

	Page: 11
SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.5 Environmental hazards

ADN: Not applicable

ADR: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

RID: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable

Hazard code(s): Not applicable

Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture


Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Not applicable

	Page: 12
SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

The components of this product are reported in the following inventories:

TSCA	: This product is regulated under the United States Food and Drug Act (FDA).
DSL	This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.
AICS	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 07.06.2018

	Page: 13
SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

Full text of H-Statements

H319 Causes serious eye irritation.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (+31 10 497 5000).

Sources of key data used to compile the Safety Data Sheet
 Ashland internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx



SAFETY DATA SHEET	Revision Date: 07.06.2018
	Print Date: 10.12.2018
	SDS Number: R0704379
Aquacat™ PF618 Clear Cationic Solution ™ Trademark, Ashland or its subsidiaries, registered in various countries 413713	Version: 1.7

N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands
 ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine
 CLP : Classification, Labelling and Packaging
 CSA : Chemical Safety Assessment
 CSR : Chemical Safety Report
 DNEL : Derived No Effect Level.
 EINECS : European Inventory of Existing Commercial Chemical Substances.
 ELINCS : European List of Notified Chemical Substances
 GV: Exposure limits (DK)
 PEC : Predicted Effect Concentration
 PEL : Permissible Exposure Limits
 PNEC : Predicted No Effect Concentration
 R-pharse : Risk phrase
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
 RID : Regulation Concerning the International Transport of Dangerous Goods by Rail
 S-pharse: Safety phrase
 WGK : German Water Hazard Class