<b>P</b> Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
414483	

29 CFR 1910.1200 (OSHA HazCom 2012)

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

1.1 Product identifier

Trade name : Aqualon™ CMC 7H3SX8F PH

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Substance name HIGH PURITY SODIUM CARBOXYMETHYLCELLULOSE,

**SODIUM CMC, 99,5%** 

Substance No.

CAS-No. 9004-32-4

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Rheology modifier

Nutrition.

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-ASHLAND (1-800-274-5263)
Ashland P.O. Box 2219	Regulatory information
Columbus, OH 43216	1-614-790-3333 (customer service)
United States of America (USA) 1-614-790-3333 (USA)	Product Information
1-014-790-3333 (USA)	1-614-790-3333 (USA)
EHSProductSafety@ashland.com	

# **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Combustible Dust :

**GHS** label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Other hazards

None known.

<b>P</b> Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
414483	

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Chemical nature : organic

**Hazardous components**No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: No information available.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing

methods

:

<b>P</b> Ashland always solving	Pag	ge: 3
SAFETY DATA SHEET	Revision Date: 07/28/2	2022
	Print Date: 8/18/2	2022
	SDS Number: R0175	5900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered in various countries 414483	Version:	1.10

Standard procedure for chemical fires.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Avoid dust formation.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

: Keep in a dry place.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
414483	

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : Not applicable

pH : 6.5 - 8.5

(as aqueous solution)

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

<b>P</b> Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
414483	

Flash point : not determined

Evaporation rate : Not applicable

Flammability (solid, gas) : Combustible Dust

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : < 1 g/cm3

Bulk density : 550 - 1,000 kg/m3

Solubility(ies)

Water solubility : soluble, Limited by viscosity

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Auto-ignition temperature : 360 °C

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : Not applicable

Minimum ignition energy : > 1,000 mJ

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

<b>P</b> Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered	Version: 1.10
in various countries 414483	

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Dust may form explosive mixture in air.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

Carbon monoxide Carbon dioxide (CO2)

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation

exposure

Eye contact

Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): 27,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,800 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: Not classified as acutely toxic by dermal

absorption under GHS.

#### Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Not classified based on available information.

# **Product:**

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Ashland always solving ™	Page: 7
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered in various countries 414483	Version: 1.10

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Product:** 

No aspiration toxicity classification

**Further information** 

**Product:** 

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
414483	

# Persistence and degradability

Product:

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 39 %

Method: OECD Test Guideline 301D

Remarks: Information given is based on data obtained from

similar substances.

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Additional ecological

information

: No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

# International transport regulations

# **REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

#### **U.S. DOT - ROAD**

Not dangerous goods

# CFR\_RAIL\_C

Not dangerous goods	

#### **U.S. DOT - INLAND WATERWAYS**

0.0.20		
	Not dangerous goods	

		Page: 9
$\mathcal{P}_{\lambda}$	TM	
Ashland		
always solving		
SAFETY DATA SHEET		Revision Date: 07/28/2022
0,11 2,11 2,11,1 0,1121		Print Date: 8/18/2022
		SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH		Version: 1.10
™ Trademark, Ashland or its subsidiarie	s, registered	
in various countries 414483		
TDG_ROAD_C		<u> </u>
Not dangerous goods		
TDG_RAIL_C		
Not dangerous goods		
TDG_INWT_C		
Not dangerous goods		
INTERNATIONAL MARITIME DANGER	OUS GOODS	
Not dangerous goods		
INTERNATIONAL AIR TRANSPORT AS	SOCIATION - CA	RGO
Not dangerous goods		
INTERNATIONAL AIR TRANSPORT AS	SOCIATION - PA	SSENGER
Not dangerous goods		
MX_DG		
Not dangerous goods		
*ORM = ORM-D, CBL = COMBUSTIBLE	LIQUID	
Marine pollutant	no	
	-	

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15. REGULATORY INFORMATION**

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

Ashland always solving ™	Page: 10
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered in various countries 414483	Version: 1.10

**CERCLA Reportable Quantity** 

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHANOL	67-56-1	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations** 

Pennsylvania Right To Know

SODIUM CARBOXIMETHYLCELLULOSE 9004-32-4

**New Jersey Right To Know** 

SODIUM CARBOXIMETHYLCELLULOSE 9004-32-4

### California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

<b>P</b> Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered in various countries 414483	Version: 1.10

ISHL : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

#### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)


# Other regulations

US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

# **SECTION 16. OTHER INFORMATION**

### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH  ™ Trademark, Ashland or its subsidiaries, registered	Version: 1.10
in various countries 414483	

#### **Full text of H-Statements**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.

The EO's chemicals legislation for companie

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply with REACH regulations.

**Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 07/28/2022
	Print Date: 8/18/2022
	SDS Number: R0175900
Aqualon™ CMC 7H3SX8F PH	Version: 1.10
<ul> <li>™ Trademark, Ashland or its subsidiaries, registered in various countries</li> <li>414483</li> </ul>	

The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport. Cefic, the European Chemical Industry Council. ESIS European Chemical Substances Information System

\_\_\_\_\_\_

Revision Date : 07/28/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN