

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product identifier**

Trade name : Aqualon™ CMC 7H3SXF  
Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered in  
various countries

Substance name HIGH PURITY SODIUM CARBOXYMETHYLCELLULOSE,  
SODIUM CMC, 99,5%

Substance No.  
CAS-No. 9004-32-4

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Rheology modifier  
Nutrition.

**Details of the supplier of the safety data sheet**

Ashland  
P.O. Box 2219  
Columbus, OH 43216  
United States of America (USA)  
1-614-790-3333

EHSPProductSafety@ashland.com

**Emergency telephone number**

1-800-ASHLAND (1-800-274-5263)

**Regulatory information**

1-614-790-3333 (customer service)

**Product Information**

1-614-790-3333

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Combustible Dust :

**GHS label elements**

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

Precautionary Statements : **Prevention:**  
Keep dust/air mixtures away from ignition sources.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Chemical nature : organic

**Hazardous components**

No hazardous ingredients

**SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam
- Specific hazards during firefighting : Organic dusts at sufficient concentration can form explosive mixtures in air.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide
- Specific extinguishing methods :  
  
Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Material can create slippery conditions.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against : Take measures to prevent the build up of electrostatic charge.



## SAFETY DATA SHEET

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling

: Avoid dust formation.  
 Ensure all equipment is electrically grounded and bonded before beginning transfer operations.  
 The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.  
  
 For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage

: No smoking.

Materials to avoid

: No materials to be especially mentioned.

Further information on storage stability

: Keep in a dry place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Engineering measures

: Provide appropriate exhaust ventilation at places where dust is formed.  
 General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Respiratory protection

: In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination.

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

**Hand protection**

Material : butyl-rubber  
Break through time : 480 min  
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder  
solid

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : Not applicable

pH : 6.5 - 8.5  
(as aqueous solution)

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable



## SAFETY DATA SHEET

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

Evaporation rate	: Not applicable
Flammability (solid, gas)	: Combustible Dust
Upper explosion limit	: Upper explosion limit not determined
Lower explosion limit	: Lower explosion limit not determined
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: < 1 g/cm <sup>3</sup>
Bulk density	: 550 - 1,000 kg/m <sup>3</sup>
Solubility(ies)	
Water solubility	: soluble, Limited by viscosity
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: not determined
Auto-ignition temperature	: 360 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Oxidizing properties	: Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

Conditions to avoid : UV light.  
Exposure to sunlight.  
  
Keep away from heat, flame, sparks and other ignition  
sources.

Incompatible materials : Acids  
Bases  
Oxidizing agents

Hazardous decomposition  
products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Product:**Acute oral toxicity : LD<sub>50</sub> (Rat): 27,000 mg/kgAcute inhalation toxicity : LC<sub>50</sub> (Rat): > 5,800 mg/l  
Test atmosphere: dust/mistAcute dermal toxicity : LD<sub>50</sub> (Rabbit): > 2,000 mg/kgAssessment: Not classified as acutely toxic by dermal  
absorption under GHS.**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin  
and respiratory system.**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.



## SAFETY DATA SHEET

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

Germ cell mutagenicity

Not classified based on available information.

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Product:**

No aspiration toxicity classification

### **Further information**

### **Product:**

Remarks: No data available

### **Carcinogenicity:**

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Product:**

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
 Exposure time: 96 h  
 Test Type: static test

Ecotoxicology Assessment

Short-term (acute) aquatic

: Not classified based on available information.



**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

hazard

Long-term (chronic) aquatic hazard : Not classified based on available information.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods
---------------------

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

**TDG\_ROAD\_C**

Not dangerous goods

**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION****TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
413805

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
METHANOL	67-56-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Combustible Dust

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

SODIUM CARBOXYMETHYL CELLULOSE 9004-32-4

**New Jersey Right To Know**

SODIUM CARBOXYMETHYL CELLULOSE 9004-32-4

**California Prop. 65**

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

**The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory



## SAFETY DATA SHEET

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On or in compliance with the active portion of the TSCA inventory


### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)  
 - On or in compliance with the active portion of the TSCA inventory

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of H-Statements

**SAFETY DATA SHEET**

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (<http://www.ashland.com>)

Sources of key data used to compile the Safety Data Sheet : Ashland internal data including own and sponsored test reports  
 European Union Law with content from the Official Journal of the European Union.  
 European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.  
 The German Water Hazard Classes.  
 ReachCentrum; a series of support services to help comply with REACH regulations.



## SAFETY DATA SHEET

Revision Date: 08/26/2020

Print Date: 11/24/2020

SDS Number: R0175900

Version: 1.6

Aqualon™ CMC 7H3SXF Cellulose Gum  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 413805

The European Commission; proposing legislation,  
 administering and implementing EU policies, and enforcing  
 EU law.  
 The UNECE administers regional agreements implementing  
 harmonised classification for labelling (GHS) and transport.  
 Cefic, the European Chemical Industry Council.  
 ESIS European Chemical Substances Information System

Revision Date : 08/26/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge,  
 information and belief at the date of its publication. The information given is designed only as a  
 guidance for safe handling, use, processing, storage, transportation, disposal and release and is  
 not to be considered a warranty or quality specification. The information relates only to the  
 specific material designated and may not be valid for such material used in combination with any  
 other materials or in any process, unless specified in the text.

US / EN