

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product identifier**

Trade name : Aqualon™ CMC 7L2  
Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered in  
various countries

Substance name HIGH PURITY SODIUM CARBOXYMETHYLCELLULOSE,  
SODIUM CMC, 99.73%

Substance No.  
EC-No. 618-378-6

CAS-No. 9004-32-4

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Rheology modifier

**Details of the supplier of the safety data sheet**

Ashland  
P.O. Box 2219  
Columbus, OH 43216  
United States of America (USA)  
+1-614-790-3333

EHSProductSafety@ashland.com

**Emergency telephone number**

1-800-ASHLAND (1-800-274-5263)

**Regulatory Information Number**

1-800-325-3751

**Product Information**

+1-614-790-3333

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Combustible Dust :

**GHS label elements**

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

Precautionary Statements : **Prevention:**  
Keep dust/air mixtures away from ignition sources.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Chemical nature : organic

**Hazardous components**

No hazardous ingredients

**SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.

Notes to physician : No hazards which require special first aid measures.

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam
- Specific hazards during firefighting : Organic dusts at sufficient concentration can form explosive mixtures in air.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
- Specific extinguishing methods :  
  
Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Material can create slippery conditions.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid dust formation.



## SAFETY DATA SHEET

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 420844

Ensure all equipment is electrically grounded and bonded before beginning transfer operations.  
 The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.

Materials to avoid : No materials to be especially mentioned.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Provide appropriate exhaust ventilation at places where dust is formed.  
 General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:  
 Safety shoes  
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.



## SAFETY DATA SHEET

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 420844

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Physical state	: solid
Colour	: off-white
Odour	: odourless
Odour Threshold	: No data available
pH	: 6.5 - 8.5 (as aqueous solution)
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Combustible Dust
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: < 1 g/cm <sup>3</sup>
Bulk density	: 550 - 1,000 kg/m <sup>3</sup>
Solubility(ies)	
Water solubility	: soluble, Limited by viscosity
Solubility in other solvents	: No data available
Partition coefficient: n-	: No data available

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

octanol/water

Auto-ignition temperature : 360 °C

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Dust may form explosive mixture in air.

Conditions to avoid : UV light.  
Exposure to sunlight.

Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Acids  
Bases  
Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion**Acute toxicity**

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

Not classified based on available information.

**Product:**

Acute inhalation toxicity : LC50 (Rat): > 5,800 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Further information****Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

Exposure time: 96 h

Test Type: static test

**Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Persistence and degradability****Product:**

Biodegradability : Remarks: Inherently biodegradable.

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**Additional ecological : No data available  
information**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods



**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TDG\_ROAD\_C**

Not dangerous goods

**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
420844

---

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Combustible Dust

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**

**DSL** : All components of this product are on the Canadian DSL

**AICS** : On the inventory, or in compliance with the inventory

**ENCS** : On the inventory, or in compliance with the inventory

**KECI** : On the inventory, or in compliance with the inventory

**PICCS** : On the inventory, or in compliance with the inventory

**IECSC** : On the inventory, or in compliance with the inventory

**TSCA** : On TSCA Inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

---

**SECTION 16. OTHER INFORMATION**

**Further information**

Revision Date: 01/08/2018

<b>NFPA:</b>	<b>HMIS III:</b>
--------------	------------------



## SAFETY DATA SHEET


Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 420844



### NFPA Flammable and Combustible Liquids Classification

Not applicable

### Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

**SAFETY DATA SHEET**

Revision Date: 01/08/2018

Print Date: 9/19/2018

SDS Number: R0392869

Version: 1.3

Aqualon™ CMC 7L2 Sodium Carboxymethylcellulose  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 420844

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative