Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered	Version: 1.6
in various countries 821964	

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_NL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Benecel™ K100M HPMC Type 2208 100000 mPas

Hydroxypropylmethyl Cellulose

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Substance name METHYLHYDROXYPROPYLCELLULOSE

Substance No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet Ashland P.O. Box 8619 NL3009 AP, Rotterdam Netherlands	1.4 Emergency telephone number 00-800-274-5263-3/001-859-357-3564, or contact your local emergency telephone number at 030 274 88 88. Exclusively for medical professionals in case of acute poisoning.
+31 10 497 5000 (in the Netherlands), or contact your local CSR contact person	Product Information +31 10 497 5000 (in the Netherlands), or contact your local CSR contact person
EUSMT@ashland.com	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : **Prevention:**

Keep dust/air mixtures away from ignition

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

sources.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional advice

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical nature : organic

Hazardous components

No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon dioxide (CO2)

Carbon monoxide products

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Avoid dust formation. Personal precautions

Avoid breathing dust.

Material can create slippery conditions.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

: Prevent further leakage or spillage if safe to do so. Environmental precautions

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid dust formation.

Ensure all equipment is electrically grounded and bonded

before beginning transfer operations.

The material can accumulate static charge and can therefore

cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

Advice on protection against

fire and explosion

: Take measures to prevent the build up of electrostatic charge. Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : Avoid breathing dust.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: No smoking.

Advice on common storage : No materials to be especially mentioned.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Other data : Keep in a dry place. No decomposition if stored and applied

as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide appropriate exhaust ventilation at places where dust is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Safety glasses

Use eye protection according to EN 166.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0,5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Wear as appropriate:

Safety shoes

Protective clothing complying with EN 13688. Safety shoes complying with EN ISO 20345.

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Respiratory protection complying with EN 136. Respiratory protection complying with EN 140. Respiratory protection complying with EN 14387.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules, powder

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : 5.0 - 8.5

Concentration: 2 % (as aqueous solution)

Melting point/freezing point : 179 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Dust

Upper explosion limit : No data available

Lower explosion limit : 30 g/m3

Vapour pressure : No data available

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Relative vapour density : No data available

Relative density : No data available

Density : 0,3 - 0,35 g/cm3

Bulk density : 200 - 500 kg/m3

Solubility(ies)

Water solubility : soluble, Limited by viscosity

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 400 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

9.2 Other information

Dust deflagration index (Kst) : < 300 m.b_/s

Minimum ignition energy : 38 mJ

see user defined free text

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

UV light.

Exposure to sunlight.

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : Carbon monoxide products : Carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure

Inhalation Skin contact

Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: Slight, transient irritation

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Fish): > 100 mg/l

12.2 Persistence and degradability

Product:

Biochemical Oxygen : Biochemical oxygen demand within 5 days

Demand (BOD) > 0 - 100 mg/g

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

SECTION 14: Transport information

SECTION 14: Transport information

14.1 UN number

ADN: Not dangerous goods **ADR:** Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.2 UN proper shipping name

ADN: Not dangerous goods **ADR:** Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

RID: Not dangerous goods

14.3 Transport hazard class(es)

ADN: Not dangerous goods **ADR:** Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.4 Packing group

ADN: Not dangerous goods **ADR:** Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.5 Environmental hazards

ADN: Not applicable **ADR:** Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

RID: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable Hazard code(s): Not applicable Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EC) No 850/2004 on persistent organic

pollutants

: Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and

import of dangerous chemicals

: Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

General Assessment Methodology (GAM)

Aquatic harmfulness : B4 Low hazard for aquatic organisms.

Abatement effort : B Readily biodegradable aquatic harmful substances.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS On the inventory, or in compliance with the inventory

ENCS On the inventory, or in compliance with the inventory

Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

KECI On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

TCSI On the inventory, or in compliance with the inventory

TSCA On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Substance name METHYLHYDROXYPROPYLCELLULOSE

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 26.04.2019

Full text of H-Statements

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by

Ashland's Environmental Health and Safety Department (+31

10 497 5000).

Ashland always solving	Page: 14
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

Ashland always solving	Page: 15
SAFETY DATA SHEET	Revision Date: 26.04.2019
	Print Date: 09.07.2020
	SDS Number: R0703590
Benecel™ K100M HPMC Type 2208 100000 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821964	Version: 1.6

GAM: Water Hazard Class for the Netherlands

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP: Classification, Labelling and Packaging

CSA: Chemical Safety Assessment CSR: Chemical Safety Report DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances

GV: Exposure limits (DK)

PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

WGK : German Water Hazard Class