

Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufactured By: Waterford Plant

260 Hudson River Rd Waterford NY 12188

Revised: 12/03/2007

Preparer: PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS

CHEMTREC 1-800-424-9300

Chemical Family/Use: Silicone Rubber

Formula: Mixture

HMIS

Flammability: 1 Reactivity: 0 Health: 0

NFPA

Flammability: 1 Reactivity: 0 Health: 1

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION! May cause eye irritation.

Form: Solid Color: Translucent Odor: odourless

POTENTIAL HEALTH EFFECTS

INGESTION

None known.

SKIN

Plant experience has shown that skin hazard is not applicable in this form.

INHALATION

None known.

EYES

May cause mild eye irritation.

MEDICAL CONDITIONS AGGRAVATED

None known.

SUBCHRONIC (TARGET ORGAN)

None known.

CHRONIC EFFECTS / CARCINOGENICITY

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

ROUTES OF EXPOSURE

None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS REG NO.	<u>WGT. %</u>	
A. HAZARDOUS			
B. NON-HAZARDOUS		4 - 0/	
Dimethylpolysiloxane	70131-67-8	1 - 5 %	

Dimethylpolysiloxane	70131-67-8	1 - 5 %
Dimethyl-methylvinyl silicone	67762-94-1	10 - 30 %
Vinyl stopped Polydimethylsiloxane	68083-18-1	10 - 30 %
polyvinylsiloxane	68083-19-2	10 - 30 %
Treated Fumed Silica	68583-49-3	30 - 60 %

4. FIRST AID MEASURES

INGESTION

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

SKIN

Wash with soap and water. Get medical attention if irritation or symptoms from Section 3 develop.

INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

EYES

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTE TO PHYSICIAN

Treatment is symptomatic and supportive.

5. FIRE-FIGHTING MEASURES

FLASH POINT: > 93.3 °C; 200 °F **METHOD:** estimated



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

IGNITION TEMPERATURE:

FLAMMABLE LIMITS IN AIR - LOWER (%):

FLAMMABLE LIMITS IN AIR - UPPER (%):

Not applicable
Not applicable

SENSITIVITY TO MECHANICAL IMPACT: No

SENSITIVITY TO STATIC DISCHARGE

Sensitivity to static discharge is not expected.

EXTINGUISHING MEDIA

All standard extinguishing agents are suitable.

SPECIAL FIRE FIGHTING PROCEDURES

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Avoid contact with eyes. Curing releases vapors which may be harmful. Ensure adequate ventilation. Keep container closed when not in use. Keep away from children.

STORAGE

Store away from heat, sources of ignition, and incompatibles.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

Eyewash stations; Showers

RESPIRATORY PROTECTION

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

PROTECTIVE GLOVES

Cloth gloves.

EYE AND FACE PROTECTION

safety glasses with side-shields conforming to EN166

OTHER PROTECTIVE EQUIPMENT

Wear suitable protective clothing and eye/face protection.

Exposure Guidelines

Component	CAS RN	Source	Value

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT - C & F:

VAPOR PRESSURE (20 C) (MM HG):

VAPOR DENSITY (AIR=1):

FREEZING POINT:

MELTING POINT:

Not applicable

Not applicable

PHYSICAL STATE:

ODOR:

COLOR:

EVAPORATION RATE (BUTYL ACETATE=1):

SPECIFIC GRAVITY (WATER=1):

Solid

odourless

Translucent

Negligible

ca. 1.17

DENSITY: ca. 1,170 g/cm3 **ACID / ALKALINITY (MEQ/G):** Unknown

pH: Not applicable VOLATILE ORGANIC CONTENT (VOL): <1

SOLUBILITY IN WATER (20 C): Insoluble SOLUBILITY IN ORGANIC SOLVENT (STATE Unknown

SOLVENT):

10. STABILITY AND REACTIVITY

STABILITY

Stable

HAZARDOUS POLYMERIZATION

Will not occur.



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS

Carbon monoxide; Carbon dioxide (CO2); Silicon dioxide.; Formaldehyde; This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

INCOMPATIBILITY (MATERIALS TO AVOID)

None known.

CONDITIONS TO AVOID

None known.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL

Remarks: None known.

ACUTE DERMAL

Remarks: None known.

ACUTE INHALATION

Remarks: Unknown

OTHER

None.

SENSITIZATION

Not applicable

SKIN IRRITATION

Not applicable

EYE IRRITATION

Not applicable

MUTAGENICITY

Unknown

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGY

All available ecological data have been taken into account for the development of the hazard and precautionary information contained in this Safety Data Sheet.



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

ECOTOXICITY

Ecotoxicological data for this product is not available.

DISTRIBUTION

No data available

CHEMICAL FATE

No data available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD

Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

Further Information: This product is not regarded as dangerous goods according to the national

and international regulations on the transport of dangerous goods.

15. REGULATORY INFORMATION

<u>Inventories</u>

Canada DSL Inventory y (Positive listing)
Japan Inventory of Existing & New y (Positive listing)

Chemical Substances (ENCS)

Korea Existing Chemicals y (Positive listing)

Inventory (KECI)

China Inventory of Existing y (Positive listing)

Chemical Substances

Australia Inventory of Chemical y (Positive listing)

Substances (AICS)

Philippines Inventory of Chemicals y (Positive listing)

and Chemical Substances

(PICCS)

TSCA list y (Positive listing) On TSCA Inventory

EU list of existing chemical y (Positive listing)

substances

Canada NDSL Inventory n (Negative listing)

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

US Regulatory Information



Version: 1.3 12/03/2007

94605 SILICONE HEAT CURED RUBBER

SARA (311,312) HAZARD CLASS

No SARA Hazards

SARA (313) CHEMICALS

CALIFORNIA PROPOSITION 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

Canadian Regulatory Information

WHMIS HAZARD CLASS

D2A VERY TOXIC MATERIALS

16. OTHER INFORMATION

OTHER

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate., C = ceiling limit NEGL = negligible EST = estimated NF = none found NA = not applicable UNKN = unknown NE = none established REC = recommended ND = none V = recommended by vendor SKN = skin TS = trade secret R = determined MST = mist NT = not tested recommended STEL = short term exposure limit ppm = parts ppb = parts per billion By-product= reaction by-product, TSCA inventory status not per million required under 40 CFR part 720.30(h-2).