

1 Identification

- **Product identifier**
- **Trade name: LUDOX® HS-30 FS**
- **Application of the substance / the preparation:**
Intermediate product of varied applicability in industry and trade.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GRACE
W. R. Grace & Co.-Conn
7500 Grace Drive
Columbia MD 21044
U. S. A.
- **Information department:**
Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000
MSDS.Davison@grace.com
- **Emergency telephone number:**
Chemtrec North America: +1-800-424-9300
Chemtrec International: +1-703-527-3887
Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**
ethylene glycol
- **Hazard statements**
May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
Do not breathe dust/fume/gas/mist/vapors/spray.
Get medical advice/attention if you feel unwell.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

(Contd. on page 2)

USA

Printing date 11/29/2017

Version: 4.1

Reviewed on 11/29/2017

Trade name: LUDOX® HS-30 FS

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	*1
FIRE	0
REACTIVITY	0

Health = *1

Fire = 0

Reactivity = 0

3 Composition/information on ingredients· **Chemical characterization: Mixtures**· **Description:** Water colloidal suspension of amorphous silica.· **CAS No. and description:**

7732-18-5	water, distilled, or of similar purity	40-70%
7631-86-9	amorphous silicon dioxide, chemically prepared	25-50%

· **List of Dangerous Components**

107-21-1	ethylene glycol	⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	5-10%
----------	-----------------	---	-------

4 First-aid measures· **Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:**

Immediately flush skin with water for at least 15 minutes.

Remove contaminated clothing immediately.

· **After eye contact:**

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

· **After swallowing:** Seek medical attention. Do not induce vomiting.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures· **Extinguishing media**· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.· **Hazardous combustion products** No further relevant information available.· **Advice for firefighters**· **Protective equipment:** Wear personal protective equipment.· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

(Contd. on page 3)

—USA—

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 2)

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous substances are released.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Avoid formation of respirable particles.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Colloidal silica should be stored above 2 °C. Freezing temperatures can cause irreversible precipitation of the silica, therefore the product should be located in heated buildings. Avoid routine storage temperatures above 43 °C.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• Components with limit values that require monitoring at the workplace:

7631-86-9 amorphous silicon dioxide, chemically prepared

IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80/%SiO ₂ mg/m ³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m ³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m ³ ACGIH TWA *Total dust **Respirable fraction

107-21-1 ethylene glycol

TLV	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
-----	---

7732-18-5 water, distilled, or of similar purity

PEL	Long-term value: - OSHA TWA: NONE ESTABLISHED
TLV	Long-term value: - ACGIH TWA: NONE ESTABLISHED

- **Additional information:** Valid lists at time of creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Do not breathe dust or spray mist.

(Contd. on page 4)

— USA —

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 3)

· **Protection of hands:**

Protective gloves

Wear gloves for the protection against mechanical hazards.

Rubber gloves

Use gloves of stable material (e.g. Nitrile)

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Not suitable are gloves made of the following materials:**

Leather gloves

Strong fabric gloves

· **Eye protection:**

Safety glasses

· **Body protection:** Protective work clothing**9 Physical and chemical properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Fluid
Color:	Whitish

· Odor:	Odorless
· Odor threshold:	Not available.

· pH-value at 25 °C (77 °F):	9,5 - 10,2
-------------------------------------	------------

· **Change in condition**

Melting point/Melting range:	0 °C (32 °F) (water)
-------------------------------------	-------------------------

Boiling point/Boiling range:	100 °C (212 °F) (water)
-------------------------------------	----------------------------

· **Conditions of flammability**

Flash point:	Not available.
---------------------	----------------

· Flammability (solid, gaseous):	Product is not flammable.
· Ignition temperature:	Not available.
· Decomposition temperature:	Not available.

· Auto igniting:	Product is not self-igniting.
-------------------------	-------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

· Explosion limits:	
Lower:	- Vol %
Upper:	- Vol %

· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
---	---------------------

(Contd. on page 5)

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 4)

· Density at 20 °C (68 °F):	~ 1,20 g/cm ³ (~10.014 lbs/gal)
· Vapor density	Not available
· Evaporation rate	Not available
· Solubility in / Miscibility with Water:	Fully miscible.
· Coefficient of water/oil distribution:	Not available.
· Viscosity:	--
· Solvent content:	
Water:	~ 66 %
Solids content:	~ 28 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
In case of thermal decomposition caused by smouldering and incomplete combustion toxic fumes may be developed.
- **Incompatible materials:** Protect from contamination.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on the likely routes of exposure**
- **Delayed and immediate effects and chronic effects from short or long term exposure**
- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC0	>140->2,000 mg/m ³ /4h (rat) (OCED 403)
Maximum attainable concentration, mortality does not appear.		

107-21-1 ethylene glycol

Oral	LD50	7,712 mg/kg (rat) ECHA 2014
	LDLo	786 mg/kg (human being)
Dermal	LD50	>3,500 mg/kg (rabbit) ECHA 2014

- **Primary irritant effect:**

- **on the skin:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of skin	IS	0 (rabbit) (OECD 404) not irritating
--------------------	----	---

(Contd. on page 6)

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 5)

107-21-1 ethylene glycol

Irritation of skin	IS	0 (rabbit) (in vivo) ECHA 2011
--------------------	----	-----------------------------------

· **on the eye:****7631-86-9 amorphous silicon dioxide, chemically prepared**

Irritation of eyes	IS	0 (rabbit) (OECD 405) not irritating
--------------------	----	---

107-21-1 ethylene glycol

Irritation of eyes	IS	0 (rabbit) (in vivo) ECHA 2011
--------------------	----	-----------------------------------

· **Respiratory sensitization** No further relevant information available.· **Skin sensitization** No further relevant information available.· **Additional toxicological information:**

WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

7631-86-9	amorphous silicon dioxide, chemically prepared	3
-----------	--	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Repeated dose toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral	NOAEL (90 d)	9,000 mg/kg bw/day (rat) (OECD 408)
Inhalative	NOAEC (90 d)	1 mg/m ³ (rat) (OECD 413)

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**· **Carcinogenicity** No further relevant information available.· **Mutagenicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

AMES Test	>5 mg/plate (in-vitro) (OECD 471) negative with and without metabolic activation
-----------	--

· **Reproductive toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

Oral	NOAEL (maternal toxicity)	1,350 mg/kg bw/day (rat) (OECD 414)
	NOAEL (teratogenicity)	1,350 mg/kg bw/day (rat) (OECD 414)

· **Specific target organ toxicity (single exposure)** No further relevant information available.· **Specific target organ toxicity (repeated exposure)** No further relevant information available.· **Aspiration hazard** No further relevant information available.**12 Ecological information**· **Toxicity**· **Aquatic toxicity:**· **Fish toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

LC0 (96 h) (static)	10,000 mg/l (zebra fish) (OECD 203)
---------------------	-------------------------------------

(Contd. on page 7)

Printing date 11/29/2017

Version: 4.1

Reviewed on 11/29/2017

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 6)

107-21-1 ethylene glycol

LC50 (96 h)	72,860 mg/l (Pimephales promelas) ECHA 2011
LC50 (24 h)	>5,000 mg/l (Carassius auratus) IUCLID Dataset 18-Feb-2000
NOEC (7 d)	15,380 mg/l (Pimephales promelas) (EPA 600/4-90/027) ECHA 2011

· **Water flea toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

EC50 (24 h)	>1,000 mg/l (Daphnia magna) (OECD 202)
-------------	--

107-21-1 ethylene glycol

EC50 (48 h)	>100 mg/l (Daphnia magna) (OECD 202) ECHA 2011
-------------	---

· **Algae toxicity****7631-86-9 amorphous silicon dioxide, chemically prepared**

EC50 (72 h)	>10,000 mg/l (Scenedesmus subspicatus) (OECD 201) comparable substance
-------------	---

107-21-1 ethylene glycol

EC50 (96 h)	6,500-13,000 mg/l (Selenastrum capricornutum) (EPA 600/9-78-018) ECHA 2011
-------------	---

· **Bacterial toxicity****107-21-1 ethylene glycol**

EC50 (16h)	10,000 mg/l (Pseudomonas putida) IUCLID Dataset 18-Feb-2000
------------	--

· **Persistence and degradability** No further relevant information available.· **Other information:**

Do not allow product to reach sewage system, groundwater and any water course.

· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.**13 Disposal considerations**· **Recommendation:**

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/provincial and local requirements.

—USA—

(Contd. on page 8)

Printing date 11/29/2017

Version: 4.1

Reviewed on 11/29/2017

Trade name: LUDOX® HS-30 FS

(Contd. of page 7)

14 Transport information

- | | |
|-------------------------------------|--|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | None |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | None |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | None |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | None |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA

· SARA 302/304

None of the ingredients is listed.

· SARA 313

107-21-1 ethylene glycol

· TSCA (Toxic Substances Control Act):

7631-86-9	amorphous silicon dioxide, chemically prepared
107-21-1	ethylene glycol
1310-73-2	sodium hydroxide
51229-78-8	cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride
144-55-8	sodium hydrogencarbonate
100-97-0	methenamine
7732-18-5	water, distilled, or of similar purity

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

USA

Printing date 11/29/2017

Version: 4.1

Reviewed on 11/29/2017

Trade name: **LUDOX® HS-30 FS**

(Contd. of page 8)

• **TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethylene glycol

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **Canadian DSL**

7631-86-9	amorphous silicon dioxide, chemically prepared
107-21-1	ethylene glycol
1310-73-2	sodium hydroxide
51229-78-8	cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride
144-55-8	sodium hydrogencarbonate
100-97-0	methenamine
7732-18-5	water, distilled, or of similar purity

• **Canadian NDSL**

All substances are listed or exempt from listing.

• **European EINECS**

All ingredients are listed or exempted from listing.

• **Philippines Inventory of Chemicals and Chemical Substances PICCS**

All ingredients are listed or exempted from listing.

• **Inventory of the Existing Chemical Substances manufactured or imported in China IECSC**

All ingredients are listed.

• **Australian Inventory of Chemical Substances AICS**

All ingredients are listed or exempted from listing.

• **Existing and New Chemical Substance List ENCS**

Inventory listing could not be confirmed for one or more substances.

• **Korean Existing Chemical Inventory KECI**

7631-86-9	amorphous silicon dioxide, chemically prepared	KE-31032
107-21-1	ethylene glycol	KE-13169
1310-73-2	sodium hydroxide	KE-31487
51229-78-8	cis-1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride	KE-05507
144-55-8	sodium hydrogencarbonate	KE-31360
100-97-0	methenamine	KE-18615
7732-18-5	water, distilled, or of similar purity	KE-35400

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms**

GHS08

• **Signal word** Warning• **Hazard-determining components of labeling:**

ethylene glycol

• **Hazard statements**

May cause damage to organs through prolonged or repeated exposure.

• **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.
Get medical advice/attention if you feel unwell.

(Contd. on page 10)

USA

Trade name: LUDOX® HS-30 FS

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Department issuing SDS:** GRACE Safety & Health Department

- **Tarif number** 3824 9098

- **Contact:**

SALES OFFICES

USA:

GRACE

W. R. Grace & Co.-Conn

7500 Grace DR

Columbia, MD 21044

Tel: +1 410-531 4000

Europe:

Grace GmbH

In der Hollerhecke 1

D-67545 Worms, Germany

Tel: +49 6241 4030

Asia Pacific:

Grace Products (Singapore) Pte Ltd

230 Orchard Road

09-232, Faber House

Singapore 238854

Tel: +65 6737 3033

Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd

19th Floor K.Wah Center

1010 Huai Hai Zhong Road

Shanghai, 200031 China

T (电话): +86 21 3325 8288

F (传真): +86 21 5405 1500

W. R. Grace Japan K.K

Kohken New River Bldg 3F

2-21-18, Shinkawa

Chuo-ku, Tokyo 104-0033

JAPAN

Tel: +81 3.3537.6006

Fax: +81 3.3537.6007

- **Date of preparation / last revision** 11/29/2017 / 4.0

- **The first date of preparation** 10/28/2003

- **Number of revision times and the latest revision date** 4.1 / 11/29/2017

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 11)

Trade name: LUDOX® HS-30 FS

(Contd. of page 10)

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **Others** No further relevant information available.

· * **Data compared to the previous version altered.**

— USA —