



MATERIAL SAFETY DATA SHEET

FOR INDUSTRIAL USE ONLY

DESCRIPTION: Cascorez IB-355

1. Chemical Product and Company Identification

DESCRIPTION: **Cascorez IB-355**
PRODUCT CODE: 301732
PRODUCT TYPE: PVAC Emulsion
APPLICATION: Low-Cost Laminating PVAC for HPL to Particle Board

Part of the CASCO® Brand of Adhesives and Resins from Hexion

Manufacturer/Supplier Information

MSDS prepared by:
Hexion Specialty Chemicals, Inc.
155 West A Street, Bldg. A-1
Springfield, OR
97477

For Emergency Medical Assistance
Call Health & Safety Information Services
1-866-303-6949

For additional health and safety or regulatory information, call (541)744-3256.

2. Hazards Identification

2.1 Emergency Overview

Appearance	Milky white liquid
Odor	Mild

CAUTION!

May cause eye irritation.
May cause allergic skin reaction.

HMIS Rating

HEALTH	=	1 (slight)
FLAMMABILITY	=	0 (minimal)
REACTIVITY	=	0 (minimal)
CHRONIC	=	*

HMIS® ratings involve data interpretations that may vary from company to company. They are intended only for the rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

2.2 Potential Health Effects

Immediate Hazards

INGESTION:	No hazards known to company.
INGESTION:	No hazards known to company.
INHALATION:	Not expected to be harmful under normal conditions of use. However, if allowed to become airborne, may cause irritation of nose, throat and lungs.
INHALATION:	Not expected to be harmful under normal conditions of use. However, if allowed to become airborne, may cause irritation of nose, throat and lungs.
SKIN:	May cause irritation on prolonged or repeated contact.
EYES:	May cause irritation on prolonged or repeated contact.
SKIN:	May cause irritation on prolonged or repeated contact.
EYES:	May cause irritation on prolonged or repeated contact.

Delayed Hazards

50-00-0 Formaldehyde

May cause cancer. OSHA regulates formaldehyde as a potential human carcinogen. See the OSHA Formaldehyde Workplace Standard at 29CFR 1910.1048. Rats chronically exposed to 14 ppm formaldehyde contracted nasal cancer. The National Toxicology Program (NTP) has listed formaldehyde as a probable human carcinogen. The International Agency for Research on Cancer (IARC) has concluded formaldehyde is carcinogenic to humans.

Safe handling and use instructions are provided in this MSDS and in the OSHA Formaldehyde Workplace Standard at 29CFR1910.1048. OSHA has identified 0.5 ppm as the "Action Level". Please review and understand the guidance contained in this MSDS and refer to the OSHA Formaldehyde Standard for regulatory requirements that may be applicable to your operation and use.

For further information and a review of various studies, go to www.osha.gov/SLTC/formaldehyde, www.iarc.fr and other authoritative websites.

May cause allergic skin reaction. Some reports suggest that formaldehyde may cause respiratory sensitization, such as asthma, and that preexisting respiratory and skin disorders may be aggravated by exposure.

50-00-0 Formaldehyde

May cause cancer. OSHA regulates formaldehyde as a potential human carcinogen. See the OSHA Formaldehyde Workplace Standard at 29CFR 1910.1048. Rats chronically exposed to 14 ppm formaldehyde contracted nasal cancer. The National Toxicology Program (NTP) has listed formaldehyde as a probable human carcinogen. The International Agency for Research on Cancer (IARC) has concluded formaldehyde is carcinogenic to humans.

Safe handling and use instructions are provided in this MSDS and in the OSHA Formaldehyde Workplace Standard at 29CFR1910.1048. OSHA has identified 0.5 ppm as the "Action Level". Please review and understand the guidance contained in this MSDS and refer to the OSHA Formaldehyde Standard for regulatory requirements that may be applicable to your operation and use.

For further information and a review of various studies, go to www.osha.gov/SLTC/formaldehyde, www.iarc.fr and other authoritative websites.

May cause allergic skin reaction. Some reports suggest that formaldehyde may cause respiratory sensitization, such as asthma, and that preexisting respiratory and skin disorders may be aggravated by exposure.

3. Composition, Information on Ingredients

The ingredients listed below have been associated with one or more immediate and/or delayed(*) health hazards. Risk of damage and effects depends upon duration and level of exposure. BEFORE USING, HANDLING, OR EXPOSURE TO THESE INGREDIENTS, READ AND UNDERSTAND THE MSDS.

9005-25-8 Starch
50-00-0 *Formaldehyde

% by weight
10.0 - 30.0
0.001 - 0.01

Any applicable Canadian trade secret numbers will be listed in Section 15.2.

4. First Aid Measures

INGESTION: If accidentally swallowed, dilute by drinking large quantities of water. If the individual is drowsy or unconscious, do not give anything by mouth. Immediately contact poison control center or hospital emergency room for advice on whether to induce vomiting or for any other additional treatment directions.

INHALATION: Remove to fresh air.

SKIN: In case of irritation, flush with water.

EYES: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

5. Fire Fighting Measures

Suitable Extinguishing Media: In case of fire, water should be used to keep fire-exposed containers cool.

Will not burn unless water has evaporated. Dried material may burn.

6. Accidental Release Measures

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. For large spills, use water spray to disperse vapors and flush spill area. Prevent runoff from entering waterways or sewers. Use appropriate Personal Protective Equipment (PPE).

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Wash thoroughly after handling. Always use appropriate Personal Protective Equipment (PPE).

INHALATION: Avoid prolonged or repeated breathing of vapor.

SKIN: Avoid prolonged or repeated contact with skin and clothing.

EYES: Avoid prolonged or repeated contact with eyes.

7.2 Storage

Harmed by freezing. Cannot be made usable after freezing.
Store in a cool, dry place.
Do not store in bare metal containers.

8. Exposure Controls/Personal Protection

8.1 Exposure Guidelines

9005-25-8		Starch		
ACGIH TLV	8-hr TWA		10 mg/m ³	
OSHA PEL	8-hr TWA		5 mg/m ³	respirable particulate
	8-hr TWA		15 mg/m ³	total dust
50-00-0		Formaldehyde		
ACGIH TLV	Ceiling	0.3 ppm	0.37 mg/m ³	A2 - Suspected Human Carcinogen; SEN
OSHA PEL	8-hr TWA	0.75 ppm	0.9 mg/m ³	
	STEL (15 min)	2 ppm	2.5 mg/m ³	

8.2 Exposure Controls

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

8.3 Personal Protection

Where air contaminants can exceed acceptable criteria, use NIOSH (42 CFR Part 84) approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection. Use goggles if contact is likely. Wear impervious gloves as required to prevent skin contact.

9. Physical and Chemical Properties

Appearance	Milky white liquid
Odor	Mild
Odor threshold	Not available
pH	4.0 - 5.0 @25 °C (77 °F)
Boiling point, 760 mm Hg	212 °F (212 °F)
Flash point	Not applicable
Evaporation rate	Less than 1 (Butyl Acetate = 1)
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapor pressure	17.5 mm Hg @20 °C (68 °F)
Vapor density	0.62
Specific gravity	Approx. 1.12
Solubility in water	Miscible
Octanol/water partition coefficient	Not available
Autoignition temperature	Not applicable
Viscosity	5,000 - 6,000 cPs Brookfield

10. Stability and Reactivity

Chemical Stability

Normally stable as defined in NFPA 704-12(4-3.1).

Hazardous Decomposition Products

Oxides of carbon.

Possibility of Hazardous Reactions

Hazardous polymerization is not expected to occur .

11. Toxicological Information

See Section 3 Hazards Identification information.

9005-25-8 Starch

LC50: Not available

LD50: Not available

50-00-0 Formaldehyde

LC50: rat=0.59 mg/l (Sax)

LD50: Oral-rat= 800 mg/kg (Merck); Skin-rabbit= 270 mg/kg (Sax)

12. Ecological Information

Not determined

13. Disposal Considerations

Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements.

14. Transport Information

14.1 U.S. Department of Transportation (DOT)

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

Regulation: Non regulated

14.2 Canadian Transportation of Dangerous Goods (TDG)

Regulation: Non regulated

14.3 Other Regulations

- **ADR/RID**

Regulation: Non regulated

- **IMO/IMDG**

Regulation: Non regulated

- **IATA (Commercial)**

Regulation:	Non regulated
• IATA (Passenger)	
Regulation:	Non regulated
• ADNR	
Regulation:	Non regulated

15. Regulatory Information (Selected Regulations)

15.1 U.S. Federal Regulations

OSHA Hazards Communication Standard 29CFR1910.1200

This material presents possible health hazards as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard.

SARA Title III: Section 311/312

Does not meet any hazard category
Immediate health hazard
Delayed health hazard

SARA Title III: Section 313 and 40 CFR Part 372

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

None required per SARA TITLE III SECTION 313.

TSCA Section 8(b) Inventory

All reportable chemical substances are listed on the TSCA Inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by us.

15.2 Canadian Regulations

Workplace Hazardous Materials Information System (WHMIS)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the MSDS contains all the information required by the CPR.

Not a controlled product

Canadian Environmental Protection Act (CEPA)

All reportable chemical substances are listed on the Domestic Substances List (DSL) or otherwise comply with CEPA new substance notification requirements.

National Pollutant Release Inventory (NPRI)

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory.

None required.

16. Other Information

User's Responsibility

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Educate and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

Disclaimer

The information provided herein was believed by Hexion Specialty Chemicals ("Hexion") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Hexion are subject to Hexion's terms and conditions of sale. HEXION MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY HEXION, except that the product shall conform to Hexion's specifications. Nothing contained herein constitutes an offer for the sale of any product.

® and ™ Licensed trademarks of Hexion Specialty Chemicals, Inc.