

UCON™ Coating Fluids



UCON™ LB Series base fluids can be compounded with selected rust and oxidation inhibitors to serve as lubricating and protective coatings for hydraulic brake parts and similar equipment prior to and during assembly. They are compatible with DOT 3 brake fluids, but not silicone-based fluids. UCON coating fluids have no adverse effect on braking system elastomers and provide lubrication during assembly of braking parts

Products & Properties†

	Viscosity 40°C, cSt	Water wt%	Specific Gravity	Pour Point °C
Fluid	ASTM D 445	ASTM E 203	ASTM D 891	ASTM D 97
UCON Coating Fluid LB-550-XY26	104 – 132	0.30	1.000	-35
UCON Coating Fluid LB-1145-Y24	216 – 250	0.25	1.000	-30

*† Typical properties, not to be construed as specifications.
Sales specifications available on request.*

To Learn More, Call...

U.S., Canada, Mexico: Phone: 1 800 447 4369

Latin America: Phone: +55 11 5188 9000

Europe: Phone Toll-free: +800 3 694 6367* Phone: +31 11567 2626

Asia-Pacific: Phone Toll-free: +800 7776 7776* Phone: +60 3 7965 5392

*Toll free service not available in all countries

www.ucon.com

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean The Dow Chemical Company and its consolidated subsidiaries unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

Published December 2011



Lubricant & Fuel Additives