LOWILITE® 20 POWDER



VersionRevision Date:SDS Number:Country: US1.12019/03/31400000002383Language: Z8

SECTION 1. IDENTIFICATION

Other Identifiers : oxybenzone

Recommended use of the chemical and restrictions on use

Recommended use : UV absorber

Restrictions on use : For professional and industrial installation and use only.

Manufacturer or supplier's details

Company: Supplier

SI Group USA (USAA), LLC 4 Mountainview Terrace

Suite 200 Danbury, CT

United States of America (USA)

06810

Emergency telephone

Emergency telephone: +1 703-741-5970(CHEMTREC/US)

+44 (0) 1235 239 670(NCEC/EU) 0 512 8090 3042(NRCC/CHINA)

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Short-term (acute) aquatic : Category 1

hazard

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Hazard pictograms

Signal Word : Warning

Hazard Statements : H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : oxybenzone

Chemical nature : Polymer stabilizer

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
oxybenzone	131-57-7	>= 90 - <= 100

The exact percentage concentrations of components are being withheld as a trade secret in accordance with paragraph (i) of §1910.120

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Product dust may be irritating to eyes, skin and respiratory

system.

No information available. No information available.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not allow run-off from fire fighting to enter drains or water

courses.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Non-sparking tools should be used.

Avoid dust formation.

Ensure adequate ventilation.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 2019/03/31 40000002383 Language: Z8 1.1

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not

accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer

and mixing operations.

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Use mechanical ventilation for general area control. Dust must be extracted directly at the point of origin.

Ensure that extracted air cannot be returned to the workplace

through the ventilation system.

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Personal protective equipment

Respiratory protection : Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before

removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and at the end of workday.

Environmental exposure controls

Water : Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : light yellow

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/range : 62 - 65 °C

Boiling point/boiling range : 150 - 160 °C

Flash point : 215.5 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition

Upper explosion limit : No data available

Lower explosion limit : No data available

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.3 (25 °C)

Density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Surface tension : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No decomposition if used as directed.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents, Strong bases, Acid chlorides, Acid

anhydrides

SECTION 11. TOXICOLOGICAL INFORMATION

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Acute toxicity

Product:

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: No data available

Components:

oxybenzone:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rabbit):> 16,000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Remarks: The product is not considered as being a skin irritant.

Components:

oxybenzone:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Remarks: The product is not considered as being an eye irritant.

Components:

oxybenzone:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitization

Product:

Remarks: No data available

LOWILITE® 20 POWDER



VersionRevision Date:SDS Number:Country: US1.12019/03/31400000002383Language: Z8

Components:

oxybenzone:

Test Type: Maximization Test

Species: Guinea pig

Assessment: Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity -

Assessment

: Not classified due to lack of data.

Components:

oxybenzone:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative GLP: yes

Genotoxicity in vivo : Test Type: in vivo assay

Species: Rat

Cell type: Bone marrow Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Product:

Remarks: This information is not available.

Carcinogenicity - Assessment

: Not classified due to lack of data.

IARC

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

Reproductive toxicity -

Assessment

Not classified due to lack of data.

Components:

oxybenzone:

Reproductive toxicity - : No toxicity to reproduction
Assessment : No effects on or via lactation

STOT-single exposure

Product:

Assessment: Not classified due to lack of data.

STOT-repeated exposure

Product:

Assessment: Not classified due to lack of data.

Components:

oxybenzone:

Routes of exposure:Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks: No data available

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to daphnia and other :

aquatic invertebrates Remarks: No data is available on the product itself.

Components:

oxybenzone:

Persistence and degradability

Components:

oxybenzone:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

chemical or used container.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

LOWILITE® 20 POWDER



VersionRevision Date:SDS Number:Country: US1.12019/03/31400000002383Language: Z8

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Not listed

New Jersey Right To Know

Not listed

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response,

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA: HMIS® IV:

Flammability

1 0 = 0

Special hazard.

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

LOWILITE® 20 POWDER



Version Revision Date: SDS Number: Country: US 1.1 2019/03/31 400000002383 Language: Z8

Revision Date : 2019/03/31

<** Phrase language not available: [Z8] CUST - 10000000012264 **>

US / Z8

Carechem24 International Worldwide Coverage

Emergency Phone Numbers:

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia	Regional Number : +65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	:Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285
	Vietnam	+65 3158 1255
	India	+65 3158 1198
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Bangladesh	+65 3158 1200
Middle East / Africa:	Arabic speaking countries	+44 (0) 1235 239 671
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States / Canada	001866 928 0789
Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
	Mexico	+52 555 004 8763