# **LOWILITE® 22 POWDER**



VersionRevision Date:SDS Number:Country: US1.42019/09/25400000004866Language: Z8

### **SECTION 1. IDENTIFICATION**

Other Identifiers : octabenzone

Recommended use of the chemical and restrictions on use

Recommended use : UV absorber

Polymer stabilizer

Restrictions on use : Reserved for industrial and professional use.

Manufacturer or supplier's details

Company: Supplier

SI Group USA (USAA), LLC 4 Mountainview Terrace

Suite 200 Danbury, CT

United States of America (USA)

06810

**Emergency telephone** 

Emergency telephone: +1 703-741-5970 (CHEMTREC/US)

+44 (0) 1235 239 670 (NCEC/EU) 0 512 8090 3042 (NRCC/CHINA)

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Skin sensitization : Sub-category 1B

Combustible dust

**GHS** label elements

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

Hazard pictograms



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

May form combustible dust concentrations in air.

Precautionary Statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Pure substance

Substance name : octabenzone

Chemical nature : Polymer stabilizer

# Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
octabenzone	1843-05-6	>= 90 - <= 100

The exact percentage concentrations of components are being withheld as a trade secret in accordance with paragraph (i) of §1910.120

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

# **LOWILITE® 22 POWDER**



Version **Revision Date:** SDS Number: Country: US 2019/09/25 40000004866 1.4 Language: Z8

If inhaled Move to fresh air in case of accidental inhalation of dust or

> fumes from overheating or combustion. If symptoms persist, call a physician.

Take off contaminated clothing and shoes immediately. In case of skin contact

> Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

Product dust may be irritating to eyes, skin and respiratory

system.

sensitizing effects

Notes to physician The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Burning produces obnoxious and toxic fumes.

Thermal decomposition can lead to release of irritating gases

and vapors.

May form explosive dust-air mixture.

Hazardous combustion

products

No hazardous combustion products are known.

Further information Standard procedure for chemical fires.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Non-sparking tools should be used. Use personal protective equipment.

Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions :

Try to prevent the material from entering drains or water

courses.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling : Minimize dust generation and accumulation.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Keep away from heat and sources of ignition.

For personal protection see section 8.

Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Technical

measures/Precautions Incom

Incompatible with oxidizing agents.

Incompatible with strong acids and bases.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

## Ingredients with workplace control parameters

# **LOWILITE® 22 POWDER**



Version 1.4

Revision Date: 2019/09/25

SDS Number: 400000004866

Country: US Language: Z8

Contains no substances with occupational exposure limit values.

## **Exposure controls**

### **Engineering measures**

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

Use with local exhaust ventilation.

## Personal protective equipment

Respiratory protection

In the case of dust or aerosol formation use respirator with an

approved filter.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before

removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Environmental exposure controls

Water : Do not let product enter drains.

Do not let product enter drains.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : yellow

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/range : 47 - 50 °C

Boiling point/boiling range : > 400 °C

Flash point : 246 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : < 0.133 hPa (20 °C)

Relative vapor density : No data available

Relative density : 1.16

Density : 1.16 g/cm3

Solubility(ies)

Water solubility :  $< 0.0001 \text{ g/l } (20 ^{\circ}\text{C})$ 

Solubility in other solvents : No data available

# **LOWILITE® 22 POWDER**



Version 1.4

Revision Date: 2019/09/25

SDS Number: 400000004866

Country: US Language: Z8

Partition coefficient: n-

octanol/water

: log Pow: > 6

Autoignition temperature : 370 °C

Decomposition temperature : > 350 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Surface tension : No data available

Dust explosion class : see user defined free text

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No decomposition if used as directed.

Conditions to avoid : No data available

Incompatible materials : Oxidizing agents, Strong acids and strong bases

Hazardous decomposition

products

Carbon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Skin contact

**Acute toxicity** 

**Components:** 

octabenzone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit):> 10,000 mg/kg

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

### Skin corrosion/irritation

**Product:** 

Remarks: The product is not considered as being a skin irritant.

**Components:** 

octabenzone: Species: Rabbit

Result: No skin irritation

### Serious eye damage/eye irritation

**Product:** 

Remarks: The product is not considered as being an eye irritant.

**Components:** 

octabenzone: Species: Rabbit

Result: No eye irritation

### Respiratory or skin sensitization

**Product:** 

Remarks: Causes sensitization.

**Components:** 

octabenzone:

Species: Guinea pig

Assessment: May cause sensitization by skin contact.

Method: OECD Test Guideline 406

GLP: yes

### Germ cell mutagenicity

**Components:** 

octabenzone:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

GLP: no

Germ cell mutagenicity -

Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

# **LOWILITE® 22 POWDER**



Version 1.4

Revision Date: 2019/09/25

SDS Number: 400000004866

Country: US Language: Z8

**Product:** 

Carcinogenicity -Assessment : No data available

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

**Product:** 

Reproductive toxicity -

Assessment

: No data available

STOT-single exposure

**Product:** 

Remarks: No data available

STOT-repeated exposure

**Product:** 

Remarks: No data available

**Aspiration toxicity** 

**Product:** 

No data available

**Further information** 

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : Remarks: Not classified due to lack of data.

Toxicity to daphnia and other :

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

aquatic invertebrates Remarks: Not classified due to lack of data.

Toxicity to algae : Remarks: Not classified due to lack of data.

Toxicity to microorganisms : Remarks: Not classified due to lack of data.

**Components:** 

octabenzone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: no

Toxicity to algae : EC50 (Scenedesmus species): > 100 mg/l

End point: Growth inhibition

Exposure time: 72 h

Toxicity to microorganisms : EC80 (Bacteria): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: No data available

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

: There is no data available for this product.

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

## **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

## Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

octabenzone 1843-05-6

Not listed

## **New Jersey Right To Know**

octabenzone 1843-05-6

Not listed

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

#### The ingredients of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

## **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

CH INV : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **LOWILITE® 22 POWDER**



Version 1.4

Revision Date: 2019/09/25

SDS Number: 400000004866

Country: US Language: Z8

**Further information** 

NFPA: HMIS® IV:

Flammability

1 2 <sup>th</sup> 1 2 0

Special hazard.

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 2019/09/25

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS. DATA OR INFORMATIN HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

US / Z8

### Carechem24 International Worldwide Coverage

### **Emergency Phone Numbers:**

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia	Regional Number : +65 3158 1074

# **LOWILITE® 22 POWDER**



Version Revision Date: SDS Number: Country: US 1.4 2019/09/25 400000004866 Language: Z8

Australia +61 2801 44558 New Zealand +64 9929 1483 China Taiwan +86 10 5100 3039 Japan +81 345 789 341 Indonesia 00780 3011 0293 :Malaysia +60 3 6207 4347 Thailand 001800 1 2066 6751 Korea +65 3158 1285 Vietnam +65 3158 1255 India +65 3158 1198 Pakistan +65 3158 1329 Philippines +65 31581203 Sri Lanka +65 3158 1195 Bangladesh +65 3158 1200 Arabic speaking countries Middle East / Africa: +44 (0) 1235 239 671 All other countries +44 (0) 1235 239 670 United States / Canada **America** 001866 928 0789 Latin America: Brazil +55 113 711 9144 All other countries +44 (0) 1235 239 670 Mexico +52 555 004 8763