Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline™ biofunctional	Version: 1.7
<sup>™</sup> Trademark, Ashland or its subsidiaries, registered	
in various countries	
831020	

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifier

 Trade name
 :
 procataline™ biofunctional

 Description
 :
 biofunctional

 ™ Trademark, Ashland or its subsidiaries, registered in various countries

#### Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data	Emergency telephone number
sheet	1-800-ASHLAND (1-800-274-5263)
Ashland	
P.O. Box 2219	Regulatory information
Columbus, OH 43216	1-614-790-3333 (customer service)
United States of America (USA)	
1-614-790-3333 (USA)	Product Information
	1-614-790-3333 (USA)
EHSProductSafety@ashland.com	

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
GLYCERINE	56-81-5	This material is not	30.00
		considered hazardous	

Ashland always solving	Page	: 2	
SAFETY DATA SHEET	Revision Date: 09/14/20	22	
	Print Date: 12/16/20		
	SDS Number: R07181	SDS Number: R0718189	
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version:	1.7	
	under the OSHA Hazard Communication Standard (HazCom 2012).		

## **SECTION 4. FIRST AID MEASURES**

General advice	: Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	: Wash off with soap and plenty of water.
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>
Notes to physician	: Treat symptomatically.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during firefighting	: No information available.
Hazardous combustion products	<ul> <li>Carbon dioxide (CO2)</li> <li>Carbon monoxide</li> <li>Nitrogen oxides (NOx)</li> <li>Aldehydes</li> </ul>
Specific extinguishing methods	:
	Standard procedure for chemical fires.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7

Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	:	Use the whole package after opening. If contents are not to be used immediately, open under sterile conditions and store at 2 to 8°C to prevent potential contamination due to handling.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline™ biofunctional	Version: 1.7
<sup>™</sup> Trademark, Ashland or its subsidiaries, registered	
in various countries	
831020	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

56-81-5	TWA	5 mg/m3 mist, respirable fraction	OSHA Z-1
	TWA	15 mg/m3 mist, total dust	OSHA Z-1
	PEL	10 mg/m3 Mist - total fraction	CAL PEL
	PEL	5 mg/m3 Mist - respirable fraction	CAL PEL
	TWA	10 mg/m3 Mist - total dust	OSHA P0
	TWA	5 mg/m3 Mist - respirable fraction	OSHA P0
	56-81-5	TWA PEL PEL TWA	mist, respirable       fraction       TWA     15 mg/m3       mist, total dust       PEL     10 mg/m3       Mist - total       fraction       PEL     5 mg/m3       Mist - respirable       fraction       PEL       5 mg/m3       Mist - respirable       fraction       TWA       10 mg/m3       Mist - total dust       TWA       S mg/m3       Mist - respirable       TWA       5 mg/m3       Mist - respirable

#### mponents with workplace control r -+-

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal	protective	equipment

Personal protective equipm	ent		
Respiratory protection	:	In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.	
Hand protection			
Material		butyl-rubber	
Break through time	:	480 min	
Glove thickness	:	> 0.5 mm	
Remarks	:	The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.	
Eye protection	:	Safety glasses	
Skin and body protection	:	Work uniform or laboratory coat.	
Hygiene measures	:	General industrial hygiene practice.	

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	4.0 - 5.0
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	199 °CValue for Component
Evaporation rate	:	not determined
Upper explosion limit	:	not determined
Lower explosion limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	No data available
Density	:	1.06 - 1.09 g/cm3
Solubility(ies) Water solubility	:	not determined
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	not determined
Thermal decomposition	:	No data available
Viscosity Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline™ biofunctional	Version: 1.7
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
831020	

Oxidizing properties

: Not applicable

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	No dangerous reaction known under conditions of norma	al use.
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	No hazards to be specially mentioned.	
	No dangerous reaction known under conditions of norma	al use.
Conditions to avoid	Protect from frost, heat and sunlight.	
Incompatible materials	Oxidizing agents	
Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO2)	

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	Inhalation Eye contact Skin contact Ingestion
Acute toxicity	
Not classified based on available	e information.
Components:	
GLYCERINE:	
Acute oral toxicity	LD50 (Rat): 12,600 mg/kg Method: OECD Test Guideline 401
	Method: OLOD Test Guideline 401
Acute inhalation toxicity	LC50 (Rat): > 570 mg/m3
	Exposure time: 1 h
	Test atmosphere: vapour
	Assessment: Not classified as acutely toxic by inhalation
	under GHS.
Acute dermal toxicity	LD50 (Rabbit): > 10 g/kg
······	
Skin corrosion/irritation	

Ashland always solving	
---------------------------	--

SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries	Version: 1.7

Page: 7

## 831020

Not classified based on available information. <u>Components:</u> GLYCERINE: Result: No skin irritation

Serious eye damage/eye irritation Not classified based on available information. Product: Remarks: Unlikely to cause eye irritation or injury.

## Components:

GLYCERINE: Result: Slight, transient irritation

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information. Aspiration toxicity Not classified based on available information. Further information Product: Remarks: No data available Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7

## SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity <u>Product:</u>	
Ecotoxicology Assessment Short-term (acute) aquatic hazard	: Not classified based on available information.
Long-term (chronic) aquatic hazard	: Not classified based on available information.
<u>Components:</u> GLYCERINE:	
Toxicity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h Test Type: static test</li> </ul>
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 1,995 mg/l Exposure time: 48 h
Persistence and degradabilit Product:	у
Biodegradability	: Result: Readily biodegradable. Remarks: Expert judgement
Components: GLYCERINE:	
Biodegradability	: Result: Readily biodegradable. Biodegradation: 94 %
No data available Bioaccumulative potential <u>Components:</u>	
GLYCERINE: Partition coefficient: n- octanol/water	: log Pow: -1.76
No data available Mobility in soil Components:	
No data available Other adverse effects No data available	
Product: Additional ecological information	: No data available
Components:	

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7

## SECTION 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

### International transport regulations

#### REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

#### U.S. DOT - ROAD

Not dangerous goods

#### CFR\_RAIL\_C

Not dangerous goods

## U.S. DOT - INLAND WATERWAYS

Not dangerous goods

#### TDG\_ROAD\_C

Not dangerous goods

#### TDG\_RAIL\_C

Not dangerous goods

#### TDG\_INWT\_C

Not dangerous goods

## INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

#### INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7

## INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

## MX\_DG

Not dangerous goods

#### \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

# Marine pollutant

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

no

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	No SARA Hazards	
SARA 302	This material does not contain any components with a section 302 EHS TPQ.	on
SARA 313	This material does not contain any chemical components wi known CAS numbers that exceed the threshold (De Minimis reporting levels established by SARA Title III, Section 313.	
US State Regulations		

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional <sup>™</sup> Trademark, Ashland or its subsidiaries, registered in various countries 831020	Version: 1.7
Pennsylvania Right To Know	
WATER	7732-18-5
GLYCERINE	56-81-5
New Jersey Right To Know WATER	7732-18-5
GLYCERINE	56-81-5

## California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.


The components of this product are reported in the following inventories:TCSI: On the inventory, or in compliance with the inventory			
TSCA	:	This product is regulated under the United States Food and Drug Act (FDA).	
AIIC	:	On the inventory, or in compliance with the inventory	
DSL	:	All components of this product are on the Canadian DSL	
ENCS	:	Personal care	
ISHL	:	Not in compliance with the inventory	
KECI	:	Personal care	
PICCS	:	On the inventory, or in compliance with the inventory	
IECSC	:	On the inventory, or in compliance with the inventory	
NZIoC	:	Not in compliance with the inventory	
TECI	:	Not in compliance with the inventory	

## Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA) Other regulations

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional	Version: 1.7
<sup>™</sup> Trademark, Ashland or its subsidiaries, registered	
in various countries	
831020	
US. Drug Enforcement Not applicable	
Administration (DEA) Listed	
Precursor and Essential	
Chemicals (21 CFR 1310)	

## SECTION 16. OTHER INFORMATION



#### Full text of H-Statements

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Page:	1	3
-------	---	---

Ashland always solving	Page: 13	
SAFETY DATA SHEET	Revision Date: 09/14/2022	
	Print Date: 12/16/2022	
	SDS Number: R0718189	
procataline™ biofunctional	Version: 1.7	
™ Trademark, Ashland or its subsidiaries, registered		
in various countries		
831020		
Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -		
International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -		

Organisation for Standardization; KECI Korea Existing Chemicals Inventory; Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet	:	Ashland internal data including own and sponsored test reports European Union Law with content from the Official Journal of the European Union. European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies. The German Water Hazard Classes. ReachCentrum; a series of support services to help comply with REACH regulations. The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law. The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport. Cefic, the European Chemical Industry Council. ESIS European Chemical Substances Information System
---	---	--

**Revision Date** 

: 09/14/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

Ashland always solving	Page: 14
SAFETY DATA SHEET	Revision Date: 09/14/2022
	Print Date: 12/16/2022
	SDS Number: R0718189
procataline <sup>™</sup> biofunctional	Version: 1.7
<sup>™</sup> Trademark, Ashland or its subsidiaries, registered	
in various countries	
831020	
not to be considered a warranty or quality so	accification. The information relates only to the

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. US / EN