Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Benecel™ E4M HPMC Type 2910 3600 mPas

Hydroxypropylmethyl Cellulose

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Substance name METHYLHYDROXYPROPYLCELLULOSE

Substance No.

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet
Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
+1-614-790-3333
EHSProductSafety@ashland.com

Emergency telephone number
1-800-ASHLAND (1-800-274-5263)

Regulatory Information Number
1-614-790-3333

Product Information
+1-614-790-3333

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : Prevention:

Keep dust/air mixtures away from ignition sources.

Other hazards

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

Hazardous components No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Ashland always solving ™	Page: 3
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

Water spray Foam

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Material can create slippery conditions.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.

Ensure all equipment is electrically grounded and bonded

before beginning transfer operations.

The material can accumulate static charge and can therefore

cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in

SP Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

: Provide appropriate exhaust ventilation at places where dust

is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material butyl-rubber Break through time : 480 min Glove thickness > 0.5 mm

: The exact break through time can be obtained from the Remarks

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

Eye protection : Safety glasses

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

Safety shoes

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules, powder

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : 5.0 - 8.5

Concentration: 2 % (as aqueous solution)

Melting point/freezing point : 354 °F / 179 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Dust

Upper explosion limit : No data available

Lower explosion limit : 30 g/m3

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

**Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

Density : 0.3 - 0.35 g/cm3

Bulk density : 200 - 500 kg/m3

Solubility(ies)

Water solubility : soluble, Limited by viscosity

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 400 °C

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Dust may form explosive mixture in air.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

UV light.

Exposure to sunlight.

Incompatible materials : Acids

Bases

Oxidizing agents

Hazardous decomposition

products

Carbon monoxide Carbon dioxide (CO2)

P Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation exposure Skin contact

Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: Slight, transient irritation

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

S Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered in various countries	
821891	

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Product:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Persistence and degradability

Product:

Biochemical Oxygen : Biochemical oxygen demand within 5 days

Demand (BOD) > 0 - 100 mg/g

No data available

Bioaccumulative potential

No data available Mobility in soil No data available Other adverse effects No data available

Product:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

	Ashland [™] always solving					Page: 9
SAFETY D	ATA SHEET				Revision I	Date: 04/26/2019
						t Date: 10/3/2019
Hydroxypropylm	Ashland or its subsidiaries, regist	ered			SDS Nu	umber: R0703384 Version: 1.4
		regulations.				
Contamina	ated packaging : Empty r	emaining co	ntent	S.		
International t						
ID NUMBER	PROPER SHIPPING NAME	*HAZARI CLASS		SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
U.S. DOT - RO	Not dangerous goods					
CFR_RAIL_C	Not dangerous goods					
CFR_RAIL_C	Not dangerous goods Not dangerous goods ND WATERWAYS					
CFR_RAIL_C U.S. DOT - INLA	Not dangerous goods Not dangerous goods ND WATERWAYS Not dangerous goods					
CFR_RAIL_C U.S. DOT - INLA	Not dangerous goods Not dangerous goods ND WATERWAYS Not dangerous goods Not dangerous goods					
CFR_RAIL_C U.S. DOT - INLA TDG_ROAD_C TDG_RAIL_C	Not dangerous goods Not dangerous goods ND WATERWAYS Not dangerous goods Not dangerous goods Not dangerous goods	OODS				

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX DG

Not dangerous goods	

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

HYDROXYPROPYL METHYLCELLULOSE 9004-65-3

New Jersey Right To Know

HYDROXYPROPYL METHYLCELLULOSE 9004-65-3

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory


TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information Revision Date: 04/26/2019



NFPA Flammable and Combustible Liquids Classification

Not applicable

P Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet
Ashland internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -

Ashland always solving ™	Page: 13
SAFETY DATA SHEET	Revision Date: 04/26/2019
	Print Date: 10/3/2019
	SDS Number: R0703384
Benecel™ E4M HPMC Type 2910 3600 mPas Hydroxypropylmethyl Cellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 821891	Version: 1.4

Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative