

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

1 Identification of the Substances/Preparation and of the Company/Undertaking

- **Product identifier**
- **Product name:** TYZOR® NPZ
- **Relevant identified uses of the substance or mixture and uses advised against**
Catalysts/Cross-linking agent/Adhesion promoters. Not for consumer use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Dorf Ketal Specialty Catalysts LLC
11200 Westheimer Road
Suite 400
Houston, Texas 77042
Phone= +1 713 343 2377
Fax= +1 832 649 7615
Email: ehss@dorketal.com
- **Emergency telephone number:**
For Chemical Emergency ONLY (spill, leak, fire, exposure or accident) call Chemtrec at +1 (703) 527 3887 or Chemtrec India at 000-800-100-7141. DORF KETAL Emergency Control Room +91 22-65271001.

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H336 May cause drowsiness or dizziness.
- **OSHA/HCS status**
This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
propan-1-ol
- **Hazard statements**
Highly flammable liquid and vapor.
Causes serious eye damage.
May cause drowsiness or dizziness.

(Contd. on page 2)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 1)

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 3

Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 2

FIRE 3 Fire = 3

REACTIVITY 0 Reactivity = 0

Other hazards No information available.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions/ unknown toxicity.

Dangerous components:

71-23-8	propan-1-ol	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	23-40%
---------	-------------	---	--------

4 First-aid measures

Description of first aid measures**General information:**

Take affected persons out into the fresh air.
Do not leave affected persons unattended.

Inhalation:

Move exposed person to fresh air.
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Loosen tight clothing such as a collar, tie, belt or waistband.

(Contd. on page 3)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 2)

Get medical attention immediately.

· Skin Contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Remove contaminated clothing and shoes.

Wash clothing before reuse.

Clean shoes thoroughly before reuse.

· Eye Contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· Ingestion:

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Get medical attention immediately.

· Most important symptoms and effects, both acute and delayed

Causes eye and skin irritation.

Dizziness

· Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance. Treat symptomatically.

5 Fire-fighting measures

· Extinguishing media In case of fire use the following suitable extinguishing agent.**· Suitable extinguishing agents:**

Foam

Fire-extinguishing powder

Alcohol resistant foam

Carbon dioxide

Sand

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

· Special hazards arising from the substance or mixture

Flammable liquid and vapour.

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide

· Advice for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

(Contd. on page 4)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 3)

· **Protective equipment:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Keep away from ignition sources

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Stop leak if without risk.

Move containers from spill area.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

7 Handling and storage

· **Precautions for safe handling**

Put on appropriate personal protective equipment .

Do not ingest.

Avoid contact with eyes, skin and clothing.

Avoid breathing vapour or mist.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:** Store away from oxidizing agents.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

71-23-8 propan-1-ol

PEL	Long-term value: 500 mg/m ³ , 200 ppm
REL	Short-term value: 625 mg/m ³ , 250 ppm
	Long-term value: 500 mg/m ³ , 200 ppm
	Skin
TLV	Long-term value: 246 mg/m ³ , 100 ppm

· Exposure controls

· Appropriate engineering controls:

Use local exhaust ventilation or other engineering control to maintain airborne levels below exposure limit requirement or guidelines.

Local exhaust ventilation may be necessary for some operations.

If there are no applicable exposure limit requirement or guidelines, general ventilation should be sufficient for most operations.

· Personal protective equipment:

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

Where there is potential for airborne exposures, wear NIOSH approved respiratory protection.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)
29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 5)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Yellow

· **Odor:** Alcohol-like

· **Odour threshold:** No data available.

· **pH-value:** No data available

· **Melting point/Freezing Point :** -55 °C °C (-67 °C °F)

· **Boiling point/Boiling range:** 98 °C (208 °F)

· **Flash point:** 21 - 25 °C (70 - 77 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** No data available.

· **Auto ignition temperature** Product is not selfigniting.

· **Explosion limits:**

Lower: 2.1 Vol %

Upper: 13.5 Vol %

· **Vapor pressure:** No data available.

· **Relative density at 20 °C (68 °F)** 1.07 g/cm³ (8.929 lbs/gal)

· **Vapour density** No data available

· **Evaporation rate** No data available

(Contd. on page 7)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 6)

- | | |
|---|---|
| · Solubility: | Decomposes in water.
Soluble in Organic solvents |
| · Partition coefficient (n-octanol/water): | No data available |
| · Viscosity: | |
| Dynamic at 20 °C (68 °F): | 60 - 90 mPas |
| Kinematic: | No data available. |

10 Stability and reactivity

- **Reactivity** Under normal conditions of storage and use, hazardous reactions will not occur.
- **Chemical stability** The product is stable under storage at normal ambient temperature.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Avoid all possible sources of ignition (spark or flame).
Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
- **Incompatible materials:**
Reactive or incompatible with the following materials:
Oxidizing material
- **Hazardous decomposition products:**
Under normal conditions of storage and use, hazardous decomposition products should not be produced

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

71-23-8 propan-1-ol

Oral	LD50	5040 mg/kg bw (Rat)
Dermal	LD50	4032 mg/kg bw (Rabbit)

- **Primary irritant effect:**
- **on the skin:** Mild Irritant
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Respiratory/ Skin sensitization:** No sensitizing effects known.
- **Germ cell mutagenicity:** No data available
- **Carcinogenicity:** No data available
- **Reproductive toxicity:** No data available

(Contd. on page 8)



Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)

29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 7)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **NTP (National Toxicology Program)**

None of the ingredients are listed.

· **Single dose toxicity:** May cause drowsiness or dizziness.

· **Repeated Dose toxicity** No data available

· **Aspiration hazard** No data available.

· **Other relevant information:** No data available

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment** Not available

· **Other adverse effects** No further relevant information available.

13 Disposal Information

· **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA**

UN1993

(Contd. on page 9)

Safety Data Sheet

Conforms to OSHA Hazard Communication Standard (HCS)
29CFR 1910.1200




MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 8)

· UN proper shipping name	Flammable liquids, n.o.s.(mixture, contains Propan-1-ol)
· DOT	1993 Flammable liquids, n.o.s.(mixture, contains Propan-1-ol), special provision 640D
· ADR	FLAMMABLE LIQUID, N.O.S. (mixture, contains Propan-1-ol)
· IMDG, IATA	
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids.
· Label	3
· ADR	
	
· Class	3 (F1) Flammable liquids
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids.
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S</u> -E

(Contd. on page 10)

Safety Data Sheet
Conforms to OSHA Hazard Communication Standard (HCS)
29CFR 1910.1200

MSDS ID: RG0NPZ
NAME: DORF KETAL TYZOR NPZ
DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 9)

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**

71-23-8 | propan-1-ol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

File name: Tyzor NPZ SDS US en APR-10-2014

Version : 2

Superseded SDS date: : SEP-07-2011

(Contd. on page 11)



Safety Data Sheet
Conforms to OSHA Hazard Communication Standard (HCS)
29CFR 1910.1200

MSDS ID: RG0NPZ
 NAME: DORF KETAL TYZOR NPZ
 DATE: 04/10/2014

Printing date 04/10/2014

Reviewed on 04/10/2014

Product name: TYZOR® NPZ

(Contd. of page 10)

Change History: Transport data updated.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

APF = Assigned protection factor

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

IOELV: Indicative Occupational Exposure Limit Values

Disclaimer:

The data and recommendations presented in this data sheet concerning the use of our product and the materials contain there in are believed to be accurate and are based on information which is considered reliable as of the date hereof. However, the customer should determine the suitability of much material for his purpose before adopting them on a commercial scale. Since the use our product by others is beyond our control, no guarantee, express or implied, is made and no responsibility assumed for the use of this material or the results to be obtained there from. Information on this document is furnished for the purpose of compliance with Government Health and Safety Regulations and shall not be used for any other purposes. Moreover, the recommendations contained in this Safety Data Sheet are not to be constructed as a license to operate under, or a recommendation to infringe, any existing patents, nor should they be confused with state, municipal or insurance requirements, or with national safety codes.