# **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

### **SECTION 1. IDENTIFICATION**

#### Recommended use of the chemical and restrictions on use

Recommended use : Polymer additive

Restrictions on use : For professional and industrial installation and use only.

### Manufacturer or supplier's details

Company: Supplier

SI Group USA (USAA), LLC 4 Mountainview Terrace

Suite 200 Danbury, CT

United States of America (USA)

06810

### **Emergency telephone number**

Emergency telephone number: +1 703-741-5970(CHEMTREC/US)

+44 (0) 1235 239 670(NCEC/EU) 0 512 8090 3042(NRCC/CHINA)

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Combustible dust

Not a hazardous substance or mixture.

### **GHS label elements**

Not a hazardous substance or mixture.

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air

#### Other hazards

None known.

# **BIK® OT**



Version **Revision Date:** SDS Number: Country: US 2019/03/31 40000002887 Language: EN 1.4

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Chemical nature Blowing agent

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
urea	57-13-6	>= 90 - <= 100
Calcium distearate	1592-23-0	>= 1 - < 5
silicic acid, calcium salt	1344-95-2	>= 1 - < 5

The exact percentage concentrations of components are being withheld as a trade secret in accordance with paragraph (i) of §1910.120

#### **SECTION 4. FIRST AID MEASURES**

General advice No hazards which require special first aid measures.

If inhaled Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. In case of eye contact

Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Product dust may be irritating to eyes, skin and respiratory

system.

No information available.

Notes to physician The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

# **BIK® OT**



Version 1.4

Revision Date: 2019/03/31

SDS Number: 40000002887

Country: US Language: EN

No information available.

Further information : Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Non-sparking tools should be used.

Avoid dust formation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

## **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static

accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer

and mixing operations.

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : No special restrictions on storage with other products.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

## Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	

# **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

			concentration	
urea	57-13-6	TWA	10 mg/m3	US WEEL
Calcium distearate	1592-23-0	TWA	10 mg/m3	ACGIH
silicic acid, calcium salt	1344-95-2	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (inhalable dust)	15 mg/m3	OSHA P0
		TWA (inhalable dust)	5 mg/m3	OSHA P0

## **Exposure controls**

**Engineering measures** 

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Ensure that extracted air cannot be returned to the workplace

through the ventilation system.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Use mechanical ventilation for general area control.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

# **BIK® OT**



Version 1.4 Revision Date: 2019/03/31

SDS Number: 40000002887

Country: US Language: EN

Environmental exposure controls

Water : Do not let product enter drains.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : powder

Colour : white

Odour : slight

Odour Threshold : No data available

pH : No data available

Melting point/range : ca. 132 °C

Boiling point/boiling range : Decomposes

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available.

Relative vapour density : No data available

Relative density : ca. 1.3 (20 °C)

Density : No data available

Solubility(ies)

Water solubility : partly soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

# **BIK® OT**



VersionRevision Date:SDS Number:Country: US1.42019/03/31400000002887Language: EN

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Surface tension : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Not classified due to lack of data.

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: Not classified due to lack of data.

**Components:** 

urea:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat):> 5,000 mg/kg

Calcium distearate:

Acute oral toxicity : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Acute inhalation toxicity : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

# **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

Acute dermal toxicity : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

silicic acid, calcium salt:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg

#### Skin corrosion/irritation

## **Product:**

Remarks: The product is not considered as being a skin irritant.

### **Components:**

#### urea:

Species: Rabbit Exposure time: 24 h Result: No skin irritation

#### Calcium distearate:

Remarks: Not classified due to data which are conclusive although insufficient for classification.

## Serious eye damage/eye irritation

#### **Product:**

Remarks: The product is not considered as being an eye irritant.

## **Components:**

## urea:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

#### Calcium distearate:

Remarks: Not classified due to data which are conclusive although insufficient for classification.

## Respiratory or skin sensitisation

### **Product:**

Remarks: No data available

#### **Components:**

#### urea:

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

# **BIK® OT**



Version 1.4

Revision Date: 2019/03/31

SDS Number: 400000002887

Country: US Language: EN

### Calcium distearate:

Remarks: Not classified due to data which are conclusive although insufficient for classification.

## Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: Not classified due to lack of data.

Genotoxicity in vivo : Remarks: Not classified due to lack of data.

Germ cell mutagenicity -

Assessment

: No data available

**Components:** 

urea:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

silicic acid, calcium salt:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Chromosome aberration test in vitro

Species: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Rat

Application Route: Oral Result: negative

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

**Product:** 

Carcinogenicity -

: No data available

Assessment

**Components:** 

urea:

Carcinogenicity -Assessment : Animal testing did not show any carcinogenic effects.

# **BIK® OT**



Version Revision Date: 2019/03/31

SDS Number: 40000002887

Country: US Language: EN

silicic acid, calcium salt:

Carcinogenicity - Assessment

: Animal testing did not show any carcinogenic effects.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

**Product:** 

Reproductive toxicity -

Assessment

: No data available

**Components:** 

urea:

Reproductive toxicity -

Assessment

No toxicity to reproduction No effects on or via lactation

silicic acid, calcium salt:

Reproductive toxicity -

Assessment

No toxicity to reproduction No effects on or via lactation

STOT - single exposure

**Product:** 

Remarks: No data available

STOT - repeated exposure

**Product:** 

Remarks: No data available

**Components:** 

urea:

Exposure routes:Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

## silicic acid, calcium salt:

Exposure routes:Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Repeated dose toxicity

**Product:** 

Remarks: Not classified due to lack of data.

## **Aspiration toxicity**

**Product:** 

No data available

#### **Further information**

**Product:** 

Remarks: No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Toxicity to fish : Remarks: No data is available on the product itself.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data is available on the product itself.

Toxicity to algae : Remarks: No data is available on the product itself.

Toxicity to microorganisms : Remarks: No data is available on the product itself.

#### **Components:**

urea:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 5,000 mg/l

Exposure time: 96 h Test Type: static test

GLP: no

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): > 10,000

mg/l

Exposure time: 72 h
Test Type: Growth inhibition

Calcium distearate:

Toxicity to fish : Remarks: Not classified due to data which are conclusive

# **BIK® OT**



Version 1.4

Revision Date: 2019/03/31

SDS Number: 40000002887

Country: US Language: EN

although insufficient for classification.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to algae : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Toxicity to microorganisms : Remarks: Not classified due to data which are conclusive

although insufficient for classification.

Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

**Components:** 

urea:

Biodegradability : aerobic

Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 93 - 98 %

Exposure time: 24 h

Remarks: Ultimate aerobic biodegradation

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

**Components:** 

urea:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 1

Exposure time: 3 d

Partition coefficient: n-

octanol/water

: log Pow: -1.59 (25 °C)

Method: OECD Test Guideline 107

Mobility in soil
No data available

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# **BIK® OT**



VersionRevision Date:SDS Number:Country: US1.42019/03/31400000002887Language: EN

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

В).

Additional ecological

information

There is no data available for this product.

**Components:** 

urea:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

## **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

urea 57-13-6 94.2 %

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

# Massachusetts Right To Know

silicic acid, calcium salt 1344-95-2

Pennsylvania Right To Know

urea 57-13-6 silicic acid, calcium salt 1344-95-2 Calcium distearate 1592-23-0

**New Jersey Right To Know** 

urea 57-13-6 silicic acid, calcium salt 1344-95-2 Calcium distearate 1592-23-0

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

# The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

## **BIK® OT**



Version Revision Date: SDS Number: Country: US 1.4 2019/03/31 400000002887 Language: EN

ENCS : On the inventory, or in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

## Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization





VersionRevision Date:SDS Number:Country: US1.42019/03/31400000002887Language: EN

Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

NFPA: HMIS® IV:

Flammability

0 Head to 0

Special hazard.

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 2019/03/31

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS, DATA OR INFORMATIN HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

US / EN

## <u>Carechem24 International Worldwide Coverage</u>

# **BIK® OT**



VersionRevision Date:SDS Number:Country: US1.42019/03/31400000002887Language: EN

# **Emergency Phone Numbers:**

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia	Regional Number : +65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	:Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285
	Vietnam	+65 3158 1255
	India	+65 3158 1198
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Bangladesh	+65 3158 1200
Middle East / Africa:	Arabic speaking countries	+44 (0) 1235 239 671
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States / Canada	001866 928 0789
Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
	Mexico	+52 555 004 8763