

HM 0720 Revision Number 2 Revision date 29-Jul-2019 Supersedes Date: 20-Apr-2015

# 1. Identification

## 1.1. Product Identifier

Product Name HM 0720

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives.
Uses advised against No information available

## 1.3. Details of the supplier of the safety data sheet

## **Responsible Party**

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

## 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

## 2.2. Label Elements

#### **EMERGENCY OVERVIEW**

Contact with solid material may cause irritation Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Flakes Physical State Solid Odor No information available

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

HM 0720 Revision date 29-Jul-2019
Revision Number 2 Supersedes Date: 20-Apr-2015

Not applicable

**Precautionary Statements - Disposal** 

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Paraffin waxes and Hydrocarbon waxes	8002-74-2	5 - 10

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact**Wash skin with soap and water. In case of burns, immediately cool affected skin for as long

as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

**Inhalation** Remove to fresh air.

**Ingestion** Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

# Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable extinguishing media

In case of fire: Use CO2, dry chemical, or foam to extinguish.

HM 0720 Revision date 29-Jul-2019
Revision Number 2 Supersedes Date: 20-Apr-2015

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

#### 5.2. Special hazards arising from the substance or mixture

# Specific hazards arising from the chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

**Explosion Data** 

Sensitivity to mechanical impact

Sensitivity to static discharge

None.

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

#### 5.3. Advice for firefighters

## Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

**Environmental precautions** Keep out of drains, sewers, ditches and waterways.

# 6.3. Methods and material for containment and cleaning up

**Methods for containment Molten** . Cover with dry sand/earth.

**Methods for cleaning up Solid:** . Take up mechanically, placing in appropriate containers for disposal. Avoid

creating dust. Use personal protection equipment. Molten . Where possible allow molten

material to solidify naturally. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use adequate ventilation and/or engineering

controls in high temperature processing to prevent exposure to vapors. After contact with skin, wash immediately with plenty of water and soap. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when

handling and avoid all possible sources of ignition (spark or flame).

# 7.2. Conditions for safe storage, including any incompatibilities

HM 0720 Revision date 29-Jul-2019
Revision Number 2 Supersedes Date: 20-Apr-2015

**Storage Conditions** Store away from incompatible materials.

**Incompatible materials** Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific end use(s)

Specific Use(s)
Hot-melt adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Exposure Guidelines .

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Paraffin waxes and	TWA: 2 mg/m³ fume	TWA: 2 mg/m³ fume	-	TWA: 2 mg/m <sup>3</sup>
Hydrocarbon waxes				
8002-74-2				

Chemical name	Argentina	Brazil	Chile	Venezuela
Paraffin waxes and	TWA: 2 mg/m <sup>3</sup>	-	TWA: 1.75 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Hydrocarbon waxes				
8002-74-2				

# 8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Eye/face protection** Molten . If splashes are likely to occur, wear safety glasses with side-shields.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Heat resistant gloves are recommended when

handling molten materials.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Facilities for quickly drenching the body should be provided within the immediate work area

for emergency use where there is a possibility of exposure.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Flakes
Color White

HM 0720 Revision date 29-Jul-2019
Revision Number 2 Supersedes Date: 20-Apr-2015

Odor No information available
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point / freezing point
Boiling point / boiling range No data available
No data available

Flash point > 204 °C / > 400 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available

Dynamic viscosity No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening Point
Molecular weight
No information available
No information available
No information available
No information available

Solid content (%) 100
Density 960 g/cm³

VOC Content (%) No information available

# Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

None under normal use conditions.

## 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

# 10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

#### 10.5. Incompatible materials

HM 0720 Revision date 29-Jul-2019 **Revision Number** 2 Supersedes Date: 20-Apr-2015

Incompatible with oxidizing agents. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

**Product Information** No data available

Inhalation Based on available data, the classification criteria are not met. Eye contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin contact Ingestion Based on available data, the classification criteria are not met.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin waxes and Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
waxes			
8002-74-2			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Symptoms** No information available. Skin corrosion/irritation No information available. No information available. Serious eye damage/eye irritation No information available. Irritation No information available. Corrosivity No information available. Sensitization No information available. Germ cell mutagenicity No information available. Reproductive toxicity No information available. **Developmental toxicity Teratogenicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. Eyes, Skin. **Target organ effects** 

**Aspiration hazard** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

# Section 12: ECOLOGICAL INFORMATION

### **12.1. Toxicity**

No information available

#### 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

HM 0720 Revision date 29-Jul-2019
Revision Number 2 Supersedes Date: 20-Apr-2015

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

# Section 14: TRANSPORT INFORMATION

**DOT** Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

# Section 15: REGULATORY INFORMATION

# **Global Inventories**

TSCA	Listed
DSL	Listed

#### Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

# **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

### Europe

## Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3),

Revision Number 2 Supersedes Date: 20-Apr-2015

·

Revision date 29-Jul-2019

Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

HM 0720

# **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Jul-2019

**Revision note** SDS sections updated, 1, 3, 5, 6, 7, 8, 9, 11, 15, 16.

Training Advice No information available

Further information No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**