

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name : DOWICIL™ QK-20 Antimicrobial

Product code : 000000000062632893

EPA registration number : 464-628

#### Manufacturer or supplier's details

Company : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS  
(412) 809-1000  
lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or  
(703) 527-3887 (Outside U.S.A) and mention CCN12916.  
Lanxess Emergency Phone (800) 410-3063.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to Metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitization : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

May be corrosive to metals.  
Harmful if swallowed or if inhaled.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.

Precautionary Statements

:

**Prevention:**

Keep only in original container.  
Avoid breathing mist or vapors.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.  
Absorb spillage to prevent material damage.

**Storage:**

Store in corrosive resistant container with a resistant inner liner.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2,2-Dibromo-3-nitrilopropionamide - DBNPA	10222-01-2	$\geq 20 - < 30$
Acetamide, 2-bromo-2-cyano- (Impurity)	1113-55-9	$\geq 0,1 - < 1$

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- General advice : Consult a physician.  
Move out of dangerous area.  
Do not leave the victim unattended.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Get medical attention immediately.  
Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
If unconscious, place in recovery position and get medical attention immediately.  
Maintain open airway.  
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- In case of skin contact : Wash off with soap and water.  
Remove contaminated clothing and shoes.  
Continue to rinse for at least 20 minutes.  
Get medical attention if symptoms occur.  
Wash contaminated clothing before reuse.
- In case of eye contact : Get medical attention immediately.  
In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Chemical burns must be treated promptly by a physician.
- If swallowed : Rinse mouth with water.  
Do not induce vomiting unless directed to do by medical personnel.  
If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.  
If unconscious, place in recovery position and get medical

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

attention immediately.  
Never give anything by mouth to an unconscious person.  
Maintain open airway.

### Most important symptoms and effects, both acute and delayed

- Symptoms : Acute overexposure to this product may cause dizziness, headache, drowsiness, malaise, abdominal pain.  
Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.  
Skin: Causes irritation with symptoms of reddening, itching, and swelling.  
Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
- Effects : Harmful if swallowed or if inhaled.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

---

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water fog or fine spray.  
Dry chemical fire extinguishers.  
General purpose synthetic foams (including AFFF type) or protein foams are preferred if available. Alcohol resistant foams (ATC type) may function.  
Carbon dioxide.  
Foam
- Unsuitable extinguishing media : Do not use direct water stream.  
May spread fire.
- Specific hazards during fire fighting : This material will not burn until the water has evaporated.  
Residue can burn.  
Container may rupture from gas generation in a fire situation.
- Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion prod- : Carbon dioxide (CO<sub>2</sub>)

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

ucts

Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds

Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

Further information

: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed.  
If product becomes contaminated with water, monitor product for heat generation and/or decomposition.  
Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container.  
Move containers from fire if this can be done without risk.  
Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage.  
Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment  
for fire-fighters

: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves).  
Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location.  
For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Evacuate area.  
Keep upwind of spill.  
Refer to section 7, Handling, for additional precautionary measures.  
Only trained and properly protected personnel must be involved in clean-up operations.  
Ventilate area of leak or spill.  
Use appropriate safety equipment.  
For personal protection see section 8.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

- Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : For disposal considerations see section 13.  
Collect in suitable and properly labeled containers.  
Contain spilled material if possible.  
Absorb with materials such as:  
Hazorb®.  
Zorb-all®.  
Vermiculite  
Sand.  
Dirt  
Neutralize with approximately 17.2 grams sodium bisulfite (NaHSO<sub>3</sub>) or 15.7 grams sodium meta bisulphite (Na<sub>2</sub>S<sub>2</sub>O<sub>5</sub>) for every 100 grams biocidal product.  
Sodium metabisulfite.  
Sodium bisulphite.

---

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Keep out of reach of children.  
Avoid prolonged or repeated contact with skin.  
Do not swallow.  
Wash thoroughly after handling.  
Do not get in eyes, on skin, or on clothing.  
Keep container closed.  
Use with adequate ventilation.  
Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion.  
Avoid breathing mist.  
See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
- Conditions for safe storage : Store in accordance with local regulations.  
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
Keep container closed when not in use.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Do not store in unlabeled containers.  
Use appropriate container to avoid environmental contamination.  
Empty containers retain residue and can be dangerous.  
Do not reuse container.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

Store in corrosive resistant polyethylene container with a resistant inner liner.

Do not store in unlined carbon steel containers as this product will corrode carbon steel and other metals, causing the generation of hydrogen gas (flammable). Carbon steel or metal containers must have a complete polyethylene liner on sides, top and bottom. Stainless steel (316 SS) tanks and containers are corrosion-resistant and may be used with this product, even when unlined. Repack only into approved containers.

Recommended storage temperature :  $\leq 95^{\circ}\text{F}$  /  $\leq 35^{\circ}\text{C}$

Further information on storage stability : Stable under recommended storage conditions.

Packaging material : Unsuitable material: Do not store in or use iron or steel containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2-Dibromo-3-nitrilopropionamide - DBNPA	10222-01-2	TWA	5 mg/m <sup>3</sup> (Cyanide)	OSHA Z-1
		C	5 mg/m <sup>3</sup> (Cyanide)	ACGIH

**Engineering measures** : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.  
Local exhaust ventilation may be necessary for some operations.

#### Personal protective equipment

**Respiratory protection** : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.  
In misty atmospheres, use an approved particulate respirator.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

### Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: butyl-rubber Polyethylene Chlorinated polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Viton. Neoprene Polyvinyl chloride - PVC Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Safety glasses

Skin and body protection : Complete suit protecting against chemicals  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.  
Appropriate techniques should be used to remove potentially contaminated clothing.  
Wash contaminated clothing before reusing.  
Ensure that eyewash stations and safety showers are close to the workstation location.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Physical state	: liquid
Color	: Colorless to brown
Odor	: Odorless to mild
Odor Threshold	: No test data available
pH	: 1,5 - 5,0 Method: Literature Data
Melting point/range	: Not applicable
Freezing point	: < -58 °F / < -50 °C



# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

Boiling point/boiling range	:	> 158 °F / > 70 °C Decomposition
Flash point	:	>= 360 °F / 182 °C  Method: Cleveland open cup, open cup
Evaporation rate	:	No test data available
Flammability (solid, gas)	:	Not applicable to liquids
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No test data available
Lower explosion limit / Lower flammability limit	:	No test data available
Vapor pressure	:	18,9 mmHg (77 °F / 25 °C) Method: estimated
Relative vapor density	:	No test data available
Relative density	:	1,2 - 1,3 (68 °F / 20 °C)
Density	:	1,23 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	75 g/l (68 °F / 20 °C)
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	No test data available
Decomposition temperature	:	No test data available
Viscosity		
Viscosity, dynamic	:	20 cps (77 °F / 25 °C) (Brookfield Viscosity - @ 100 rpm, #0 spindle)
Viscosity, kinematic	:	16 cSt (77 °F / 25 °C) Method: Calculated.
Explosive properties	:	No test data available

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

Oxidizing properties	:	No test data available
Surface tension	:	No data available
Molecular weight	:	No test data available
Metal corrosion rate	:	Corrosive to metals
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems.  Temperature > 70 °C Avoid temperatures above
Incompatible materials	:	Avoid contact with: Oxidizers. Strong bases Avoid contact with metals such as: Aluminum alloys.
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon dioxide. Bromine Cyanogen bromide. Dibromoacetonitrile.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | Remarks: Low toxicity if swallowed.<br>Ingestion: May cause burns to mouth, throat, and stomach.<br>May cause drowsiness or dizziness.<br><br>LD50 (Rat): 510 mg/kg  |
| Acute inhalation toxicity | : | Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).<br><br>LC50 (Rat, female): 1,25 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br><br>LC50 (Rat, male): 1,40 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |
| Acute dermal toxicity     | : | Remarks: Prolonged skin contact is unlikely to result in absorption of harmful amounts.<br><br>LD50 (Rabbit): > 2.000 mg/kg<br>Assessment: The substance or mixture has no acute dermal toxicity   |

#### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

- |                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat, female): 167 mg/kg<br>Method: OECD Test Guideline 401<br>GLP: yes<br><br>LD50 (Rat, male): 224 mg/kg<br>Method: OECD Test Guideline 401<br>GLP: yes |
| Acute inhalation toxicity | : | LC50 (Rat): 0,32 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>GLP: yes  |
| Acute dermal toxicity     | : | LD50 (Rabbit): > 2.000 mg/kg<br>Method: OECD Test Guideline 402  |

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Dosage caused no mortality

### Acetamide, 2-bromo-2-cyano-:

Acute oral toxicity : LD50 (Rat, female): 282 mg/kg  
Acute inhalation toxicity : Remarks: The LC50 has not been determined.  
Acute dermal toxicity : Remarks: The dermal LD50 has not been determined.

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### 2,2-Dibromo-3-nitrilopropionamide - DBNPA:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
GLP : yes

### Acetamide, 2-bromo-2-cyano-:

Result : Skin irritation  
Remarks : Brief contact may cause skin irritation with local redness.  
Prolonged contact may cause skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage.  
Repeated contact may cause skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Product:

Remarks : May cause pain disproportionate to the level of irritation to eye tissues.  
May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

### Components:

#### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
GLP	:	no

#### **Acetamide, 2-bromo-2-cyano-:**

Result	:	Mild eye irritation
Remarks	:	May cause severe eye irritation. May cause slight corneal injury.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

### Product:

Assessment	:	May cause sensitization by skin contact.
Remarks	:	Has caused allergic skin reactions in humans.
Remarks	:	For respiratory sensitization: No relevant information found.

### Components:

#### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.
GLP	:	no

#### **Acetamide, 2-bromo-2-cyano-:**

Remarks	:	For skin sensitization: No relevant data found.
Remarks	:	For respiratory sensitization: No relevant data found.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Product:

Remarks : Active ingredient did not cause cancer in laboratory animals. There is evidence that dibromoacetonitrile (DBAN), a possible degradation product of 2,2-dibromo-3-nitrilopropionamide (DBNPA), can produce cancer in laboratory animals. However, the relevance of this to humans is unknown.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### Product:

Effects on fetal development : Remarks: For the active ingredient(s):  
Has been toxic to the fetus in laboratory animals at doses toxic to the mother.  
Did not cause birth defects in laboratory animals.

### STOT-single exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **Acetamide, 2-bromo-2-cyano-:**

Assessment : Evaluation of available data suggests that this material is not

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

an STOT-SE toxicant.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Product:

Remarks : Excessive exposure may increase the blood and tissue levels of bromine.  
Observations in animals include kidney effects following repeated ingestion of active ingredient, but no evidence of systemic toxicity following repeated dermal exposure at maximum attainable doses

#### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Species : Rat  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
GLP : yes  
Remarks : Subchronic toxicity

##### **Acetamide, 2-bromo-2-cyano-:**

Remarks : No relevant data found.

### Aspiration toxicity

Not classified based on available information.

#### Product:

Based on physical properties, not likely to be an aspiration hazard.

#### Components:

##### **Acetamide, 2-bromo-2-cyano-:**

Based on physical properties, not likely to be an aspiration hazard.

### Further information

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

Toxicity to fish : Remarks: Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

LC50 (Oncorhynchus mykiss (rainbow trout)): 3,6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,5 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,5 mg/l  
End point: Growth rate  
Exposure time: 72 h

##### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1 mg/l  
Exposure time: 96 h  
Remarks: Fresh water

LC50 (Cyprinodon variegatus (sheepshead minnow)): 3,4 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes  
Remarks: salt water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,6 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Remarks: Fresh water

LC50 (Mysidopsis bahia (opossum shrimp)): 0,72 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes  
Remarks: salt water

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,5 mg/l



# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

End point: Growth rate  
Exposure time: 72 h  
Remarks: Fresh water

ErC50 (Desmodesmus subspicatus (green algae)): 2,3 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 0,36 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0,47 mg/l  
Exposure time: 85 d  
Test Type: flow-through test  
Method: OPP 72-4  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,06 mg/l  
End point: Reproduction  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OECD Test Guideline 211  
GLP: yes

NOEC (Daphnia magna (Water flea)): 0,07 mg/l  
End point: Reproduction  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OPP 72-4  
GLP: yes

NOEC (Daphnia magna (Water flea)): 0,54 mg/l  
End point: Growth  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OPP 72-4  
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): 8,1 mg/l  
End point: Respiration inhibition

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

Exposure time: 3 h

Toxicity to terrestrial organisms : LC50 (Colinus virginianus (Bobwhite quail)): > 10.000 ppm  
Remarks: Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

LC50 (Anas platyrhynchos (Mallard duck)): > 10.000 ppm  
Remarks: Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

### Acetamide, 2-bromo-2-cyano-:

Toxicity to fish : Remarks: No relevant data found.

### Persistence and degradability

#### Product:

Biodegradability : Result: Readily biodegradable.  
Remarks: Considered rapidly degradable in the environment.

#### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Biodegradability : Remarks: Abiotic degradation: The material is rapidly degradable by abiotic means.

Result: Not rapidly biodegradable  
Biodegradation: 35 - 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: 10-day Window: Fail

Stability in water : Degradation half life (DT50): 183 h (12 °C) pH: 7

Degradation half life (DT50): 5,6 h (12 °C) pH: 9

### Acetamide, 2-bromo-2-cyano-:

Biodegradability : Remarks: No relevant data found.

### Bioaccumulative potential

#### Components:

##### **2,2-Dibromo-3-nitrilopropionamide - DBNPA:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

Partition coefficient: n-octanol/water : log Pow: 0,8  
Method: measured

### Acetamide, 2-bromo-2-cyano-:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

### Mobility in soil

#### Components:

### Acetamide, 2-bromo-2-cyano-:

Distribution among environmental compartments : Remarks: No relevant data found.

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.  
This material and its container must be disposed of in a safe way.  
Empty containers retain product residue; observe all precautions for product.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.  
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

UN/ID No.	:	UN 3265
Proper shipping name	:	Corrosive liquid, acidic, organic, n.o.s. (2,2-DIBROMO-3-NITRILOPROPIONAMIDE)
Class	:	8
Packing group	:	III
Labels	:	8



Packing instruction (cargo aircraft)	:	856 : 60,00 L
Packing instruction (passenger aircraft)	:	852 : 5,00 L
Environmentally hazardous	:	yes



##### IMDG-Code

UN number	:	UN 3265
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (2,2-DIBROMO-3-NITRILOPROPIONAMIDE)
Class	:	8
Packing group	:	III
Labels	:	8



EmS Code	:	F-A, S-B
Marine pollutant	:	yes



# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number	:	UN 3265
Proper shipping name	:	Corrosive liquid, acidic, organic, n.o.s. (2,2-DIBROMO-3-NITRILOPROPIONAMIDE)
Class	:	8
Packing group	:	III
Labels	:	8
	:	



ERG Code	:	153
Marine pollutant	:	no

### Hazard and Handling Notes.

Corrosive to metal.  
Environmentally hazardous substance.  
Irritating to skin.  
Risk of serious damage to eyes  
Keep away from acids and oxidizing agents  
Keep away from foodstuffs, acids and alkalis

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

<b>SARA 311/312 Hazards</b>	:	Corrosive to Metals Acute toxicity (any route of exposure) Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---	--

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

3,6,9-trioxaundecane-1,11-diol	112-60-7	> 1
water	7732-18-5	> 1
2,2-Dibromo-3-nitrilopropionamide - DBNPA	10222-01-2	20 - 30
dibromoacetonitrile	3252-43-5	< 0,1

#### California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

#### TSCA inventory

**TSCA** : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### FIFRA information

EPA registration number : 464-628

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**Signal Word** : DANGER

**Hazard Statements** : Corrosive Causes irreversible eye damage. May be fatal if swallowed. Causes skin irritation. Harmful if absorbed through skin or inhaled.

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial




Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		4

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / C	:	Ceiling limit
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety

# SAFETY DATA SHEET

## DOWICIL™ QK-20 Antimicrobial



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2023/12/13	203000022136	Country / Language: US / EN

---

and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2023/12/13

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.