

Safety Data Sheet

HiTEC® 5760 Performance Additive

MSDS no. H5760

Product and company identification

Product use

Petrochemical industry: Viscosity Index Improver

Date of issue/Revisions

17 April 2014

In case of emergency - Chemical

+1-703-527-3887 (International)

+65-3158-1349 (Asia Pacific)

+61-290372994 (Australia)

+32-28083237 (Belgium)

4001-204937 (China)

+385-17776920 (Croatia)

000-800-100-7141 (India)

+81-345209637 (Japan)

00-308-13-2549 (South Korea)

+1-703-741-5979 (Spanish language)

+44-870-8200418 (UK)

1-800-424-9300 (US & Canada)

Manufacturer / Supplier

Afton Chemical Corporation 500 Spring St.

Richmond,

VA 23219 USA

Telephone number: +1-804-788-5800

Afton Chemical Hyderabad Pvt. Ltd. Plot No. 197, IDA, Phase II

Cherlapally

Hyderabad-- 500051 India

Afton Chemical Limited Euro-Tech Centre London Road, Bracknell, Berkshire

RG12 2UW, England

Telephone Number: +44 1344 304141

msds@aftonchemical.com

Afton Chemical Asia Pte. Ltd. 111 Somerset Road

#09-05

TripleOne Somerset

Singapore 238164

Telephone number: +65 6732 0822

Fax: +65 6737 4123

Afton Chemical Limited Ashburton Road West, Trafford Park Manchester, M17 1SX, England Telephone number: +44 (0)161 876 5673

(Weekdays, 9am - 5pm)

Email: msds.mwf@aftonchemical.com

Afton Chemical Corporation 7201 W. 65th Street Bedford Park, IL 60638, USA Tel: (708) 458-8450 (Non-emergency) (800) 323-3231 (Customer Service)

2. HAZARDS IDENTIFICATION

Notice to reader

Afton operates a world-wide system for hazard communication. Some hazards shown in Section 2 may apply to non-EU countries and may not result in classification and labeling in the EU. Please see Sections 3 and 15 for country specific classification information, and Section 11 for additional details.

Europe: The substance is not classified as dangerous according to Directive 67/548/EEC and its amendments.

Australia: NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Primary hazards and critical effects :

: NOTICE!

Environmental hazards

: Not classified as dangerous for the environment according to EC criteria.

Hazardous Material Information System (U.S.A.)



GHS Classification

Hazard classification: Not regulated.

Symbol :

HiTEC® 5760 Performance Additive In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'I) Page: 2/6 +32-2-808-3237 (EU)

Signal word : No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage: Keep container in a cool, well-ventilated area.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

3. Composition/information on ingredients

Note: see section 8 for occupational exposure limits and section 11 for LC50/LD50 information.

Substance/Preparation : Substance

Ingredient nameCAS no.Conc. (% w/w)EU ClassificationWHMIS Regulated?Olefin copolymerProprietary60 - 100Not classified.No.

4. First aid measures

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

medical attention if symptoms appear.

Ingestion : If affected person is fully conscious, give one glass of water to drink. Never give anything by mouth to an

unconscious person. Get medical attention if symptoms appear.

Skin contact : Wash with soap and water. Get medical attention if irritation develops.

Eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention

immediately.

5. Fire-fighting measures

Extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Fire-fighting procedures : Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout

gear.

Hazardous decomposition products: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Flash point : Closed cup: 180°C (356°F). (Pensky-Martens. Minimum)

6. Accidental release measures

Personal precautions: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (section 8). Follow all fire-fighting procedures (section 5).

Environmental precautions : If emergency personnel are unavailable, contain spilled material.

Environmental precautions and clean-up methods
 If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Handling: Wash thoroughly after handling.

Storage : Keep container tightly closed. Keep container in a cool, well-ventilated area.

HiTEC® 5760 Performance Additive In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'I) Page: 3/6 +32-2-808-3237 (EU)

8. Exposure controls/personal protection

Engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Personal protective equipment

Respiratory system

: Use appropriate respiratory protection if there is the potential to exceed the exposure limit(s).

Skin and body : Disposable outer garments when there is a risk of contact with the material.

Hands : Use chemical-resistant, impervious gloves.

Eyes : Safety glasses with side shields. Goggles with a face shield may be necessary depending on quantity of

material and conditions of use.

Occupational exposure limits

Ingredient name OEL United States OEL Canada OEL Europe OEL Australia

Exposure limit not established.

Physical and chemical properties

Physical state and Appearance : Liquid. [Clear to slightly hazy liquid. Viscous liquid.]

Color : Off-white. [Light]
Odor : Petroleum-like. [Slight]
Density : Not determined.
Specific gravity : 0.853 @ 15.6°C

Solubility : Insoluble in the following materials: cold water.

Viscosity : 20000 cSt @ 40°C

1100 cSt @ 100°C (typical)

Auto-ignition temperature : Not determined.

Flash point : Closed cup: 180°C (356°F). (Pensky-Martens. Minimum)

10. Stability and reactivity

Stability : The product is stable.

Materials to avoid: Strong oxidizing and reducing agents.Conditions to avoid: High temperatures, sparks, and open flames.

11. Toxicological information

Routes of entry: Skin, Eyes, Ingestion, and Inhalation.

Target organs : None known.

Acute effects

Inhalation: Not determined.Ingestion: Not determined.

Skin contact : Non-irritating to the skin.

Eye contact : Non-irritating to the eyes.

Adverse effects : Not determined.

Product/ingredient name ACGIH IARC EPA NIOSH NTP OSHA EU

Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Toxicity data

Product/ingredient name Result Species Dose Exposure

Not determined.

Other information : Not available.

HiTEC® 5760 Performance Additive In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'I) Page: 4/6 +32-2-808-3237 (EU)

12. Ecological information

Environmental hazards : Not classified as dangerous for the environment according to EC criteria. Based on calculation.

Environmental fate : This product contains components which may be persistent in the environment.

Germany water class : nwg

13. Disposal considerations

Waste handling and disposal

: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

European waste catalogue

: 13 08 99*

(EWC) Number

14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-
ADG Class	Not regulated.	-	-	-		-

Notice to reader

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions.

15. Regulatory information

EU regulations

Risk phrases : This product is not classified according to EU legislation.

Safety phrases : Not applicable.

US regulations

SARA 313 toxic chemical notification and release reporting (w/w%)

: No SARA 313 chemicals are present above the reporting threshold.

SARA 311/312 Hazardous Categorization

: SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

State - California Prop. 65 : No products were found.

Canadian regulations

WHMIS (Classification) : Not controlled under WHMIS (Canada).

International Inventory Status

United States inventory (TSCA

8b)

: All components are listed or exempted.

Canada inventory : All components are listed or exempted.

Europe inventory : All components are listed or exempted.

HiTEC® 5760 Performance Additive	In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'l) +32-2-808-3237 (EU)	Page: 5/6
Japan inventory (ENCS)	: All components are listed or exempted.	
Australia inventory (AICS)	: All components are listed or exempted.	
Korea inventory (KECI)	: All components are listed or exempted.	
China inventory (IECSC)	: All components are listed or exempted.	
Philippines inventory (PICCS)	: All components are listed or exempted.	
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.	

16. Other information

PREPARATION INFORMATION

Validated by HS&E Department (Tel: +1 804 788 5800) on 4/17/2014.

Date of printing : 8/13/2014.

▼ Indicates information that has changed from previously issued version.

Notice to reader

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

ADDRESS CONTACT INFORMATION

In the United States and Canada: Afton Chemical Corporation 500 Spring St. Richmond, VA 23219

VA 23219 USA

Telephone number: +1-804-788-5800

In Singapore:

Afton Chemical Asia Pte. Ltd.

111 Somerset Road

#09-05

TripleOne Somerset Singapore 238164

Telephone number: +65 6732 0822

Fax: +65 6737 4123

In Australia:

Afton Chemical Asia Pacific Company

Level 9, 20 Berry Street North Sydney, NSW 2060

Australia

Telephone number: +61 2801 44558 Business Hours: 9:00am - 5:00pm In Europe:

Afton Chemical Limited Euro-Tech Centre

London Road, Bracknell, Berkshire

RG12 2UW, England

Telephone Number: +44 1344 304141

msds@afton chemical.com

In Japan:

Afton Chemical Japan Corporation, Tsukuba Technical Center 5-9-4, Tokodai, Tsukuba-shi, Ibaraki-ken 300-2635, Japan Telephone number: +81 29 847 1061

In China:

Afton Chemical Trading (Beijing) Co., Ltd. Room 707 China World Office 1

No. 1 Jian Guo Men Wai Avenue

Beijing 100004 China

Telephone number: +86 10 6535 0000

In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'l) +32-2-808-3237 (EU)

Page: 6/6

* * * END OF MSDS * * *

HiTEC® 5760 Performance Additive