

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) Isobutyric Acid

Product code : P0088706

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 3

Skin corrosion : Category 1B

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.Precautionary Statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.

Eastman(TM) Isobutyric Acid

PO00091306

Version
2.4
PRDRevision Date:
11/07/2019SDS Number:
150000000133
SDSUS / Z8 / 0001Date of last issue: 03/20/2019
Date of first issue: 09/06/2016
N46 / 0090151710 / 0004306357

No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
isobutyric acid	79-31-2	100

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.
If breathing is irregular or stopped, administer artificial respiration.

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

-
- | | | |
|---|---|--|
| In case of skin contact | : | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Wash contaminated clothing before re-use.
Call a physician or poison control center immediately.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Call a physician or poison control center immediately. |
| If swallowed | : | Seek medical advice.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | Harmful if swallowed.
Toxic in contact with skin.
Causes serious eye damage.
Causes severe burns. |
| Notes to physician | : | Treat symptomatically. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Carbon dioxide (CO2)
Dry chemical
Water spray |
| Unsuitable extinguishing media | : | Water spray jet |
| Specific hazards during fire fighting | : | Water may be ineffective.
The product will float on water and can be reignited on surface water. |
| Hazardous combustion products | : | No hazardous combustion products are known |
| Further information | : | Flammable liquid and vapor.
Use water spray to cool unopened containers. |
| Special protective equipment for fire-fighters | : | Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Wear appropriate personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained. |
| Environmental precautions | : | Avoid release to the environment. |
| Methods and materials for | : | Contain spillage, soak up with non-combustible absorbent |
-

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

containment and cleaning up material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
After cleaning, flush away traces with water.
Eliminate all ignition sources if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : None known.

Advice on safe handling : Do not breathe vapors or spray mist.
Do not get on skin or clothing.
Do not get in eyes.
Do not swallow.
Ensure adequate ventilation.
Wash thoroughly after handling.
Keep away from fire (No Smoking).
Keep away from fire, sparks and heated surfaces.
Do not use sparking tools.

Conditions for safe storage : Keep container closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : Wear protective gloves.

Eye protection : Safety glasses

Protective measures : Remove respiratory and skin/eye protection only after vapors have been cleared from the area.
Ensure that eye flushing systems and safety showers are located close to the working place.
Use personal protective equipment as required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

Appearance	: liquid
Color	: colorless
Odor	: pungent
Odor Threshold	: not determined
pH	: 2.3 (77 °F / 25 °C)
Melting point/freezing point	: -83 °F / -64 °C
Boiling point/boiling range	: 313 °F / 156 °C
Flash point	: 133 - 144 °F / 56 - 62 °C
	Method: closed cup
Evaporation rate	: not determined
Flammability (solid, gas)	: Not applicable
Self-ignition	: 851 °F / 455 °C
Vapor pressure	: 2 hPa (68 °F / 20 °C)
Relative vapor density	: 3
Relative density	: 0.9477 (68 °F / 20 °C)
Solubility(ies)	
Water solubility	: 618 g/l (68 °F / 20 °C)
Partition coefficient: n-octanol/water	: Pow: 12.6 log Pow: 1.1
Autoignition temperature	: not determined
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: 1.322 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	: 1.395 mm ² /s (68 °F / 20 °C)
Explosive properties	: Not classified
Oxidizing properties	: Not classified
Surface tension	: 70.2 mN/m, 68 °F / 20 °C

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO ₂) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if swallowed.
Toxic in contact with skin.

Product:

Acute oral toxicity	: LD50 Oral (Rat): 2,230 mg/kg
Acute inhalation toxicity	: LCLo (Rat): 9.59 mg/l Exposure time: 8 h
Acute dermal toxicity	: LD50 Dermal (Rabbit): 474 mg/kg

Components:**isobutyric acid:**

Acute oral toxicity	: LD50 Oral (Rat): 2,230 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 7.2 mg/l Exposure time: 8 h Remarks: (highest concentration obtainable)
Acute dermal toxicity	: LD50 Dermal (Rabbit): 474 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Species	: Rabbit
Exposure time	: 1 h
Result	: Corrosive
Remarks	: Read-across from a similar material

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

Components:**isobutyric acid:**

Species	:	Rabbit
Exposure time	:	1 h
Result	:	Corrosive

Remarks	:	Read-across from a similar material
---------	---	-------------------------------------

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Rabbit
Result	:	Corrosive

Remarks	:	No data available
---------	---	-------------------

Components:**isobutyric acid:**

Species	:	Rabbit
Result	:	Corrosive

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks	:	No data available
---------	---	-------------------

Germ cell mutagenicity

Not classified based on available information.

Components:**isobutyric acid:**

Genotoxicity in vitro	:	Test Type: Mutagenicity - Mammalian Metabolic activation: +/- activation Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Species: Mouse Result: negative
----------------------	---	------------------------------------

Carcinogenicity

Not classified based on available information.

Product:

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

Remarks : This information is not available.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Product:

Remarks : No data available

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Repeated dose toxicity**Product:**

Species : Rat
: 316 mg/kg
Application Route : Oral Study
Exposure time : 90 d
Remarks : Read-across from a similar material

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

Information on likely routes of exposure**Product:**

Inhalation	:	Remarks: None known.
Skin contact	:	Remarks: Toxic in contact with skin. Causes severe skin burns.
Eye contact	:	Remarks: Causes serious eye damage.
Ingestion	:	Remarks: Harmful if swallowed.

Further information**Product:**

Remarks	:	None known.
---------	---	-------------

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	:	LC50 (Fish): 146.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (daphnid): 51.25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Chlorella pyrenoidosa): 45 mg/l Exposure time: 72 h

Components:**isobutyric acid:**

Toxicity to fish	:	LC50 (Fish): 146.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 51.25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Chlorella pyrenoidosa): 45.1 mg/l Exposure time: 72 h

Persistence and degradability**Product:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: > 95 %
------------------	---	--

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

Components:**isobutyric acid:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 95 %

Bioaccumulative potential**Components:****isobutyric acid:**

Partition coefficient: n- : Pow: 3.16 - 13.49
octanol/water log Pow: 0.5 - 1.13

Mobility in soil**Components:****isobutyric acid:**

Distribution among environ- : log Koc: 1.65
mental compartments Method: QSAR model

Other adverse effects**Components:****isobutyric acid:**

Results of PBT and vPvB : Not fulfilling vPvB (very persistent, very bioaccumulative) crite-
assessment ria.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No.	: UN 2529
Proper shipping name	: Isobutyric acid
Class	: 3
Subsidiary risk	: 8
Packing group	: III
Labels	: Class 3 - Flammable liquids, Class 8 - Corrosive substances
Packing instruction (cargo aircraft)	: 365
Packing instruction (passenger aircraft)	: 354

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

IMDG-Code

UN number : UN 2529
Proper shipping name : ISOBUTYRIC ACID

Class : 3
Subsidiary risk : 8
Packing group : III
Labels : 3 (8)
EmS Code : F-E, S-C
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 2529
Proper shipping name : Isobutyric acid

Class : 3
Subsidiary risk : 8
Packing group : III
Labels : Class 3 - Flammable liquids, Class 8 - Corrosive substances
ERG Code : 132
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
isobutyric acid	79-31-2	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Eastman(TM) Isobutyric Acid

PO00091306

Version
2.4
PRDRevision Date:
11/07/2019SDS Number:
150000000133
SDSUS / Z8 / 0001Date of last issue: 03/20/2019
Date of first issue: 09/06/2016
N46 / 0090151710 / 0004306357**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Eastman(TM) Isobutyric Acid


PO00091306

Version
2.4
PRDRevision Date:
11/07/2019SDS Number:
150000000133
SDSUS / Z8 / 0001Date of last issue: 03/20/2019
Date of first issue: 09/06/2016
N46 / 0090151710 / 0004306357

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -

Eastman(TM) Isobutyric Acid

PO00091306

Version	Revision Date:	SDS Number:	Date of last issue: 03/20/2019
2.4	11/07/2019	150000000133	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	N46 / 0090151710 / 0004306357

United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/07/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8