

# **Safety Data Sheet**

H5754A SDS no

## Section 1. Identification

**GHS** product identifier : HiTEC® 5754A Performance Additive

**Product use** : Petrochemical industry: Viscosity Index Improver

### In case of emergency - Chemical

+1-703-527-3887 (International) +1-703-741-5979 (Spanish language) +1-800-424-9300 (US & Canada)

## **Manufacturer / Supplier**

Afton Chemical Corporation Afton Chemical Corporation Afton Chemical Canada Corporation 500 Spring St. 7201 W. 65th Street 5045 South Service Road

Richmond, VA 23219 Bedford Park, IL 60638, USA Suite 101

USA Burlington, ON L7L 5Y7

905-631-5470 Non-Emergency Telephone: +1-804-788-5800

## Section 2. Hazards identification

**OSHA/HCS** status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the substance or mixture : Not classified.

#### **GHS label elements**

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** : Not applicable. : Not applicable. Response

: Store in well-ventilated place. **Storage** 

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

**Additional hazards** : None known.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture Other means of : Not available. identification

Ingredient name	CAS number Conc. (% w/w)		US GHS Classification	
Mineral oil	Mixture	60 - 100	Not classified.	

Page: 2/9

# Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation. If specific chemical identity is withheld, it is to protect confidentiality.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact : Immed

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical

attention if irritation occurs.

**Inhalation** : If inhaled, remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if irritation occurs.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Skin contact

Eye contact
 Inhalation
 Wo known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### **Over-exposure signs/symptoms**

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

: In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

**Unsuitable extinguishing** 

media

media

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide

carbon monoxide

# Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
	ACGIH (United States). TWA: 5 mg/m³ OSHA (United States). TWA: 5 mg/m³

# Appropriate engineering controls

**Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : Liquid. [Viscous]

Color : Clear.Green.Tan. [Light]

Odor : Not available.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.

Flash point : Closed cup: 135°C (275°F) [Pensky-Martens. Minimum]

Page: 5/9

#### **HiTEC® 5754A Performance Additive**

## Section 9. Physical and chemical properties

**Evaporation rate** : Not available. Flammability (solid, gas) : Not applicable. Lower and upper explosive : Not available.

(flammable) limits

: Not available. Vapor pressure Vapor density : Not available.

**Relative density** : 0.86

**Solubility** : Not available. : Not available.

Partition coefficient: noctanol/water

**Auto-ignition temperature** : Not available. : Not available. **Decomposition temperature** 

: 15000 cSt at 40°C **Viscosity** 

1050 cSt @ 100°C (target)

**Aerosol product** 

# Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

**Chemical stability** : The product is stable.

**Possibility of hazardous** 

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : No specific data.

Incompatible materials : Strong oxidizing and reducing agents.

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **Section 11. Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

Product / ingredient name	Result	Species	Dose	Exposure
Mineral oil	LC50 Inhalation Vapor LD50 Dermal	Rat Rabbit	>5000 mg/m³ >5000 mg/kg	4 hours
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : Not available.

**Irritation/Corrosion Conclusion/Summary** 

> Skin : Not available. : Not available. Eyes : Not available. Respiratory

**Sensitization** 

**Conclusion/Summary** 

Skin : Not available. Respiratory : Not available.

**Mutagenicity** 

**Conclusion/Summary** : Not available. **HiTEC® 5754A Performance Additive** 

In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'l)

Page: 6/9

## **Section 11. Toxicological information**

**Carcinogenicity** 

**Conclusion/Summary**: Not available.

Classification

Product / ingredient name	OSHA	IARC	NTP
Not available.			

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

**Conclusion/Summary**: Not available.

Information on the likely routes of exposure

: Skin, Eyes, Ingestion, and Inhalation

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : № known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

Ingestion may cause gastrointestinal irritation and diarrhea.

Potential delayed effects : Not available.

Long term exposure

**Potential immediate** 

effects

: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not determined.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

## **Section 12. Ecological information**

#### **Toxicity**

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

his product is classified as non hazardous for transport when shipped in non-bulk quantities but when shipped in bulk by road, rail or sea may be classified as UN3257, Elevated temperature liquid, n.o.s., (Petroleum distillates), 9, III

#### Notice to reader

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions.

#### Page: 8/9

## Section 15. Regulatory information

#### **US** regulations

SARA 313 toxic chemical notification and release reporting (w/w%)

No SARA 313 chemicals are present above the reporting threshold.

SARA 311/312 Hazardous Categorization

SARA 311/312 Hazards identification: Not regulated.

RQ (Reportable quantity)

: CERCLA: Hazardous substances.: No products were found.

State - California Prop. 65

: No products were found.

Canadian regulations

**HMIRA Registry Number** 

: Not available.

**International Inventory Status** 

**United States inventory (TSCA 8b)** 

: All components are listed or exempted.

Canada inventory

All components are listed or exempted.

**Europe inventory** 

All components are listed or exempted.

Japan inventory

MI components are listed or exempted.

Australia inventory (AICS)

: All components are listed or exempted.

Korea inventory (KECI)

All components are listed or exempted.

China inventory (IECSC)

All components are listed or exempted.

**Philippines inventory (PICCS)** 

All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC)

All components are listed or exempted.

Taiwan Chemical Substances

: All components are listed or exempted.

Inventory (TCSI)

## Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

#### **History**

Date of issue/Date of

: 4/16/2018

revision

Prepared by: EHS Department (Tel: +1 804 788 5800)

#### Page: 9/9

## Section 16. Other information

### **Key to abbreviations**

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

#### **▼** Indicates information that has changed from previously issued version.

#### **Notice to reader**

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.