

# Maxidyne

# SAFETY DATA SHEET

Preparation Date: 04-Feb-2011

Revision Date: 13-Dec-2018

Revision Number: 5

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product Identifier

**Product Name** Maxidyne

### Other means of identification

**Item#:** 1139

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Detergent/Sanitizer, Restricted to professional users

**Uses advised against** All other

### Details of the supplier of the safety data sheet

**Supplier** DeLaval Manufacturing  
11100 N. Congress Ave.  
Kansas City, MO 64153  
Tel: 816-891-7700, 8am – 5pm M-F

### Emergency Telephone Number

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A

Sulfuric acid and other mineral acids mist statement

The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

Corrosive to metals	Category 1
---------------------	------------

### Label Elements

#### **Emergency Overview**

**DANGER**

#### **Hazard Statements**

Causes severe skin burns and eye damage

May cause cancer

May be corrosive to metals



<b>Appearance</b> Dark brown	<b>Physical state</b> Liquid	<b>Odor</b> No information available
------------------------------	------------------------------	--------------------------------------

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Sulfuric acid	7664-93-9	9
Iodine	7553-56-2	3.75
Phosphoric acid	7664-38-2	1 - 10

If a concentration range is shown, the exact concentration has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first-aid measures**

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately.
<b>Inhalation</b>	Move to fresh air. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately.
<b>Ingestion</b>	Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed**

Corrosive. The product causes burns of eyes, skin and mucous membranes.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO2). Foam.

**Unsuitable Extinguishing Media**

No information available.

**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes.

**Sensitivity to static discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**                      **Health hazards** 3                      **Flammability** 1                      **Instability** 0

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

**Environmental Precautions**

Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up**

Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Take precautionary measures against static discharges. Do not use sparking tools.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Handling**    Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

**Conditions for safe storage, including any incompatibilities**

**Storage**    Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

**Incompatible Materials**                      bases, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized), bleach

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>
Iodine 7553-56-2	TWA: 0.01 ppm STEL: 0.1 ppm	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>	2 ppm
Phosphoric acid 7664-38-2	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	1000 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls**                      Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face Protection**                      Goggles.

**Skin and body protection**                Wear protective gloves and protective clothing.

**Respiratory Protection**                  In case of inadequate ventilation wear respiratory protection.

**General Hygiene Considerations**        Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	No information available
<b>Appearance</b>	Dark brown	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	No information available	
Melting point/freezing point	No information available	
Boiling Point/Range	No information available	
Flash Point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	1.17	
Water Solubility	soluble	

<b>Partition coefficient: n-octanol/water</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity of Product</b>	No information available
<b>Dynamic viscosity</b>	No information available

**Other information**

**Liquid Density**                              9.7 lb/gal

**10. STABILITY AND REACTIVITY****Reactivity**

May react with other chemicals. Do not mix with other chemicals except as directed on label.

**Chemical Stability**

Stable under normal conditions.

**Possibility of hazardous reactions**

Gives off hydrogen by reaction with some metals (e.g. aluminum).

**Conditions to Avoid**

Extremes of temperature and direct sunlight.

**Incompatible Materials**

bases, organic materials, light metals (e.g. aluminum, copper, brass, zinc galvanized), bleach

#### **Hazardous decomposition products**

None known.

## 11. TOXICOLOGICAL INFORMATION

**Principal Routes of Exposure** Eye contact, Skin contact, Ingestion, Inhalation

#### **Information on likely routes of exposure**

**Eyes** Corrosive to the eyes and may cause severe damage including blindness.  
**Skin** Extremely corrosive and destructive to tissue.  
**Ingestion** Ingestion causes burns of the upper digestive and respiratory tracts.  
**Inhalation** May cause headache and dizziness.

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** Product is not identified as a sensitizer according to OSHA regulations.  
**Mutagenic effects** Product is not identified as a mutagen according to OSHA regulations.  
**Carcinogenicity** .

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid 7664-93-9	A2	Group 1	Known	X

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*A2 - Suspected Human Carcinogen*

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

Sulfuric acid and other mineral acids mist statement The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

**Reproductive Effects** Product is not identified as having reproductive effects according to OSHA regulations.  
**STOT - single exposure** Product is not identified as having single target organ toxicity (single exposure) according to OSHA regulations.

**STOT - repeated exposure** Product is not identified as having single target organ toxicity (repeated exposure) according to OSHA regulations.

**Aspiration Hazard** Product is not identified as an aspiration hazard according to OSHA regulations.

#### **Numerical measures of toxicity**

If available, toxicity values of individual components are shown below.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid 7664-93-9	= 2140 mg/kg ( Rat )	No data available	85 - 103 mg/m <sup>3</sup> ( Rat ) 1 h
Iodine 7553-56-2	14000 mg/Kg	No data available	137 ppm 4.588 mg/L
Phosphoric acid 7664-38-2	= 1530 mg/kg ( Rat )	2730 mg/kg ( Rabbit )	850 mg/m <sup>3</sup> ( Rat ) 1 h

5% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Sulfuric acid 7664-93-9	No data available	LC50 42 mg/l 96 h	No data available	EC50 42.5 mg/L 48 h
Iodine 7553-56-2	No data available	LC50 (96 h) 0.53 mg/L	No data available	LC50 (48 h) 0.16 mg/L

Phosphoric acid 7664-38-2	No data available	3 - 3.5: 96 h Gambusia affinis mg/L LC50	No data available	4.6: 12 h Daphnia magna mg/L EC50
------------------------------	-------------------	---	-------------------	--------------------------------------

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

No information available.

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Waste Disposal Method** Dispose of in accordance with local regulations. Should not be released into the environment.

**Contaminated Packaging** Empty containers should be taken for local recycling, recovery or waste disposal.

### 14. TRANSPORT INFORMATION

**DOT**

<b>UN-No</b>	3264
<b>Proper Shipping Name</b>	Corrosive liquid, acidic, inorganic, n.o.s ( Sulfuric acid, Phosphoric acid, )
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

### 15. REGULATORY INFORMATION

**Superfund Amendments and Reauthorization Act of 1986 (SARA) - Section 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric acid (CAS# 7664-93-9)

## State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Iodine 7553-56-2	X	X	X
Phosphoric acid 7664-38-2	X	X	X

**U.S. EPA Label information****EPA Pesticide registration number** 4959-38-62666**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide label**

## PRECAUTIONARY STATEMENTS:

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CORROSIVE:** Causes eye damage and skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid contamination of food.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS:** Contact with aluminum, copper, or brass may generate hydrogen gas.

**16. OTHER INFORMATION**

**Preparation Date:** 04-Feb-2011

**Revision Date:** 13-Dec-2018

**Revision Note:** None

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of SDS**