Nouryon

SAFETY DATA SHEET

according to the Globally Harmonized System and US regulation

DUOMEEN TDO

Version 1	Revision Date 0	6/11/2019	Print Date 01/23	J/2020 US / Z8
1. IDENTIFIC	CATION			
Product	name	: DUOMEE	N TDO	
Product	Use Description	: Specific u	use(s): D	Dispersing agent
Compar	у	131 Š De	Surface Chemistry I arborn St, Suite 100 IL 60603-5566	
Telepho Fax E-mail a		: +1800906 : +1312544 :		
Emerge	ncy telephone	: CANUTE	C: +1 613-996-6666	CHEMTREC: +1 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	paste
Color	brown
Odor	slight, ammoniacal

GHS Classification

Skin irritation, Category 2 Eye irritation, Category 2A Specific target organ systemic toxicity - repeated exposure, Category 2, Gastrointestinal tract Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 2

GHS label elements

Hazard pictograms

Signal Word



Hazard Statements	: H315 Causes skin irritation.
	H319 Causes serious eye irritation.
	H373 May cause damage to organs (Gastrointestinal tract)
	through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.

Version 1	Revision Date 06/1	1/2019	Print Date 01/23/2020	US / Z8
Precautio	P264 P273 P280 Respo P302 water. P305 for sev easy t P314 P332 attenti P337 attenti P337 attenti P362 P391 Dispo		Do not breathe dust or fume. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face onse: + P352 IF ON SKIN: Wash with plenty of soa + P351 + P338 IF IN EYES: Rinse cautiously veral minutes. Remove contact lenses, if pres- to do. Continue rinsing. Get medical advice/ attention if you feel unwer + P313 If skin irritation occurs: Get medical action. + P313 If eye irritation persists: Get medical action. Take off contaminated clothing and wash bef Collect spillage. Dispose of contents/container in accordance	p and with water sent and ell. dvice/ advice/ ore reuse.
Carcinog	genicity:			
IARC		equal	gredient of this product present at levels great to 0.1% is identified as probable, possible or in carcinogen by IARC.	
OSHA		equal	pmponent of this product present at levels gre to 0.1% is on OSHA's list of regulated carcin	ogens.
NTP		equal	omponent of this product present at levels gre to 0.1% is identified as a known or anticipate nogen by NTP.	

Version 1 Revision Date 06/11/2019

Print Date 01/23/2020

US / Z8

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

: Substance

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration [% W/W]
N-(Tallow alkyl)-1,3-propanediamine oleate	61791-53-5	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute): 10	>= 90 - <= 100

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Inhalation : Obtain medical attention immediately. Skin contact : Take off contaminated clothing and shoes immediately. Carefully remove paste or solidified product. Wash skin immediately with 0,5 % acetic acid in water, and then with soap and water. If skin irritation persists, call a physician. Skin irritation, if untreated, may be prolonged and serious (e.g., necrosis). This may be prevented by early treatment with medium strenght corticosteroids. : In case of contact with eyes, rinse immediately with 0.5% Eye contact acetic acid in water for a few minutes, followed by rinsing with plenty of water for as long as possible. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention immediately. Continue to rinse during transport of patient. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention. Notes to physician Symptoms The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms are known.

ersion 1	Revision Date 06/1	11/20	19 Print Date 01/23/2020	US / Z8
Risks			Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or re exposure.	epeated
Treatmen	nt	:	Treat symptomatically.	
. FIRE-FIGH	TING MEASURES			
Suitable	extinguishing media		Use extinguishing measures that are appropriate to lo circumstances and the surrounding environment.	cal
Unsuitabl media	le extinguishing	:	High volume water jet	
fighting /	hazards during fire Specific hazards om the chemical	-	Treat as oil fire. Do not use a solid water stream as it may scatter and fire. Do not allow run-off from fire fighting to enter drains o courses.	
Combust	ion products	-	Carbon oxides Nitrogen oxides (NOx)	
Special p for fire-fig	protective equipment hters	:	In the event of fire, wear self-contained breathing app	aratus.
Further in	nformation		Collect contaminated fire extinguishing water separate must not be discharged into drains. Fire residues and contaminated fire extinguishing wate be disposed of in accordance with local regulations.	

See also Section 9. Physical and chemical properties: Safety data

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protect Personal precautions		e equipment and emergency procedures Use personal protective equipment. Wear respiratory protection. Ensure adequate ventilation.
Emergency measures on accidental release	:	Evacuate personnel to safe areas. Only qualified personnel equipped with suitable protective equipment may intervene. Prevent unauthorized persons entering the zone.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up / Methods for containment	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
Reference to other sections	:	For disposal considerations see section 13.
		For personal protection see section 8.

Version 1	Revision Date 06/*	1/2019	Print Date 01/23/2020	US / Z8
7. HANDLING	AND STORAGE			
Handling Advice o	g n safe handling	Avoid f Avoid c Smokir applica	rsonal protection see section 8. ormation of respirable particles. contact with skin, eyes and clothing. ng, eating and drinking should be prohib tion area. e of rinse water in accordance with loca ions.	
	n protection against explosion	: Provide is forme	e appropriate exhaust ventilation at plac ed.	es where dust
•	nents for storage d containers	Keep c place. Avoid e	t unauthorized access. container tightly closed in a dry and well- elevated temperatures. with copper, aluminum, zinc and their a	
Other da	ta	: No dec	omposition if stored and applied as dire	ected.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

Appropriate engineering controls

Provide eyewash station and safety shower. Keep solutions of 0.5% acetic acid in water close at hand.

Personal protective equipment Eye/face protection		Tightly fitting safety goggles
Hand protection	:	Glove material: Nitrile rubber
	:	Glove material: butyl-rubber
Skin and body protection	:	Protective suit
Respiratory protection	:	In the case of dust, vapor or aerosol formation use respirator with an approved filter.
		Wear full face mask supplied with: Combination filter: ABEKP.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Dry-clean contaminated clothing before reuse.

Version 1 Revision Date 06	6/11/2019	Print Date 01/23/2020	US / Z8
Environmental exposure co General advice	: Do not flu If the pro	ush into surface water or sanitary sewe duct contaminates rivers and lakes or o e authorities.	
9. PHYSICAL AND CHEMICAL I	PROPERTIES		
Appearance			
Form	: paste		
Color	: brown		
Odor	: slight ammonia	cal	
Odor Threshold	: No data	available	
Safety data			
рН	: Not appl	icable	
Melting point/range	: 30 - 40 °	C	
Boiling point/boiling range	: >250 °C		
Flash point	: > 200 °C Method:	closed cup	
Ignition temperature	: >100 °C		
Evaporation rate	: not deter	mined	
Flammability (solid, gas)	: The prod	uct is not flammable.	
Flammability (liquids)	: Not appli	cable	
Lower explosion limit	: Not appli	cable	
Upper explosion limit	: Not appli	cable	
Vapor pressure	: < 0.1 hP;	a at 20 °C	
Relative vapor density	: not deter	mined	
Density	: 865 kg/m	n3 at 65 ℃	
Relative density	: ca. 0.87	at 65 °C	
Water solubility	: insoluble		
Solubility in other solvents	: No data	available	
Partition coefficient: n- octanol/water	: No data	available	
Autoignition temperature	: No data	available	

Version 1 Revision Date 0		/11/2019	Print Date 01/23/2020	US / Z8	
Decom	position temperature	: No data	available		
Viscos	ity, dynamic	: 80 mPa	.s at 60 ℃		
Viscos	ity, kinematic	: at 20 °C Not app			
Explos	ive properties	: Not exp	losive		
Oxidizi	ng properties	: The sub	ostance or mixture is not classified as o	xidizing.	

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

10. STABILITY AND REACTIVITY	
Conditions to avoid	: None known.
Materials to avoid	: Reacts with copper, aluminum, zinc and their alloys
Hazardous decomposition products	: No hazardous decomposition products are known.
Thermal decomposition	: No data available
Reactivity	: Stable under normal conditions.
Chemical stability	: Stable under recommended storage conditions.
Hazardous reactions	: No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION PRODUCT INFORMATION:

Hazard Summary Acute toxicity	:	Not classified based on available information.
Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/eye irritation	:	Causes serious eye irritation.
Respiratory or skin sensitization	:	Respiratory sensitization: Not classified based on available information. Skin sensitization: Not classified based on available information.
Germ cell mutagenicity	:	Not classified based on available information.
Carcinogenicity	:	Not classified based on available information.
Reproductive toxicity	:	Not classified based on available information.
STOT-single exposure	:	Not classified based on available information.
STOT-repeated exposure	:	May cause damage to organs (Gastrointestinal tract) through

sion 1 Revisio	on Date 06/11/2019	Print Date 01/23/2020	US / Z8
	prolonge	ed or repeated exposure.	
Aspiration hazard	: Not clas	sified based on available information.	
Potential Health Ef		decomposition can lead to release of rs.	irritating gases
Skin		skin irritation. uct may be absorbed through the skir	٦.
Eyes		the eyes may cause irritation and pair serious eye irritation.	ז.
Ingestion	: May caus	se irritation of the mucous membranes	5.
Aggravated Medical	I : None kno	own.	
Symptoms of Overe		ptoms and effects are as expected fro n in section 2. No specific product rela n.	
Toxicology Assess Further information		r data available.	
Carcinogenicity:			
IARC	equal to	dient of this product present at levels of 0.1% is identified as probable, possibl arcinogen by IARC.	
OSHA	: No comp	onent of this product present at levels 0.1% is on OSHA's list of regulated ca	
NTP	: No comp equal to	onent of this product present at levels 0.1% is identified as a known or antici en by NTP.	greater than or

TOXICOLOGY DATA FOR THE INGREDIENTS:

Test result

Component: N-(Tallow alkyl)-1, Acute oral toxicity :	<u>3-propanediamine oleate</u> LD50: > 5,000 mg/kg Species: Rat
Skin irritation :	Species: Rabbit Result: Irritating to skin. Read-across (Analogy)
Eye irritation :	Species: Rabbit Result: Irritating to eyes. Method: OECD Test Guideline 405 Read-across (Analogy)
Sensitization :	Maximization Test Species: Guinea pig Result: negative Method: OECD Test Guideline 406
	8 / 1/

rsion 1 Revision Date 06/1	1/2019	Print Date 01/23/2020	US
	Read-acro	ss (Analogy)	
Target Organ Systemic Toxicant - Repeated exposure	• •	gans: Gastrointestinal tract e damage to organs through prolonge	d or repeated
. ECOLOGICAL INFORMATION			
PRODUCT INFORMATION:			
Ecotoxicology Assessment Additional ecological information	unprofessi Very toxic	mental hazard cannot be excluded in onal handling or disposal. to aquatic life with long lasting effects quatic life with long lasting effects.	
Further information on ecolo	gy		
Hazardous to the ozone layer Regulation	: 40 CFR P	rotection of Environment; Part 82 Pro eric Ozone - CAA Section 602 Class	
Remarks	: This produ Class I or	Class II ODS as defined by the U.S. 02 (40 CFR 82, Subpt. A, App.A + B).	tured with a Clean Air Act
COMPONENTS:			
Test result			
<u>Component: N-(Tallow alkyl)</u>	1,3-propaneo	<u>diamine oleate</u>	
Ecotoxicity effects			
Toxicity to fish	Species: I Method: C	.1 - 1 mg/l time: 96 h Danio rerio (zebra fish) DECD Test Guideline 203 ss (Analogy)	
Toxicity to daphnia and other aquatic invertebrates	Exposure Species: [.1 - 1 mg/l time: 48 h Daphnia magna (Water flea) ss (Analogy)	
Toxicity to algae	Exposure Species: I	.01 - 0.1 mg/l time: 72 h Pseudokirchneriella subcapitata (gree DECD Test Guideline 201	n algae)
	Exposure Species: F	.01 - 0.1 mg/l time: 72 h Pseudokirchneriella subcapitata (gree DECD Test Guideline 201	n algae)

sion 1 Revision Date 0	6/11/2019	Print Date 01/23/2020	US / Z
M-Factor (Acute)	: 10		
Toxicity to daphnia and othe aquatic invertebrates (Chronic toxicity)	Species: Method:	•	
Elimination information (p Bioaccumulation		l degradability) nulation is unlikely.	
Mobility	: No data a	available	
Biodegradability		eadily biodegradable. OECD Test Guideline 301D	
		oss (Analogy)	
Further information on eco Biochemical Oxygen Demand (BOD)	Read-acr	oss (Analogy)	
Biochemical Oxygen	Read-acro ology : No data a	oss (Analogy)	
Biochemical Oxygen Demand (BOD)	Read-acro blogy : No data a NS : The prod courses of Do not co chemical Hazardou	oss (Analogy) available uct should not be allowed to enter drains, y or the soil. ontaminate ponds, waterways or ditches wi or used container. us waste of contents/container in accordance with lo	ith
Biochemical Oxygen Demand (BOD) DISPOSAL CONSIDERATION	Read-acro blogy : No data a NS : The prod courses of Do not co chemical Hazardou Dispose of regulation : Waste m	oss (Analogy) available uct should not be allowed to enter drains, y or the soil. ontaminate ponds, waterways or ditches wi or used container. us waste of contents/container in accordance with lo	ith ocal

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR	
UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Fatty amine derivative)
Class	: 9
Packing group	: III
Labels	: 9
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956

Version 1	Revision Date 06/	11/2019	Print Da	te 01/23/2020	US / Z8
	ting instruction (LQ) onmentally hazardous	: Y956 : yes			
UN r	G-Code humber er shipping name	N.O.S.	-		SUBSTANCE, SOLID,
Labe EmS	king group	: 9 : III : 9 : F-A, S- : yes (Fatty a	F amine derivative)	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. : (Fatty amine derivative)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes
	(Fatty amine derivative)
Reportable Quantity	: This product does not contain an environmentally hazardous substance per 49 CFR 172.101, Appendix A.

15. REGULATORY INFORMATION

Notification status

DSL	:	YES.	All components of this product are on the Canadian DSL
AICS	:	YES.	On the inventory, or in compliance with the inventory
NZIOC	:	YES.	On the inventory, or in compliance with the inventory
ENCS	:	YES.	On the inventory, or in compliance with the inventory
ISHL	:	YES.	On the inventory, or in compliance with the inventory
KECI	:	YES.	On the inventory, or in compliance with the inventory
PICCS	:	YES.	On the inventory, or in compliance with the inventory
IECSC	:	YES.	On the inventory, or in compliance with the inventory
TCSI	:	YES.	On the inventory, or in compliance with the inventory
TSCA	:	YES.	All substances listed as active on the TSCA inventory

For explanation of abbreviations, see section 16.

TSCA list

TSCA 5(a)(2)	:	No substances are subject to a Significant New Use Rule.
TSCA 12(b)	:	No substances are subject to TSCA 12(b) export notification
		requirements.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Version 1	Revision Date 06/11/2019	Print Date 01/23/2020	US / Z8

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	 Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

16. OTHER INFORMATION

Full text of H-Statements	
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of



Revision Date 06/11/2019

Print Date 01/23/2020

US / Z8

Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System


Further information

HMIS Classification

: Health Hazard: 2 Chronic Health Hazard: * Flammability: 0 Physical hazards: 0

NFPA Classification

: Health Hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0



Notification status explanation

REACH	1907/2006 (EU)
DSL	Canadian Domestic Substances List (DSL)
AICS	Australia Inventory of Chemical Substances (AICS)
NZIOC	New Zealand. Inventory of Chemical Substances
ENCS	Japan. ENCS - Existing and New Chemical Substances Inventory
ISHL	Japan. ISHL - Inventory of Chemical Substances
KECI	Korea. Korean Existing Chemicals Inventory (KECI)
PICCS	Philippines Inventory of Chemicals and Chemical Substances (PICCS)
IECSC	China. Inventory of Existing Chemical Substances in China (IECSC)
TCSI	Taiwan Chemical Substance Inventory (TCSI)
TSCA	United States TSCA Inventory

Further information

Revision Date

06/11/2019

Version 1

Revision Date 06/11/2019

Print Date 01/23/2020

The information in this material safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the c ontext of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.