Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Trade name :	Ganex™ V-216 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries
Substance name	2-Pyrrolidinone, 1-ethenylhexadecyl-, homopolymer
Substance No. CAS-No.	63231-81-2

Relevant identified uses of the substance or mixture and uses advised against Recommended use : Personal care

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) +1-905-336-6925	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory Information Number 1-614-790-3333 Product Information +1-905-336-6925
EHSProductSafety@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

Hazardous components No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice	No hazards which require special first aid measures.	
If inhaled	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	I
In case of skin contact	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.	
In case of eye contact	Remove contact lenses. Protect unharmed eye.	
If swallowed	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 1	11.
Notes to physician	No hazards which require special first aid measures.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

	point of release. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide
Specific extinguishing methods	:
	Product is compatible with standard fire-fighting agents.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.	
Environmental precautions	: Prevent further leakage or spillage if safe to do so.	
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 	
Other information	: Comply with all applicable federal, state, and local regulations.	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Materials to avoid	:	No materials to be especially mentioned.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex™ V-216 polymer	Version: 1.5
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
828318	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipment	
Respiratory protection :	In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.
Hand protection Material : Break through time : Glove thickness :	butyl-rubber 480 min > 0.5 mm
Remarks	The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	Wear as appropriate: Safety shoes Wear resistant gloves (consult your safety equipment supplier).
Hygiene measures	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: viscous

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

Physical state	: liquid	
Colour	: yellow	
Odour	: No data available	
Odour Threshold	: No data available	
рН	: No data available	
Melting point/freezing point	: 33.1 °F / 0.6 °C	
Boiling point/boiling range	: No data available	
Flash point	: 104.4 °C(Estimated)	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: 0.90 g/cm3	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Thermal decomposition	: No data available	
Viscosity Viscosity, dynamic	: <= 2,500 mPa.s (50 °C	C)
Viscosity, kinematic	: No data available	

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	No decomposition if stored and applied as directed.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Product will not undergo hazardous polymerization.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

Acute toxicity

Not classified based on available information. **Skin corrosion/irritation** Not classified based on available information. **Serious eye damage/eye irritation** Not classified based on available information. **Product:** Remarks: Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. **Carcinogenicity** Not classified based on available information. **Reproductive toxicity** Not classified based on available information. **STOT - single exposure** Not classified based on available information. **STOT - repeated exposure**

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

Not classified based on available information. **Aspiration toxicity** Not classified based on available information. <u>Product:</u> No aspiration toxicity classification

Further information <u>Product:</u> Remarks: No data available

Carcinogenicity: IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Product: Ecotoxicology Assessment Short-term (acute) aquatic : hazard	Not classified based on available information.
Long-term (chronic) aquatic : hazard	Not classified based on available information.
Persistence and degradability <u>Product:</u> Biodegradability :	Result: Not readily biodegradable. Biodegradation: 23 % Exposure time: 28 d
No data available Bioaccumulative potential No data available Mobility in soil No data available	

Ashland always solving		Page: 8
SAFETY DATA SHEET	Revision Date:	11/26/2019
	Print Da	ate: 3/8/2022
	SDS Numbe	er: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318		Version: 1.5

Other adverse effects

No data available <u>Product:</u> Additional ecological information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	: Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	: Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION					
ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex™ V-216 polymer	Version: 1.5
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
828318	

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards : No SARA Hazards

SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

Pennsylvania Right To Know 2-Pyrrolidinone, 1-ethenylhexadecyl-, homopolymer	63231-81-2
New Jersey Right To Know 2-Pyrrolidinone, 1-ethenylhexadecyl-, homopolymer	63231-81-2

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
ENCS	: q (quantity restricted)
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA) - On or in compliance with the active portion of the TSCA inventory

SECTION 16. OTHER INFORMATION


Further information

Revision Date: 11/26/2019

NFPA:

HMIS III:

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5



Combustible Liquid Class IIIB

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 11/26/2019
	Print Date: 3/8/2022
	SDS Number: R0718363
Ganex [™] V-216 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 828318	Version: 1.5

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative