Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

29 CFR 1910.1200 (OSHA HazCom 2012)

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Trade name : Ganex™ V-220

polymer

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Cosmetics

Details of the supplier of the safety data sheet
Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
+1-614-790-3333
EHSProductSafety@ashland.com

Emergency telephone number
1-800-ASHLAND (1-800-274-5263)

Regulatory Information Number
1-614-790-3333

Product Information
+1-614-790-3333

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Eye irritation : Category 2B

**GHS** label elements

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insina.

If eye irritation persists: Get medical advice/ attention.

<b>P</b> Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : organic

**Hazardous components** 

Chemical name	CAS-No.	Classification	Concentration (%)
2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene	28211-18-9	Eye Irrit. 2A; H319	96.0396

### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

: Causes eye irritation.

The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Unsuitable extinguishing

media

: High volume water jet

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Material can create slippery conditions.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For further guidance on prevention of dust explosions, refer to

National Fire Protection Association (NFPA) 654: "Standard

Ashland always solving ™	Page: 4
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Avoid dust formation.

Ensure all equipment is electrically grounded and bonded before beginning transfer operations.

The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national regulations.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** 

: For exposures to dust, utilize the exposure limits for Particulates (insoluble) Not Otherwise Classified (PNOC). ACGIH TWA - 10 mg/m3 inhalable fraction, 3 mg/m3 respirable fraction. OSHA PEL - 15 mg/m3 total dust, 5 mg/m3 respirable fraction.

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

#### Personal protective equipment

Respiratory protection

In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are

Ashland always solving ™	Page: 5
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material butyl-rubber : 480 min Break through time : > 0.5 mm Glove thickness

Remarks The exact break through time can be obtained from the

> protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection Safety glasses

Skin and body protection Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid breathing dust.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

: Wax like **Appearance** 

Physical state : solid

Colour : off-white, yellow

Odour No data available

Odour Threshold No data available

: No data available Hq

: 90 - 97 °F / 32 - 36 °C Melting point/freezing point

Boiling point/boiling range : No data available

Ashland always solving ™	Page: 6
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : No data available

Density : 0.95 g/cm3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

Ashland always solving ™	Page: 7
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

sources.

Hazardous decomposition

products No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation exposure Skin contact

> Eye Contact Ingestion

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

<u>Components:</u> 2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

# Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species: Rabbit Exposure time: 72 h Method: Draize Test Result: No skin irritation

Species: Human

Method: Patch Test 24 Hrs. Result: No skin irritation

Remarks: May cause skin irritation in susceptible persons.

### **Components:**

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Result: No skin irritation

# Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

Species: Rabbit

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

Result: Irritation to eyes, reversing within 7 days

Remarks: Product dust may be irritating to eyes, skin and respiratory system., Causes eye irritation.

#### Components:

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Result: Eye irritation

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

**Product:** 

Test Type: Human Repeat Insult Patch Testing (HRIPT)

Exposure routes: Dermal

Assessment: Does not cause skin sensitisation.

# **Components:**

2-Pyrrolidinone, 1-ethenyl, polymer with 1-eicosene:

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

**Further information** 

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

S Ashland always solving	Page:	9
SAFETY DATA SHEET	Revision Date: 07/03/201	9
	Print Date: 3/26/202	0
	SDS Number: R071836	1
Ganex™ V-220 polymer	Version: 1.	4
™ Trademark, Ashland or its subsidiaries, registered		
in various countries		
828319		

equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

# Persistence and degradability

Product:

Biodegradability : Inoculum: activated sludge

Concentration: 100 mg/l

Result: Not readily biodegradable.

Biodegradation: 25 % Exposure time: 28 d

No data available

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Additional ecological

information

: No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

**Ashland** always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

# **SECTION 14. TRANSPORT INFORMATION**

# International transport regulations

### **REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

### **U.S. DOT - ROAD**

Not dangerous goods	

### CFR RAIL C

<u>0111_10112_0</u>			
Not dangero	ous goods		

# **U.S. DOT - INLAND WATERWAYS**

Not dangerous goods	

# TDG\_ROAD\_C

Not dangerous goods	

# TDG\_RAIL\_C

Not dangerous goods	]
	1

### TDG INWT C

	Not dangerous goods

# INTERNATIONAL MARITIME DANGEROUS GOODS

Not dan	gerous goods

# INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

<b>PAshland</b> always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
828319	

Not dangerous goods	

# INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

### MX\_DG

Not dangerous goods

### \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

2-Pyrrolidinone, 1-ethenyl, polymer with 1- 28211-18-9

eicosene

1-EICOSENE 3452-07-1

**New Jersey Right To Know** 

2-Pyrrolidinone, 1-ethenyl, polymer with 1- 28211-18-9

eicosene

<b>P</b> Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

1-EICOSENE 3452-07-1

# California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Personal care

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : For Cosmetic Use Only

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


### **SECTION 16. OTHER INFORMATION**

**Further information** 

Revision Date: 07/03/2019

NFPA:	HMIS III:

Ashland always solving		Page: 13
SAFETY DATA SHEET	Revision Date:	07/03/2019
	Print Date	3/26/2020
	SDS Number:	R0718361
Ganex™ V-220 polymer	V	ersion: 1.4
™ Trademark, Ashland or its subsidiaries, registered in various countries 828319		



NFPA Flammable and Combustible Liquids Classification Not applicable

# **Full text of H-Statements**

H319 Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

# Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -

Ashland always solving ™	Page: 14
SAFETY DATA SHEET	Revision Date: 07/03/2019
	Print Date: 3/26/2020
	SDS Number: R0718361
Ganex™ V-220 polymer  ™ Trademark, Ashland or its subsidiaries, registered in various countries 828319	Version: 1.4

Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative