	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Styleze™ W-20  
 polymer  
 ™ Trademark, Ashland or its subsidiaries, registered in  
 various countries

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Personal care

<p><b>Details of the supplier of the safety data sheet</b>          Ashland          P.O. Box 2219          Columbus, OH 43216          United States of America (USA)          +1-614-790-3333</p> <p>EHSProductSafety@ashland.com</p>	<p><b>Emergency telephone number</b>          1-800-ASHLAND (1-800-274-5263)</p> <p><b>Regulatory Information Number</b>          1-800-325-3751</p> <p><b>Product Information</b>          +1-614-790-3333</p>
---	---

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

**GHS label elements**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

**Other hazards**


None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

No hazardous ingredients

	Page: 2
<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

**SECTION 4. FIRST AID MEASURES**

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.  
Do not allow run-off from fire fighting to enter drains or water courses.



<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

- Hazardous combustion products : carbon dioxide and carbon monoxide
- Specific extinguishing methods :  
Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : No materials to be especially mentioned.

**SAFETY DATA SHEET**

Revision Date: 02/22/2018

Print Date: 3/1/2018

SDS Number: R0718375

Styleze™ W-20 polymer  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
831904

Version: 1.3

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : General industrial hygiene practice.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : viscous

Physical state : liquid

Colour : cloudy

Odour : characteristic

Odour Threshold : No data available

pH : 3.5 - 5  
Concentration: 20 %

Melting point/freezing point : No data available

Boiling point/boiling range : No data available



<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

Flash point	: 110 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.02 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.



<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

Hazardous decomposition  
products

No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

### Acute toxicity

Not classified based on available information.

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

Remarks: Unlikely to cause eye irritation or injury.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Product:

No aspiration toxicity classification

### Further information

### Product:

Remarks: No data available

### Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 2; Toxic to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

General advice : The product should not be allowed to enter drains, water courses or the soil.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste

**SAFETY DATA SHEET**

Revision Date: 02/22/2018

Print Date: 3/1/2018

SDS Number: R0718375

Version: 1.3

Styleze™ W-20 polymer  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831904

handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

**U.S. DOT - ROAD**

UN 3082	Environmentally hazardous substance, liquid, n.o.s. (POLYQUATERNIUM-55)	9		III	
---------	---	---	--	-----	--

**CFR\_RAIL\_C**

UN 3082	Environmentally hazardous substance, liquid, n.o.s. (POLYQUATERNIUM-55)	9		III	
---------	---	---	--	-----	--

**U.S. DOT - INLAND WATERWAYS**

UN 3082	Environmentally hazardous substance, liquid, n.o.s. (POLYQUATERNIUM-55)	9		III	
---------	---	---	--	-----	--

**TDG\_ROAD\_C**

UN 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYQUATERNIUM-55)	9		III	
---------	---	---	--	-----	--

**TDG\_RAIL\_C**

UN 3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYQUATERNIUM-55)	9		III	
---------	---	---	--	-----	--

**TDG\_INWT\_C**



**SAFETY DATA SHEET**

Revision Date: 02/22/2018

Print Date: 3/1/2018

SDS Number: R0718375

Version: 1.3

Styleze™ W-20 polymer  
 ™ Trademark, Ashland or its subsidiaries, registered  
 in various countries  
 831904

UN	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYQUATERNIUM-55)	9	III
----	------	--	---	-----

**INTERNATIONAL MARITIME DANGEROUS GOODS**

UN	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYQUATERNIUM-55)	9	III	MARINE POLLUTANT:( POLYQUATER NIUM-55)
----	------	--	---	-----	---

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (POLYQUATERNIUM-55)	9	III
----	------	---	---	-----

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (POLYQUATERNIUM-55)	9	III
----	------	---	---	-----

**MX DG**


UN	3082	SUSTANCIA LIQUIDA POTENCIALMENTE PELIGROSAS PARA EL MEDIO AMBIENTE, N.E.P. (POLYQUATERNIUM-55)	9	III
----	------	--	---	-----

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act**

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 02/22/2018
		Print Date: 3/1/2018
		SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904		Version: 1.3

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

**TSCA** : This product is regulated under the United States Food and Drug Act (FDA).

**DSL** : This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.

**AICS** : On the inventory, or in compliance with the inventory

**ENCS** : Not in compliance with the inventory

**KECI** : Not in compliance with the inventory

**IECSC** : Low volume exemption

**PICCS** : Not in compliance with the inventory

**Inventories**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


**SECTION 16. OTHER INFORMATION**

**Further information**

Revision Date: 02/22/2018

<b>NFPA:</b>	<b>HMIS III:</b>
--------------	------------------

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

<p>Flammability</p>  <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white; text-align: center;"><b>HEALTH</b></td> <td style="text-align: center;"><b>0</b></td> </tr> <tr> <td style="background-color: #FF0000; color: white; text-align: center;"><b>FLAMMABILITY</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td style="background-color: #FFFF00; text-align: center;"><b>PHYSICAL HAZARD</b></td> <td style="text-align: center;"><b>0</b></td> </tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>0</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>0</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

**NFPA Flammable and Combustible Liquids Classification**  
Combustible Liquid Class IIIB

**Full text of H-Statements**

Sources of key data used to compile the Safety Data Sheet  
Ashland internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;



<b>SAFETY DATA SHEET</b>	Revision Date: 02/22/2018
	Print Date: 3/1/2018
	SDS Number: R0718375
Styleze™ W-20 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 831904	Version: 1.3

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative