Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex™ XL-30 polymer	Version: 1.8
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
826241	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:

Product identifier

Trade name

Recommended use

Aquaflex[™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

: Personal care Cosmetics

Details of the supplier of the safety data	Emergency telephone number
sheet	1-800-ASHLAND (1-800-274-5263)
Ashland	
P.O. Box 2219	Regulatory Information Number
Columbus, OH 43216	1-800-325-3751
United States of America (USA)	
+1-614-790-3333	Product Information
	+1-614-790-3333
FUODraduatOstatu@sabland.sam	
EHSProductSafety@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex™ XL-30 polymer	Version: 1.8
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
826241	

No hazardous ingredients

SECTION 4. FIRST AID MEASURES		
General advice	: No hazards which require special first aid measures.	
If inhaled	 If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. 	
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.	
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. 	
If swallowed	 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 	
Notes to physician	: No hazards which require special first aid measures.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	If product is heated above its flash point it will produce vapor sufficient to support combustion. Vapors are heavier than a and may travel along the ground and be ignited by heat, pile	air

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R071843
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

	lights, other flames and ignition sources at locations point of release. Do not allow run-off from fire fighting to enter drains courses.	
Hazardous combustion products	carbon dioxide and carbon monoxide	
Specific extinguishing methods		
	Product is compatible with standard fire-fighting age	nts.
Further information	Fire residues and contaminated fire extinguishing was be disposed of in accordance with local regulations.	ater must
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing ap	paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Persons not wearing protective equipment should be excl from area of spill until clean-up has been completed.	uded
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains info respective authorities.	rm
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica ge acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	I,
Other information	Comply with all applicable federal, state, and local regulat	ions.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Container hazardous when empty. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations
	regulations.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer	Version: 1.8
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
826241	

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipmer Respiratory protection	nt :	In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.
Hand protection Material Break through time Glove thickness		butyl-rubber 480 min > 0.5 mm
Remarks	:	The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	:	Wear as appropriate: Impervious clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

supplier).

Hygiene measures

: Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous
Physical state	: liquid
Colour	: yellow
Odour	: mild, amine-like
Odour Threshold	: No data available
рН	: 7.5 - 9.0
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: 110 °C(Estimated)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1 g/cm3 (20 °C)
Solubility(ies) Water solubility	: soluble
Solubility in other solvents	: No data available

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

Partition coefficient: n- octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Eye Contact Ingestion	
Acute toxicity Not classified based on availab <u>Product:</u>	le information.	
Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/k	g
Skin corrosion/irritation Not classified based on availab <u>Product:</u> Species: Rabbit	le information.	

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex™ XL-30 polymer ™ Trademark, Ashland or its subsidiaries, registered	Version: 1.8
in various countries 826241	

Result: No skin irritation

Serious eye damage/eye irritation Not classified based on available information. Product: Species: Rabbit Result: Slight, transient irritation

Remarks: Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. **Product:** Assessment: Did not cause sensitisation on laboratory animals.

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity Not classified based on available information. **Product:**

Genotoxicity in vitro

: Test Type: Ames test Result: negative

: Test Type: in vitro assay Result: negative

Carcinogenicity

Not classified based on available information. **Reproductive toxicity** Not classified based on available information. **STOT - single exposure** Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. **Aspiration toxicity** Not classified based on available information. **Product:** No aspiration toxicity classification

Further information <u>Product:</u> Remarks: No data available

Carcinogenicity: IARC

Group 1: Carcinogenic to humans

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

	ETHANOL	64-17-5
OSHA	No component of this product pre- equal to 0.1% is on OSHA's list	0
NTP	No component of this product p equal to 0.1% is identified as a l by NTP.	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity <u>Product:</u> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (green algae): Exposure time: 72 h
Ecotoxicology Assessment Short-term (acute) aquatic hazard	:	Acute aquatic toxicity Category 2; Toxic to aquatic life.
Long-term (chronic) aquatic hazard	:	Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.
Persistence and degradabilit No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available <u>Product:</u> Additional ecological information		An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex™ XL-30 polymer	Version: 1.8
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
826241	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Dispose of in accordance with all applicable local, state and
	federal regulations.
Contaminated packaging	: Empty remaining contents.
	Dispose of as unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
	Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

MX_DG

	-			
UN	3082	ENVIRONMENTALLY	9	III
		HAZARDOUS SUBSTANCE,		
		LIQUID, N.O.S. (POLYIMIDE-1)		
		· · · · · · · · · · · · · · · · · · ·		

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (POLYIMIDE-1)	9	III
		•		

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	3082	Environmentally hazardous substance, liquid, n.o.s. (POLYIMIDE-1)	9	III
		, <u>,</u>		

Ashland always solving	Page:
SAFETY DATA SHEET	Revision Date: 07/23/20
	Print Date: 7/23/20
	SDS Number: R07184
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	3082	ENVIRONMENTALLY	9		MARINE
		HAZARDOUS SUBSTANC	ΣE,		POLLUTANT:(
		LIQUID, N.O.S. (POLYIMII	DE-1)		POLYIMIDE-1)

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant

yes

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity					
Components	CAS-No.	Component RQ	Calculated product RQ		

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

		(lbs)	(lbs)		
TRIETHYLAMINE	121-44-8	5000	*		
*: Calculated RQ exceeds reaso SARA 304 Extremely Hazardou					
This material does not contain any components with a section 304 EHS RQ.					
SARA 311/312 Hazards	No SARA Hazards				
SARA 302 :	This material does r 302 EHS TPQ.	not contain any co	mponents with a section		
SARA 313	known CAS number	s that exceed the	emical components with threshold (De Minimis) Title III, Section 313.		
US State Regulations					
Pennsylvania Right To Know polymer		2008658 5048	35-		
	The identity and cor being withheld unde		or more component(s) is entiality.		
WATER		7732-18-	-5		
New Jersey Right To Know					
polymer		2008658	35-		
	The identity and cor being withheld unde		or more component(s) is entiality.		
WATER		7732-18	-5		
California Prop. 65					
This product does not contain an defects, or any other reproductive	e harm.				
The components of this produ DSL	All components of the				
AICS :	On the inventory, or	in compliance wit	h the inventory		
ENCS :	Personal care				
KECI :	Personal care				

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8


PICCS	: On the inventory, or in compliance with the inventory
IECSC	: Low volume exemption
TSCA	: This product is regulated under the United States Food and Drug Act (FDA).

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information Revision Date: 07/23/2018



NFPA Flammable and Combustible Liquids Classification Combustible Liquid Class IIIB

Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports

Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 07/23/2018
	Print Date: 7/23/2018
	SDS Number: R0718430
Aquaflex [™] XL-30 polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 826241	Version: 1.8

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DOT - Department of Transportation: DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**