

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product identifier**

Trade name : Aqualon™ CMC 7M8SF PH  
Sodium Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered in  
various countries

**Relevant identified uses of the substance or mixture and uses advised against****Details of the supplier of the safety data sheet**

Ashland  
P.O. Box 2219  
Columbus, OH 43216  
United States of America (USA)  
+1-614-790-3333

EHSPRODUCTSAFETY@ASHLAND.COM

**Emergency telephone number**

1-800-ASHLAND (1-800-274-5263)

**Regulatory Information Number**

1-800-325-3751

**Product Information**

+1-614-790-3333

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Combustible Dust :

**GHS label elements**

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : **Prevention:**  
Keep dust/air mixtures away from ignition sources.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Substance / Mixture : Mixture

Chemical nature : organic

**Hazardous components**

No hazardous ingredients

---

**SECTION 4. FIRST AID MEASURES**

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
  
Water spray

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Specific hazards during firefighting : Organic dusts at sufficient concentration can form explosive mixtures in air.

Hazardous combustion products : carbon dioxide and carbon monoxide

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Material can create slippery conditions.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid dust formation.  
Ensure all equipment is electrically grounded and bonded before beginning transfer operations.  
The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.  
Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.  
Smoking, eating and drinking should be prohibited in the



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

application area.

For personal protection see section 8.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.  
Provide appropriate exhaust ventilation at places where dust is formed.

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination.  
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

### Hand protection

Material : butyl rubber  
Break through time : 480 min  
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.

Skin and body protection : Wear chemical resistant clothing such as a permeation-resistant or chemical apron, gloves and boots whenever skin contact is possible.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Hygiene measures : Avoid breathing dust.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : 6.5 - 8.5  
(as aqueous solution)

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : 60 g/m<sup>3</sup>



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.59 g/cm <sup>3</sup>
Bulk density	: 500 - 1,000 kg/m <sup>3</sup>
Solubility(ies)	
Water solubility	: soluble, Limited by viscosity
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 360 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
	Dust may form explosive mixture in air.
Conditions to avoid	: UV light. Exposure to sunlight.
	Keep away from heat, flame, sparks and other ignition sources.

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Incompatible materials : Acids  
Bases  
Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks: No data available

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

**Persistence and degradability****Product:**

Biodegradability : Remarks: Inherently biodegradable.

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**SAFETY DATA SHEET**

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

**U.S. DOT - ROAD**

Not dangerous goods

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TDG\_ROAD\_C**

Not dangerous goods

**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
METHANOL	67-56-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Combustible Dust

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations Pennsylvania Right To Know CELLULOSE

254504001-  
5918

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

#### New Jersey Right To Know CELLULOSE

254504001-  
5918

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

#### California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

AICS : On the inventory, or in compliance with the inventory  
ENCS : On the inventory, or in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory  
PICCS : On the inventory, or in compliance with the inventory  
IECSC : On the inventory, or in compliance with the inventory  
TCSI : On the inventory, or in compliance with the inventory  
TSCA : On TSCA Inventory

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date: 07/30/2018

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td><b>HEALTH</b></td><td><b>0</b></td></tr> <tr> <td><b>FLAMMABILITY</b></td><td><b>0</b></td></tr> <tr> <td><b>PHYSICAL HAZARD</b></td><td><b>0</b></td></tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>0</b>	<b>FLAMMABILITY</b>	<b>0</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>0</b>						
<b>FLAMMABILITY</b>	<b>0</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

### NFPA Flammable and Combustible Liquids Classification

Not applicable

### Full text of H-Statements



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,



## SAFETY DATA SHEET

Revision Date: 07/30/2018

Print Date: 9/21/2018

SDS Number: R0702840

Version: 1.3

Aqualon™ CMC 7M8SF PH Sodium  
Carboxymethylcellulose  
™ Trademark, Ashland or its subsidiaries, registered  
in various countries  
430148

Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative