

Safety Data Sheet

SDS no.

Not available.

Section 1. Identification

GHS product identifier: HiTEC® 12205B Performance AdditiveProduct use: Petrochemical industry: Lubricating Oil Additive.

In case of emergency - Chemical

+1-703-527-3887 (International) +1-703-741-5979 (Spanish language) +1-800-424-9300 (US & Canada)

Manufacturer / Supplier

Afton Chemical Corporation 500 Spring St. Richmond, VA 23219 USA

Non-Emergency Telephone: +1-804-788-5800

Afton Chemical Corporation 7201 W. 65th Street Bedford Park, IL 60638, USA Afton Chemical Canada Corporation 5045 South Service Road Suite 101 Burlington, ON L7L 5Y7 905-631-5470

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 23.7%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	 Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Store in well-ventilated place.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Additional hazards	: None known.

Page: 2/9

Section 3. Composition/information on ingredients

Substance/mixture Other means of

identification

- : Mixture
 - : Not available.

Ingredient name	CAS number	Conc. (% w/w)	US GHS Classification
Mineral oil Zinc dialkyl dithiophosphate	Mixture 68649-42-3	30 - 60 5 - 9.9	Not classified. SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1
Calcium long-chain alkaryl sulfonate Phenol, (tetrapropenyl) derivs	Proprietary 74499-35-7	0.5 - 0.99 0.1 - 0.5	SKIN IRRITATION - Category 2 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 TOXIC TO REPRODUCTION (Fertility) - Category 1B

Any concentration shown as a range is to protect confidentiality or is due to batch variation. If specific chemical identity is withheld, it is to protect confidentiality.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	 If inhaled, remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/e	effects, acute and delayed		
Potential acute health effe	<u>cts</u>		
Eye contact	: No known significant effects or critical hazards.		
Inhalation	: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.		
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
Over-exposure signs/symp	<u>otoms</u>		
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

See toxicological information (Section 11)

In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'l)

Page: 3/9

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: sulfur oxides metal oxide/oxides Hydrogen Sulfide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, prote	ective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responder	 If specialized clothing is required to deal with the spillage, take note of any information i Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatmen plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate
	containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Mineral Oil	ACGIH (United States). TWA: 5 mg/m ³ OSHA (United States). TWA: 5 mg/m ³

Appropriate engineering controls	1	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Appearance	
Physical state	: Liquid. [Viscous]
Color	: Brown. [Dark]
Odor	: Mild Petroleum.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 135°C (275°F) [Pensky-Martens. Minimum]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.941
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: 2852 cSt at 40°C 139 cSt @ 100°C
A subscript for a subscript	

Aerosol product

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Strong oxidizing and reducing agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product / ingredient name	Result	Species	Dose	Exposure
Mineral oil	LC50 Inhalation Vapor	Rat	>5000 mg/m ³	4 hours
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Zinc dialkyl dithiophosphate	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	2230 mg/kg	-
	LD50 Oral	Rat	3100 mg/kg	-

Page: 6/9

Section 11. Toxico			lation
Conclusion/Summary	: Not avail	able.	
Irritation/Corrosion			
Conclusion/Summary	Nam Indi	1	akin. Depend on toot data for this or similar result of
Skin		-	skin. Based on test data for this or similar products.
Eyes		-	eyes. Based on test data for this or similar products.
Respiratory	: Not avail	able.	
<u>Sensitization</u>			
Conclusion/Summary	Net me	- - -	
Skin	: Not avail		
Respiratory	: Not avail	adie.	
Mutagenicity Conclusion/Summary	• Not avail	abla	
Conclusion/Summary Carcinogenicity	: Not avail		
Carcinogenicity Conclusion/Summary	: Not avail	ahle	
Classification	. NUL AVAII		
Product / ingredient name	OSHA	IARC	NTP
Not available.	USITA		
Reproductive toxicity			
Conclusion/Summary	: Not class	sified. Base	d on test data for this or similar products.
Teratogenicity	. NI-4 "	- h -	
Conclusion/Summary	: Not avail	able.	
Information on the likely routes of exposure	: Skin, Eyes, Ingestion, and Inhalation		
Potential acute health effects			
Eye contact		n significar	t effects or critical hazards.
Inhalation		-	t or vapors at elevated temperatures may cause respiratory irritation.
Skin contact			It effects or critical hazards.
Ingestion		-	at effects or critical hazards.
ingeotion	. INU KIIUW	n aigninical	
Symptoms related to the phys	sical, chemi	cal and to	xicological characteristics
Eye contact	: No speci	fic data.	
Inhalation	: No speci	fic data.	
Skin contact	: No speci	fic data.	
Ingestion	: No speci	fic data.	
Delayed and immediate effect	t <u>s and al</u> so	<u>chronic</u> ef	fects from short and long term exposure
Short term exposure			
Potential immediate effects	: Not avail	able.	
Potential delayed effects	: Not avail	able.	
Long term exposure			
Potential immediate effects	: Not avail	able.	
Potential delayed effects	: Not avail	able.	
Detential obvenia health offe			

Potential chronic health effects

Page: 7/9

Section 11. Toxicological information

Conclusion/Summary	 Adverse symptoms may include the following:: Contains a component which has been shown to cause liver and thyroid effects in laboratory animals after oral administration. Repeated swallowing may damage stomach.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Persistence and degradability

Product / ingredient name	Aquatic half-life	Photolysis	Biodegradability
Zinc dialkyl dithiophosphate	-	-	Not readily

Bioaccumulative potential

Not available.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-

HiTEC® 12205B Performance Additive		In Case of Er	In Case of Emergency +1-800-424-9300 (US/Canada) +1-703-527-3887 (Int'l)					
Section	14. Trai	nsport i	nformatio	on				
IATA-DGR Class	Not regulated.	-		-	-		-	

Notice to reader

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions.


Section 15. Regulatory information

US	regul	lations
00	regu	auons

US regulations						
SARA 313 toxic chemical : notification and release reporting (w/w%)	Zinc dialkyl dithiophosphate Lead		/l dithiophosphate	5 - 9.9 0 - 0.0001		
SARA 311/312 Hazardous : Categorization	SARA	311	/312 Nuisance Mist/Dust Only			
Ib. (0. State - California Prop. 65 : This p			A: Hazardous substances.: Cadmium: 10 lbs. (4.54 kg); Arsenic: 1 lb. (0.454 kg); Lead: 1 4 kg); duct contains the following ingredients for which the State of California has found to ancer, birth defects or other reproductive harm, which would require a warning under the			
	Arsenic Lead Cadmiu Ethyler	um	xide			
Canadian regulations HMIRA Registry Number :	Not ava	ailal	ble			
International Inventory Status	Not ave	unui				
United States inventory (TS 8b)	CA	:	All components are listed or exempted			
Canada inventory		:	All components are listed or exempted			
Europe inventory			ELINCS.	EINECS but all such components are listed in attain attain attain on the inventory status of this material.		
Japan inventory		:	At least one component is not listed.			
Australia inventory (AICS)		: /	At least one component is not listed.			
Korea inventory (KECI)			All components are listed or exempted the inventory status of this material.	. Please contact your supplier for information on		
China inventory (IECSC)		:	At least one component is not listed. P inventory status of this material.	lease contact your supplier for information on the		
Philippines inventory (PICO	CS)	:	All components are listed or exempted			
New Zealand Inventory of Chemicals (NZIoC)		: 4	All components are listed or exempted			
Taiwan Chemical Substanc Inventory (TCSI)	es	:	All components are listed or exempted			

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

<u>History</u>	
Date of issue/Date of revision	: 2/6/2018
Prepared by	: EHS Department (Tel: +1 804 788 5800)
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Afton makes no representation as to completeness or accuracy. In no event will Afton be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.