

Revision Number: 001.2 Issue date: 11/20/2015

1. PRODUCT AND COMPANY IDENTIFICATION

BONDERITE L-GP 6748 LUBRICANT Product name: IDH number: 1847212

known as Bonderite L-GP 6748

Product type: Rust preventor

Restriction of Use: None identified

Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

United States Region: **Contact information:**

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

> MAY CAUSE AN ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY IRRITATION.

| HAZARD CLASS | HAZARD CATEGORY |
|--|-----------------|
| SKIN CORROSION | 1C |
| SERIOUS EYE DAMAGE | 1 |
| SKIN SENSITIZATION | 1 |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | 3 |





Precautionary Statements

IDH number: 1847212

Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Use only outdoors or in Prevention:

a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves, eye protection, and face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or physician. If skin irritation or rash occurs: Get medical attention. Wash

contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|------------------------|------------|-------------|
| Monoethanolamine | 141-43-5 | 30 - 60 |
| Diethanolamine | 111-42-2 | 0.1 - 1 |

^{*} Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections

4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove the affected person to fresh air. If symptoms

develop and persist, get medical attention.

Skin contact: Immediately wash skin thoroughly with soap and water. If symptoms develop

and persist, get medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. DO NOT induce vomiting unless directed to

do so by medical personnel. Give one to two glasses of water or milk. Never

give anything by mouth to a victim who is unconscious or is having

convulsions.

Symptoms: See Section 11.

IDH number: 1847212

Notes to physician: Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Extinguishing media: carbon dioxide, foam, powder, water spray jet, fine water spray

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. Wear full protective clothing.

Unusual fire or explosion hazards:

This product is an aqueous mixture which will not burn. If evaporated to

dryness, the solid residue may pose a moderate fire hazard.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate personal

protective equipment. Do not allow product to enter sewer or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists of

this product. Wash thoroughly after handling. Provide adequate ventilation. For industrial use only. Do not mix this product with material which contain

AMINES. NITROSAMINE may be formed.

Storage: For safe storage, store between -5 °C (23°F) and 40 °C (104°F)

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|------------------------|---|------------------------|-----------|-------|
| Monoethanolamine | 3 ppm TWA 6 ppm STEL | 3 ppm (6 mg/m3) PEL | None | None |
| Diethanolamine | 1 mg/m3 TWA Inhalable fraction and vapor. (SKIN) Inhalable fraction and vapor | None | None | None |

Engineering controls: Ventilation should effectively remove and prevent buildup of any

vapor/mist/fume/dust generated from the handling of this product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Safety goggles or safety glasses with side shields.

Skin protection: Wear impervious gloves for prolonged contact. Gloves should be tested to

determine suitability for prolonged contact. Use of impervious apron and boots

are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Water white Odor: Amine Odor threshold: Not available. pH: 11.6 - 12.2 Vapor pressure: Not determined

Boiling point/range: 100 °C (212°F) calculated

Melting point/ range: Not determined

Specific gravity: 1.02 - 1.04 at 20 °C (68°F)

Vapor density: Not available. Flash point: Not applicable Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available Autoignition temperature: Not determined Evaporation rate: Not available. Solubility in water: Complete Partition coefficient (n-octanol/water): Not determined **VOC** content: Not determined Viscosity: 1 - 10 cp **Decomposition temperature:** Not available.

IDH number: 1847212

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: None under normal processing.

Hazardous decomposition

products:

IDH number: 1847212

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials: Monoethanolamine: reacts violently with acetic acid, acetic anhydride, acrolein, acrylic acid,

acrylonitrile, chlorosulfonic acid, epichlorohydrin, hydrochloric acid, hydrofluoric acid, sulfuric

acid, mesityle oxide, nitric acid, oleum, b-propiolactone and vinyl acetate.

Reactivity: Not available.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Inhalation: Can cause severe irritation and burns to the respiratory tract.

Skin contact: Corrosive to the skin. Contact with the skin or mucous membranes may cause severe irritation

and burns. A component in this product may be absorbed through the skin in harmful amounts.

This product may cause an allergic skin reaction.

Eye contact: This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

Ingestion: Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the

digestive tract. May cause dizziness, incoordination, headache, nausea, and vomiting.

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects | |
|------------------------|---|--|--|
| Monoethanolamine | Oral LD50 (RAT) = 10.2 g/kg Dermal LD50 (RABBIT) = 1,025 mg/kg | Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental | |
| Diethanolamine | Oral LD50 (RAT) = 710 mg/kg Oral LD50 (RAT) = 1.82 g/kg | Allergen, Blood, Brain, Central nervous system, Corrosive, Heart, Irritant, Kidney, Liver, Respiratory, Spleen | |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|------------------------|----------------|-----------------|--|
| Monoethanolamine | No | No | No |
| Diethanolamine | No | Group 2B | No |

12. ECOLOGICAL INFORMATION

Ecological information:No data available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number: Wastes must be tested using methods described in 40 CFR Part 261 to

determine if it meets applicable definitions of hazardous wastes. Material, if discarded, is not expected to be a characteristic hazardous waste under

RCRA.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Ethanolamine solutions

Hazard class or division:

Identification number: UN 2491 Packing group: Ш

International Air Transportation (ICAO/IATA)

Proper shipping name: Ethanolamine solution

Hazard class or division: 8

Identification number: UN 2491 Packing group: Ш

Water Transportation (IMO/IMDG)

Proper shipping name: ETHANOLAMINE SOLUTION

Hazard class or division:

Identification number: UN 2491 Packing group: Ш

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: None above reporting de minimis CERCLA/SARA Section 311/312: Immediate Health, Delayed Health CERCLA/SARA Section 313: None above reporting de minimis

This product contains a chemical known in the State of California to cause cancer. California Proposition 65:

Canada Regulatory Information

IDH number: 1847212

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New information added in Section(s): 9

Prepared by: Jennifer Mckay, Regulatory Affairs Specialist

Issue date: 11/20/2015

> Product name: BONDERITE L-GP 6748 LUBRICANT known as Bonderite L-GP 6748 Page 5 of 6

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 1847212