

# Safety Data Sheet



Revision Number: 005.9

Issue date: 09/10/2021

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name:** BONDERITE M-NT 5200 MU AERO  
CONVERSION COATING known as  
ALODINE 5200 MAKEUP  
**IDH number:** 594142

**Product type/use:** Conversion coating  
**Restriction of Use:** None identified  
**Region:** United States

**Company address:** Henkel Corporation  
One Henkel Way  
Rocky Hill, Connecticut 06067

**Contact information:**  
Telephone: +1 (860) 571-5100  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**DANGER:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN CORROSION     | 1C - Corrosive  |
| SERIOUS EYE DAMAGE | 1               |

### PICTOGRAM(S)



### Precautionary Statements

**Prevention:** Wash affected area thoroughly after handling. Wear protective gloves, clothing, eye and face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing before reuse.

**Storage:** Store locked up.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)                    | CAS Number | Percentage* |
|-------------------------------------------|------------|-------------|
| Substituted polyhydroxy aromatic compound | Unknown    | 1 - 5       |
| 1-Propoxy-2-propanol                      | 1569-01-3  | 1 - 5       |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

IDH number: 594142

Product name: BONDERITE M-NT 5200 MU AERO CONVERSION COATING known as ALODINE 5200 MAKEUP

#### 4. FIRST AID MEASURES

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>         | If inhaled, immediately remove the affected person to fresh air. If symptoms develop and persist, get medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Skin contact:</b>       | Rinse with large amounts of running water. For large burns (greater than 25 square inches), continually massage 2.5% calcium gluconate gel into the burn area until the pain is relieved.                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Eye contact:</b>        | In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Ingestion:</b>          | DO NOT induce vomiting unless directed to do so by medical personnel. Get immediate medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Symptoms:</b>           | See Section 11.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Notes to physician:</b> | Treatment of hypocalcemia associated with corrosive fluoride compounds exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous magnesium sulfate. Ocular exposure to corrosive fluoride compounds has been treated with isotonic sodium chloride or magnesium chloride. Dermal exposure to corrosive fluoride compounds has been treated with calcium gluconate or calcium carbonate gel applied topically to the affected areas to relieve pain at the site of exposure. |

#### 5. FIRE FIGHTING MEASURES

|                                           |                                                                                                                  |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Extinguishing media:</b>               | Use media appropriate for surrounding material.                                                                  |
| <b>Special firefighting procedures:</b>   | Wear full protective clothing. Wear self-contained breathing apparatus.                                          |
| <b>Unusual fire or explosion hazards:</b> | Formation of toxic gases is possible during heating or in fires.                                                 |
| <b>Hazardous combustion products:</b>     | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

|                                   |                                                                                                                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Environmental precautions:</b> | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up.                                             |
| <b>Clean-up methods:</b>          | Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations. |

#### 7. HANDLING AND STORAGE

|                  |                                                                                                                                                                                                  |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling:</b> | Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. For industrial use only. Do not take internally.                                    |
| <b>Storage:</b>  | For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C). Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Protect from freezing. |

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)                    | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|-------------------------------------------|-----------|----------|-----------|-------|
| Substituted polyhydroxy aromatic compound | None      | None     | None      | None  |
| 1-Propoxy-2-propanol                      | None      | None     | None      | None  |

|                                |                                                                                                                                                               |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls:</b>   | Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.   |
| <b>Respiratory protection:</b> | If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided. |
| <b>Eye/face protection:</b>    | Safety goggles or safety glasses with side shields.                                                                                                           |
| <b>Skin protection:</b>        | Wear impervious gloves for prolonged contact. Use of impervious apron and boots are recommended.                                                              |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                 |                                          |
|-------------------------------------------------|------------------------------------------|
| <b>Physical state:</b>                          | Liquid                                   |
| <b>Color:</b>                                   | Orange                                   |
| <b>Odor:</b>                                    | Mild                                     |
| <b>Odor threshold:</b>                          | Not available.                           |
| <b>pH:</b>                                      | 1.3                                      |
| <b>Vapor pressure:</b>                          | 18 mm hg (20 °C (68°F))                  |
| <b>Boiling point/range:</b>                     | > 100 °C (> 212°F)                       |
| <b>Melting point/ range:</b>                    | Not available.                           |
| <b>Specific gravity:</b>                        | 1.01 - 1.03                              |
| <b>Vapor density:</b>                           | Not determined                           |
| <b>Flash point:</b>                             | 93.4 °C (200.12 °F) Tagliabue closed cup |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.                           |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.                           |
| <b>Autoignition temperature:</b>                | Not applicable                           |
| <b>Flammability:</b>                            | Not applicable                           |
| <b>Evaporation rate:</b>                        | Not available.                           |
| <b>Solubility in water:</b>                     | Complete                                 |
| <b>Partition coefficient (n-octanol/water):</b> | Not determined                           |
| <b>VOC content:</b>                             | 1.7 %                                    |
| <b>Viscosity:</b>                               | Not available.                           |
| <b>Decomposition temperature:</b>               | Not available.                           |

## 10. STABILITY AND REACTIVITY

|                                          |                                                                                                                                                                              |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stability:</b>                        | Stable at normal conditions.                                                                                                                                                 |
| <b>Hazardous reactions:</b>              | Will not occur.                                                                                                                                                              |
| <b>Hazardous decomposition products:</b> | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. May liberate hydrogen fluoride.                             |
| <b>Incompatible materials:</b>           | Not available.                                                                                                                                                               |
| <b>Reactivity:</b>                       | This product may react with strong alkalies. This material will react with glass, concrete, certain metals, silica containing materials, rubber, leather, and many organics. |
| <b>Conditions to avoid:</b>              | Keep away from heat, ignition sources and incompatible materials.                                                                                                            |

## 11. TOXICOLOGICAL INFORMATION

|                                     |                        |
|-------------------------------------|------------------------|
| <b>Relevant routes of exposure:</b> | Skin, Inhalation, Eyes |
|-------------------------------------|------------------------|

#### Potential Health Effects/Symptoms

|                      |                                                                                                                                                                                             |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | Mists, vapors or liquid may cause severe irritation or burns. Inhalation of mists or vapors may produce upper airway edema, wheezing, pulmonary edema, pneumonitis and respiratory failure. |
| <b>Skin contact:</b> | Liquid or vapor can cause fluoride-type irritation or burns which may not be immediately painful or visible.                                                                                |
| <b>Eye contact:</b>  | This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness.                                                                            |
| <b>Ingestion:</b>    | This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.                                                                                                 |

| Hazardous Component(s)                    | LD50s and LC50s                                                | Immediate and Delayed Health Effects           |
|-------------------------------------------|----------------------------------------------------------------|------------------------------------------------|
| Substituted polyhydroxy aromatic compound | None                                                           | No Data                                        |
| 1-Propoxy-2-propanol                      | Oral LD50 (Rat) = 2.8 g/kg<br>Dermal LD50 (Rabbit) = 3.55 g/kg | Central nervous system, Eyes, Irritant, Kidney |

| Hazardous Component(s)                    | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-------------------------------------------|----------------|-----------------|------------------------------------------|
| Substituted polyhydroxy aromatic compound | No             | No              | No                                       |
| 1-Propoxy-2-propanol                      | No             | No              | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Do not empty into drains / surface water / ground water.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

#### U.S. Department of Transportation Ground (49 CFR)

**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s. (Fluorotitanic acid)  
**Hazard class or division:** 8  
**Identification number:** UN 3264  
**Packing group:** III

#### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s. (Fluorotitanic acid)  
**Hazard class or division:** 8  
**Identification number:** UN 3264  
**Packing group:** III

#### Water Transportation (IMO/IMDG)

**Proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Fluorotitanic acid)  
**Hazard class or division:** 8  
**Identification number:** UN 3264  
**Packing group:** III

## 15. REGULATORY INFORMATION

#### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

**TSCA 12 (b) Export Notification:** None above reporting de minimis

**CERCLA/SARA Section 302 EHS:** None above reporting de minimis.  
**CERCLA/SARA Section 311/312:** Immediate Health, Delayed Health

|                                   |                                                                                                                      |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>CERCLA/SARA Section 313:</b>   | None above reporting de minimis.                                                                                     |
| <b>California Proposition 65:</b> | This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |

#### Canada Regulatory Information

|                             |                                                                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CEPA DSL/NDL Status:</b> | One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List. |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|

## 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** New Safety Data Sheet format.

**Prepared by:** Regulatory Affairs

**Issue date:** 09/10/2021

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.