Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Plasdone™ C-30 Trade name

polymer

™ Trademark, Ashland or its subsidiaries, registered in

various countries

PLASDONE® C-30 Substance name

Substance No.

EC-No. 618-363-4

CAS-No. 9003-39-8

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Pharmaceutical

Details of the supplier of the safety data Emergency telephone number sheet

Ashland

P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

1-614-790-3333

1-800-ASHLAND (1-800-274-5263)

Regulatory information

1-614-790-3333 (customer service)

Product Information

1-614-790-3333

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

P Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

Precautionary Statements : **Prevention:**

Keep dust/air mixtures away from ignition sources.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

Hazardous components
No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

P Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Specific hazards during

firefighting

: Organic dusts at sufficient concentration can form explosive

mixtures in air.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Nitrogen oxides (NOx)

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Material can create slippery conditions.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for

: Pick up and arrange disposal without creating dust.

containment and cleaning up Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

P Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

Advice on protection against :

fire and explosion

Take measures to prevent the build up of electrostatic charge. Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : A

Avoid dust formation.

Ensure all equipment is electrically grounded and bonded

before beginning transfer operations.

The material can accumulate static charge and can therefore

cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible

Particulate Solids".

Conditions for safe storage : No smoking.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide appropria

: Provide appropriate exhaust ventilation at places where dust

is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

P Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

solid

Physical state : solid

Colour : white, off-white

Odour : odourless

Odour Threshold : Not applicable

pH : 3 - 5

Concentration: 5 %

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

P Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : not determined

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Dust may form explosive mixture in air.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

P Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

Incompatible materials : Strong oxidizing agents

strong reducing agents

Hazardous decomposition

products Carbon monoxide

Carbon dioxide (CO2) Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact

Eye contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

**Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

a P	Λ				Page: 9
b P	Ashland always solving				
SAFETY D	ATA SHEET			Revision	Date: 10/05/2020
-				Print	Date: 11/24/2020
				SDS N	umber: R0718305
Plasdone™ C-3 ™ Trademark, A in various counts 839233	shland or its subsidiaries, registe	red			Version: 1.4
SECTION 14. 1	RANSPORT INFORMATION				
	ransport regulations				
REGULATION		T = . = =		1 = 1 = 1 = 1	1
ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

115	DOT	- R(חער

Not dangerous goods	

CFR_RAIL_C

Not dangerous goods
ret dangerede geede

U.S. DOT - INLAND WATERWAYS

Not dangerous goods	

TDG_ROAD_C

Not dangerous goods	

TDG_RAIL_C

Not dangerous goods	

TDG_INWT_C

Not dangerous goods	

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods	

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods		

MX_DG

P Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

Not dangerous goods	

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

POLYVINYLPOLYPYRROLIDONE 9003-39-8

New Jersey Right To Know

POLYVINYLPOLYPYRROLIDONE 9003-39-8

P Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer	Version: 1.4
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
839233	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On or in compliance with the active portion of the TSCA

inventory

Inventories


AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

P Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association;

P Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 10/05/2020
	Print Date: 11/24/2020
	SDS Number: R0718305
Plasdone™ C-30 polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 839233	Version: 1.4

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply

with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

Revision Date 10/05/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. US / EN