Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Trade name	: Klucel™ EF Hydroxypropylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries
Substance name	Hydroxypropylcellulose
Substance No. EC-No.	618-388-0
Relevant identified uses of the Recommended use	 substance or mixture and uses advised against Rheology modifier in Personal Care for food applications for pharmaceutical applications

in industrial applications

Details of the supplier of the safety data sheet	Emergency telephone number 1-800-ASHLAND (1-800-274-5263)
Ashland P.O. Box 2219 Columbus, OH 43216 United States of America	Regulatory Information Number 1-800-325-3751 Product Information 614-790-3333
EHSProductSafety@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Combustible Dust	:
GHS label elements Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air.

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

Precautionary Statements

: **Prevention:** Keep dust/air mixtures away from ignition sources.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

	Substance /	/ Mixture	:	Substance
--	-------------	-----------	---	-----------

Chemical nature : organic

Hazardous components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	 If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	 Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: No symptoms known or expected.
Notes to physician	: No hazards which require special first aid measures.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam
Specific hazards during firefighting	 Organic dusts at sufficient concentration can form explosive mixtures in air. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: carbon dioxide and carbon monoxide
Specific extinguishing methods	:
	Product is compatible with standard fire-fighting agents.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Avoid dust formation. Avoid breathing dust. Material can create slippery conditions. Persons not wearing protective equipment should be exclude from area of spill until clean-up has been completed. 	bet
Environmental precautions	Prevent further leakage or spillage if safe to do so.	
Methods and materials for containment and cleaning up	 Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. 	
Other information	: Comply with all applicable federal, state, and local regulatio	ns.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

	Ensure all equipment is electrically grounded and bonded before beginning transfer operations. The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards. For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".
Conditions for safe storage :	No smoking. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid :	No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures :	: Provide appropriate exhaust ventilation at places where dr is formed. General room ventilation should be adequate for normal conditions of use. However, if unusual operating condition exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known suspected or apparent adverse effects.	
Personal protective equipment Respiratory protection :	No personal respiratory protective equipment normally required.	
Eye protection : Skin and body protection :	Safety glasses Wear as appropriate:	

S Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered	Version: 1.2
in various countries 420705	

Safety shoes Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Physical state	: solid
Colour	: off-white
Odour	: slight
Odour Threshold	: No data available
рН	: 5 - 8.5 Concentration: 2 % (as aqueous solution)
Softening point	: 212 - 302 °F / 100 - 150 °C
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Flash point Evaporation rate	Not applicableNo data available
·	
Evaporation rate	: No data available
Evaporation rate Flammability (solid, gas)	No data availableCombustible Dust
Evaporation rate Flammability (solid, gas) Upper explosion limit	No data availableCombustible DustNo data available
Evaporation rate Flammability (solid, gas) Upper explosion limit Lower explosion limit	 No data available Combustible Dust No data available 30 g/m3
Evaporation rate Flammability (solid, gas) Upper explosion limit Lower explosion limit Vapour pressure	 No data available Combustible Dust No data available 30 g/m3 No data available

S Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

Solubility(ies) Water solubility	: Insoluble > 45 °C
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: 420 °C
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available
Minimum ignition energy	: > 3 - 10 mJ
Burning number	: 526 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

Information on likely routes of	:	Inhalation
exposure		Skin contact
-		Eye Contact

Ingestion

Acute toxicity

Not classified based on available information. Product: Acute oral toxicity

: LD 50 (Rat): > 10 g/kg Remarks: Based on a similar product formulation.

Skin corrosion/irritation

Not classified based on available information. Serious eye damage/eye irritation

Not classified based on available information.


Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. **STOT - repeated exposure** Not classified based on available information. Aspiration toxicity Not classified based on available information. **Further information** Product: Remarks: No data available Carcinogenicity: IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability <u>Product:</u> Biodegradability :	Remarks: Inherently biodegradable
No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available	
Product: Additional ecological : information	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID I	NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
						LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

Salways solving	Page: 9
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel™ EF Hydroxypropylcellulose	Version: 1.2
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420705	

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	Fire Hazard		
SARA 313 Component(s)SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
Pennsylvania Right To Know HYDROXYPROPYL CELLULOSE 9004-64-2			
New Jersey Right To Know HYDROXYPROPYL CELLULOSE 9004-64-2			
California Prop 65 This product does not contain any chemicals known to Sta of California to cause cancer, birth defects, or any other			
reproductive harm. The components of this product are reported in the following inventories: TSCA : On TSCA Inventory			
DSL	: All components of this product are on the Canadian DSL		
AICS	: On the inventory, or in compliance with the inventory		
ENCS	: On the inventory, or in compliance with the inventory		
KECI	: On the inventory, or in compliance with the inventory		
PICCS	: On the inventory, or in compliance with the inventory		
IECSC	: On the inventory, or in compliance with the inventory		


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information Revision Date: 11/07/2016

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2



Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists BEI : Biological Exposure Index CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association.

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 11/07/2016
	Print Date: 12/22/2016
	SDS Number: R0702827
Klucel [™] EF Hydroxypropylcellulose [™] Trademark, Ashland or its subsidiaries, registered in various countries 420705	Version: 1.2

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act HMIRC : Hazardous Materials Information Review Commission HMIS : Hazardous Materials Identification System NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System