

# SAFETY DATA SHEET

## AMINOX DROP

Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

### SECTION 1. IDENTIFICATION

CAS-No. : 68412-48-6

#### Recommended use of the chemical and restrictions on use

Recommended use : Antioxidant

Restrictions on use : For professional and industrial installation and use only.

#### Manufacturer or supplier's details

Company:	<u>Supplier</u>
	SI Group USA (USAA), LLC
	4 Mountainview Terrace
	Suite 200
	Danbury, CT
	United States of America (USA)
	06810

#### Emergency telephone number

Emergency telephone number: +1 703-741-5970 (CHEMTREC/US)  
+44 (0) 1235 239 670 (NCEC/EU)  
0 512 8090 3042 (NRCC/CHINA)  
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Skin sensitisation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

H413 May cause long lasting harmful effects to aquatic life.  
May form combustible dust concentrations in air.

Precautionary statements

:

### Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P302 + P312 IF ON SKIN: Call a POISON CENTER/doctor if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P321 Specific treatment (see supplemental first aid instructions on this label).  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

CAS-No. : 68412-48-6

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
2-Propanone, reaction products with diphenylamine	68412-48-6	$\geq 90$ - $\leq 100$
DPA	122-39-4	$\geq 5$ - $< 10$

The exact percentage concentrations of components are being withheld as a trade secret in accordance with paragraph (i) of §1910.120

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
Consult a physician after significant exposure.

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

- 
- |   |   |
|---|---|
| In case of skin contact                                     | : Take off contaminated clothing and shoes immediately.<br>Wash off with soap and plenty of water.<br>If symptoms persist, call a physician.  |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.             |
| If swallowed  | : Clean mouth with water and drink afterwards plenty of water.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>Obtain medical attention. |
| Most important symptoms and effects, both acute and delayed | : Product dust may be irritating to eyes, skin and respiratory system.<br>No information available.   |
| Notes to physician  | : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.  |
- 

### SECTION 5. FIREFIGHTING MEASURES

- |   |   |
|---|---|
| Suitable extinguishing media                  | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.<br>Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br><br>Do not allow run-off from fire fighting to enter drains or water courses. |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.   |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.  |
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces |
|---|---|
-

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

with compressed air).  
Non-sparking tools should be used.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

Environmental precautions :

Do not flush into surface water or sanitary sewer system.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Minimize dust generation and accumulation.  
Routine housekeeping should be instituted to ensure that  
dusts do not accumulate on surfaces.  
Dry powders can build static electricity charges when  
subjected to the friction of transfer and mixing operations.  
Keep away from heat and sources of ignition.

Avoid formation of respirable particles.  
Avoid exceeding the given occupational exposure limits (see  
section 8).  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the  
application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national  
regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

##### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
------------	---------	-------------------------------------	--	-------

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

			concentration	
DPA	122-39-4	TWA	10 mg/m3	ACGIH
		TWA	10 mg/m3	OSHA P0
		TWA	10 mg/m3	NIOSH REL

### Exposure controls

**Engineering measures** : It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.  
Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

### Personal protective equipment

**Respiratory protection** : In the case of dust or aerosol formation use respirator with an approved filter.  
Dust safety masks are recommended when the dust concentration is more than 10 mg/m3.

**Hand protection**

**Remarks** : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before removing gloves clean them with soap and water.

**Eye protection** : Eye wash bottle with pure water  
Tightly fitting safety goggles

**Skin and body protection** : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### Environmental exposure controls

Water : Do not let product enter drains.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Pastilles, or, flakes
Colour	: green, to, brown
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: 85 - 95 °C
Boiling point/boiling range	: No data available
Flash point	: 179.4 °C Method: Tag closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.16 (25 °C)
Density	: No data available
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: Solvent: Acetone Description: soluble

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Surface tension : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

Conditions to avoid : No data available

Incompatible materials : Strong acids and strong bases, Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### **Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 8.33 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 5,000 mg/kg  
Method: Calculation method

Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

---

**Skin corrosion/irritation****Product:**

Remarks: The product is not considered as being a skin irritant.

**Components:****2-Propanone, reaction products with diphenylamine:**

Species: Rabbit

Result: No skin irritation

**DPA:**

Species: Rabbit

Result: No skin irritation

**Serious eye damage/eye irritation****Product:**

Remarks: The product is not considered as being an eye irritant.

**Components:****2-Propanone, reaction products with diphenylamine:**

Species: Rabbit

Result: No eye irritation

**Respiratory or skin sensitisation****Product:**

Remarks: No data available

**Germ cell mutagenicity****Components:****2-Propanone, reaction products with diphenylamine:**

Genotoxicity in vitro	:	Test Type: Ames test
		Metabolic activation: with and without metabolic activation
		Result: negative
		GLP: yes
	:	Test Type: Unscheduled DNA synthesis (UDS)
		Metabolic activation: with and without metabolic activation
		Result: negative
		GLP: yes
	:	Test Type: In Vitro mammalian Cell Gene Mutation Test
		Metabolic activation: with and without metabolic activation
		Result: negative
		GLP: yes



# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4	Revision Date: 2019/08/26	SDS Number: 400000002892	Country : US Language: EN
----------------	------------------------------	-----------------------------	------------------------------

---

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative  
GLP: yes

### Carcinogenicity

#### Product:

Carcinogenicity - Assessment : No data available

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

#### Product:

Remarks: No data available

### STOT - repeated exposure

#### Product:

Remarks: No data available

### Aspiration toxicity

#### Product:

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

SI Group, The Substance Inside and the SI Group logo are Reg. U.S. Pat. & Tm Off. and additional countries, to SI Group, Inc.

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

---

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: No data is available on the product itself.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data is available on the product itself.

Toxicity to algae : Remarks: No data is available on the product itself.

Toxicity to microorganisms : Remarks: No data is available on the product itself.

#### Components:

#### DPA:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.79 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

LC50 (Leuciscus idus (Golden orfe)): > 20 mg/l  
Exposure time: 48 h

LC50 (Oryzias latipes (Orange-red killifish)): 5.1 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l  
Exposure time: 24 h

Toxicity to algae : EC50 (Algae): 0.18 mg/l  
Exposure time: 72 h

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

# SAFETY DATA SHEET

## AMINOX DROP



Version  
1.4

Revision Date:  
2019/08/26

SDS Number:  
400000002892

Country : US  
Language: EN

---

Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

##### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

DPA	122-39-4	6 %
-----	----------	-----

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

DPA	122-39-4	6 %
-----	----------	-----

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

Not listed

#### New Jersey Right To Know

Not listed

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: Not in compliance with the inventory

### TSCA list

DPA 122-39-4

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS

# SAFETY DATA SHEET

## AMINOX DROP



Version	Revision Date:	SDS Number:	Country : US
1.4	2019/08/26	400000002892	Language: EN

- Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### NFPA:

Flammability	
1	0
1	Health
Instability	

Special hazard.

#### HMIS® IV:

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 2019/08/26

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS, DATA OR INFORMATION HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

# SAFETY DATA SHEET

## AMINOX DROP



Version 1.4      Revision Date: 2019/08/26      SDS Number: 400000002892      Country : US  
Language: EN

US / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Numbers:

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670
<u>Asia Pacific:</u>	East / South East Asia	Regional Number : +65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	:Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285
	Vietnam	+65 3158 1255
	India	+65 3158 1198
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Bangladesh	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States / Canada	001866 928 0789
<u>Latin America:</u>	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
	Mexico	+52 555 004 8763