| Ashland always solving  | Page: 1                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

### 29 CFR 1910.1200 (OSHA HazCom 2012)

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product identifier<br>Trade name | : | Ganex™ SENSORY<br>polymer<br>™ Trademark, Ashland or its subsidiaries, registered in<br>various countries   |
|----------------------------------|---|---|
| Substance name                   |   | 2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with 1-<br>ethenyl-2-pyrrolidinone and 2-propenoic acid |
| Substance No.<br>CAS-No.         |   | 83120-95-0  |

# Recommended use of the chemical and restrictions on use

| Details of the supplier of the safety data sheet                           | Emergency telephone number<br>1-800-ASHLAND (1-800-274-5263)           |
|--|--|
| Ashland<br>P.O. Box 2219<br>Columbus, OH 43216<br>United States of America | Regulatory Information Number<br>1-800-325-3751<br>Product Information |
| EHSProductSafety@ashland.com   | 614-790-3333   |

### SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification<br>Combustible Dust | :  |
|--|--|
| GHS Label element<br>Signal Word       | : Warning  |
| Hazard Statements                      | : May form combustible dust concentrations in air. |
| <b>Other hazards</b><br>None known.    |  |

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ashland always solving  | Page: 2                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

Substance / Mixture

: Substance

Chemical nature

: organic

Hazardous components No hazardous ingredients

### **SECTION 4. FIRST AID MEASURES**

| General advice  | : No hazards which require special first aid measures.  |
|---|---|
| If inhaled  | <ul> <li>If breathed in, move person into fresh air.</li> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>   |
| In case of skin contact                                     | : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.  |
| In case of eye contact                                      | <ul> <li>Flush eyes with water as a precaution.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>  |
| If swallowed  | <ul> <li>IF SWALLOWED: Call a POISON CENTER or doctor/<br/>physician if you feel unwell.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul> |
| Most important symptoms and effects, both acute and delayed | : No symptoms known or expected.  |
| Notes to physician  | : No hazards which require special first aid measures.  |

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

| S Ashland always solving  | Page: 3                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex™ SENSORY polymer  | Version: 2.2              |
| <sup>™</sup> Trademark, Ashland or its subsidiaries, registered |                           |
| in various countries  |                           |
| 886153  |                           |

|   | Water spray<br>Foam  |
|---|--|
| Unsuitable extinguishing media                | : High volume water jet  |
| Specific hazards during firefighting          | <ul> <li>Organic dusts at sufficient concentration can form explosive<br/>mixtures in air.</li> <li>Do not allow run-off from fire fighting to enter drains or water<br/>courses.</li> </ul> |
| Hazardous combustion products                 | : carbon dioxide and carbon monoxide   |
| Specific extinguishing methods                | :  |
|   | Product is compatible with standard fire-fighting agents.  |
| Further information                           | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.   |

# SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | <ul> <li>Avoid dust formation.</li> <li>Avoid breathing dust.</li> <li>Material can create slippery conditions.</li> <li>Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.</li> </ul> |
|---|---|
| Environmental precautions   | <ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>                               |
| Methods and materials for<br>containment and cleaning up                  | : Keep in suitable, closed containers for disposal.   |
| Other information   | : Comply with all applicable federal, state, and local regulations.   |

| S Ashland always solving  | Page: 4                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

| Advice on safe handling     | : For further guidance on prevention of dust explosions, refer to<br>National Fire Protection Association (NFPA) 654: "Standard<br>for the Prevention of Fire and Dust Explosions, from the<br>Manufacturing, Processing and Handling of Combustible<br>Particulate Solids".   |
|-----------------------------|--|
|                             | <ul> <li>Avoid dust formation.</li> <li>Ensure all equipment is electrically grounded and bonded before beginning transfer operations.</li> <li>The material can accumulate static charge and can therefore cause electrical ignition of flammable atmospheres.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>For personal protection see section 8.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.</li> </ul> |
| Conditions for safe storage | <ul> <li>Keep container tightly closed in a dry and well-ventilated<br/>place.</li> <li>Containers which are opened must be carefully resealed and<br/>kept upright to prevent leakage.</li> <li>No smoking.</li> </ul>  |

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

| Engineering measures | : | Provide sufficient mechanical (general and/or local exhaust)<br>ventilation to maintain exposure below exposure guidelines (if<br>applicable) or below levels that cause known, suspected or<br>apparent adverse effects.<br>Provide appropriate exhaust ventilation at places where dust<br>is formed. |
|----------------------|---|---|
|                      |   |   |

# Personal protective equipment

| Hand protection |
|-----------------|
| Remarks         |

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

| Ashland always solving  | Page: 5                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex™ SENSORY polymer  | Version: 2.2              |
| <sup>™</sup> Trademark, Ashland or its subsidiaries, registered |                           |
| in various countries  |                           |
| 886153  |                           |

| Eye protection           | : | Safety glasses   |
|--------------------------|---|--|
| Skin and body protection | : | Wear resistant gloves (consult your safety equipment<br>supplier).<br>Wear as appropriate:<br>Safety shoes<br>Dust impervious protective suit<br>Choose body protection according to the amount and<br>concentration of the dangerous substance at the work place. |
| Hygiene measures         | : | Avoid breathing dust.<br>Wash hands before breaks and at the end of workday.<br>When using do not eat or drink.<br>When using do not smoke.  |

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance                   | : powder            |
|------------------------------|---------------------|
| Physical state               | : solid             |
| Colour                       | : white             |
| Odour                        | : No data available |
| Odour Threshold              | : No data available |
| рН                           | : No data available |
| Melting point/freezing point | : No data available |
| Boiling point/boiling range  | : No data available |
| Flash point                  | : Not applicable    |
| Evaporation rate             | : No data available |
| Flammability (solid, gas)    | : No data available |
| Upper explosion limit        | : No data available |
| Lower explosion limit        | : No data available |
| Vapour pressure              | : No data available |
| Relative vapour density      | : No data available |

| Ashland always solving  | Page: 6                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

| Relative density                           | : No data available |
|--|---------------------|
| Density                                    | : 1 g/cm3 (20 °C)   |
| Solubility(ies)<br>Water solubility        | : No data available |
| Solubility in other solvents               | : No data available |
| Partition coefficient: n-<br>octanol/water | : No data available |
| Thermal decomposition                      | : No data available |
| Viscosity<br>Viscosity, dynamic            | : No data available |
| Viscosity, kinematic                       | : No data available |
| Oxidizing properties                       | : No data available |

# SECTION 10. STABILITY AND REACTIVITY

| Reactivity                         | : No decomposition if stored and applied as directed.            |
|------------------------------------|--|
| Chemical stability                 | : Stable under recommended storage conditions.                   |
| Possibility of hazardous reactions | : Dust may form explosive mixture in air.                        |
| Conditions to avoid                | : Keep away from heat, flame, sparks and other ignition sources. |
| Hazardous decomposition products   | No hazardous decomposition products are known.                   |

#### SECTION 11. TOXICOLOGICAL INFORMATION

| Information on likely routes of | : | Inhalation   |
|---------------------------------|---|--------------|
| exposure                        |   | Skin contact |
|                                 |   | Eye Contact  |

| Ashland always solving                               | Page: 7                   |
|--|---------------------------|
| SAFETY DATA SHEET                                    | Revision Date: 11/07/2016 |
|  | Print Date: 3/31/2017     |
|  | SDS Number: R0718329      |
| Ganex™ SENSORY polymer                               | Version: 2.2              |
| ™ Trademark, Ashland or its subsidiaries, registered |                           |
| in various countries                                 |                           |
| 886153   |                           |

Ingestion

#### Acute toxicity Not classified based on available information. Product: Acute oral toxicity

: LD50 (Rat): 5,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information. Product: Species: Rabbit Result: Slightly irritating to skin

### Serious eye damage/eye irritation

Not classified based on available information. Product: Species: Rabbit Result: Mildly irritating to eyes

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Product: Test Type: Human Repeat Insult Patch Testing (HRIPT) Result: Does not cause skin sensitisation.

# Germ cell mutagenicity

Not classified based on available information. Product: Genotoxicity in vitro

Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation **Result: negative** 

#### Carcinogenicity

Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information.

| Ashland always solving  | Page: 8                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

#### Aspiration toxicity

Not classified based on available information. **Further information Product:** Remarks: No data available

#### Carcinogenicity:

| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
|------|---|
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.             |
| NTP  | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.                 |

# SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity

#### Product: Ecotoxicology Assessment Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life. Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects. Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Other adverse effects No data available Product: Additional ecological : An environmental hazard cannot be excluded in the event of information unprofessional handling or disposal., Harmful to aquatic life

| S Ashland always solving  | Page: 9                   |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex™ SENSORY polymer  | Version: 2.2              |
| <sup>™</sup> Trademark, Ashland or its subsidiaries, registered |                           |
| in various countries  |                           |
| 886153  |                           |

with long lasting effects.

### SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods         |   |
|--------------------------|---|
| General advice :         | The product should not be allowed to enter drains, water<br>courses or the soil.<br>Do not contaminate ponds, waterways or ditches with<br>chemical or used container.<br>Send to a licensed waste management company.<br>Dispose of in accordance with all applicable local, state and<br>federal regulations. |
| Contaminated packaging : | Empty remaining contents.<br>Dispose of as unused product.<br>Empty containers should be taken to an approved waste<br>handling site for recycling or disposal.<br>Do not re-use empty containers.  |

# **SECTION 14. TRANSPORT INFORMATION**

# International transport regulations

# REGULATION

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD<br>CLASS | SUBSIDIARY<br>HAZARDS | PACKING<br>GROUP | MARINE<br>POLLUTANT / |
|-----------|----------------------|------------------|-----------------------|------------------|-----------------------|
|           |                      |                  |                       |                  | LTD. QTY.             |

### U.S. DOT - ROAD

| Not dangerous goods |  |
|---------------------|--|
|                     |  |

### CFR\_RAIL\_C

Not dangerous goods

# U.S. DOT - INLAND WATERWAYS

Not dangerous goods

#### TDG\_ROAD\_C

Not dangerous goods

| SAShland always solving                              | Page: 10                  |
|--|---------------------------|
| SAFETY DATA SHEET                                    | Revision Date: 11/07/2016 |
|  | Print Date: 3/31/2017     |
|  | SDS Number: R0718329      |
| Ganex™ SENSORY polymer                               | Version: 2.2              |
| ™ Trademark, Ashland or its subsidiaries, registered |                           |
| in various countries                                 |                           |
| 886153   |                           |

# TDG\_RAIL\_C

Not dangerous goods

#### TDG\_INWT\_C

Not dangerous goods

### INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

# INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

#### INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

#### MX\_DG

Not dangerous goods

#### \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

| Marine pollutant | no |
|------------------|----|
|                  |    |

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

| SARA 311/312 Hazards             | : | Fire Hazard   |
|----------------------------------|---|---|
| SARA 313<br>Component(s)SARA 313 | : | This material does not contain any chemical components with<br>known CAS numbers that exceed the threshold (De Minimis)<br>reporting levels established by SARA Title III, Section 313. |
| Pennsylvania Right To Know       |   |   |

| S Ashland always solving  | Page: 11                  |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

2-propenoic acid

| New Jersey Right To Know<br>2-Propenoic ac<br>polymer with 1-<br>2-propenoic aci | 83120-95-0   | 90.00 -<br>100.00 %   |               |
|--|--|-----------------------|---------------|
| WATER  |  | 7732-18-5             | 1.00 - 5.00 % |
| California Prop 65<br>The components of this produ<br>TSCA                       | This product does not cont<br>of California to cause cand<br>reproductive harm.<br>Ict are reported in the follow<br>: On TSCA Inventory | er, birth defects, or |               |
| DSL  | : This product contains one on the Canadian DSL and  |                       |               |
| AICS   | : Not in compliance with the   | inventory             |               |
| ENCS   | : Not in compliance with the   | inventory             |               |
| KECI   | : Not in compliance with the   | inventory             |               |
| PICCS  | : Not in compliance with the   | inventory             |               |
| IECSC  | : q (quantity restricted)  |                       |               |

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


### **SECTION 16. OTHER INFORMATION**

Further information

Revision Date: 11/07/2016

|--|

| Ashland always solving  | Page: 12                  |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |



NFPA Flammable and Combustible Liquids Classification Not applicable

# Full text of H-Statements

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

| S Ashland always solving  | Page: 13                  |
|---|---------------------------|
| SAFETY DATA SHEET   | Revision Date: 11/07/2016 |
|   | Print Date: 3/31/2017     |
|   | SDS Number: R0718329      |
| Ganex <sup>™</sup> SENSORY polymer<br><sup>™</sup> Trademark, Ashland or its subsidiaries, registered<br>in various countries<br>886153 | Version: 2.2              |

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act HMIRC : Hazardous Materials Information Review Commission HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System