

	Page: 1
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Trade name : ClearHance™ C Conditioning Polymer
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) 1-614-790-3333 (USA) EHSProductSafety@ashland.com	Emergency telephone 1-800-ASHLAND (1-800-274-5263) Regulatory information 1-614-790-3333 (customer service) Product Information 1-614-790-3333 (USA)
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

	Page: 2
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

Hazardous ingredients
 No hazardous ingredients

SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.
- In case of eye contact : Remove contact lenses.
 Protect unharmed eye.
 If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion products : Carbon dioxide (CO₂)
 Carbon monoxide
 Sodium oxides
- Specific extinguishing methods :

 Standard procedure for chemical fires.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

	Page: 3
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters
 Contains no substances with occupational exposure limit values.

	Page: 4
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	SDS Number: 000000271250 Version: 1.7

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination.
Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder
Physical state : solid
Color : light brown
Odor : characteristic
Odor Threshold : No data available
pH : Not applicable
Melting point/freezing point : not determined

	Page: 6
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Protect from frost, heat and sunlight.
Incompatible materials	: Strong bases Oxidizing agents Strong acids
Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO ₂)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Eye contact
Skin contact
Ingestion

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species: reconstructed human epidermis (RhE)
Result: No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

	Page: 7
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

Product:

Result: No eye irritation

Method: Chorioallantoic membrane vascularization assay

Test substance: 10% solution

Result: No eye irritation

Method: Reconstructed Human Corneal Model

Test substance: 10% solution

Result: No eye irritation

Method: Reconstructed Human Corneal Model

Test substance: Polymer

Respiratory or skin sensitization

Skin sensitization: Based on available data, the classification criteria are not met.

Respiratory sensitization: Not classified due to lack of data.

Product:

Test Type: KeratinoSens assay

Assessment: Does not cause skin sensitization.

Method: OECD Test Guideline 442D

Test Type: Direct Peptide Reactivity Assay (DPRA)

Assessment: Does not cause skin sensitization.

Method: OECD Test Guideline 442C

Test Type: Human Repeat Insult Patch Testing (HRIPT)

Routes of exposure: Dermal

Assessment: Does not cause skin sensitization.

Test substance: 5% solution

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro

: Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

	Page: 8
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information**Product:**

Remarks: No data available

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.08 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 162 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Ecotoxicology Assessment Short-term (acute) aquatic hazard : Acute aquatic toxicity Category 2; Toxic to aquatic life.

Long-term (chronic) aquatic hazard : Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

	Page: 9
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date:02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

Other adverse effects

No data available

Product:

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice

: The product should not be allowed to enter drains, water courses or the soil.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

	Page: 10
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant		no
------------------	--	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

	Page: 11
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

- SARA 311/312 Hazards** : Combustible Dust
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Cassia Hydroxypropyltrimonium Chloride	1898261-91-0
SODIUM ACETATE ANHYDROUS	127-09-3
WATER	7732-18-5

New Jersey Right To Know

Cassia Hydroxypropyltrimonium Chloride	1898261-91-0
SODIUM ACETATE ANHYDROUS	127-09-3
WATER	7732-18-5


California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

- TCSI : Not in compliance with the inventory
- AIIC : Not in compliance with the inventory
- DSL : This product contains components that are not on the Canadian DSL nor NDSL.
- ISHL : Not in compliance with the inventory

	Page: 13
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	SDS Number: 000000271250 Version: 1.7

NFPA 704:**HMIS® IV:**

HEALTH	/	0
FLAMMABILITY	1	
PHYSICAL HAZARD	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -

	Page: 14
SAFETY DATA SHEET	Revision Date: 01/08/2024
	Print Date: 02/08/2024
	SDS Number: 000000271250
ClearHance™ C Conditioning Polymer ™ Trademark, Ashland or its subsidiaries, registered in various countries 879978	Version: 1.7

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (<http://www.ashland.com>)

Sources of key data used to compile the Material Safety Data Sheet : Ashland internal data including own and sponsored test reports
 European Union Law with content from the Official Journal of the European Union.
 European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.
 The German Water Hazard Classes.
 ReachCentrum; a series of support services to help comply with REACH regulations.
 The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.
 Cefic, the European Chemical Industry Council.
 ESIS European Chemical Substances Information System

Revision Date : 01/08/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN