DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version 3.2	Revision Date: 05/02/2017		OS Number: 37509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015	
SECTION 1. IDENTIFICATION					
Produ	ict name	:	MOLYKOTE(R)	G-804 SILICONE COMPOUND	
Produ	ict code	:	0000000000246	1269	
	facturer or supplier's bany name of supplier			poration	
Addre	ess	:	South Saginaw R Midland Michigan		
Telep	hone	:	(989) 496-6000		
Emer	gency telephone	:	24 Hour Emerger CHEMTREC : (80	ncy Telephone : (989) 496-5900 00) 424-9300	
_		_			

Recommended use of the chemical and restrictions on use

Recommended use : Lubricants and lubricant additives

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature	: Silicone grease
-----------------	-------------------

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Silicon dioxide	7631-86-9	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution.

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version 3.2	Revision Date: 05/02/2017		DS Number: 37509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015
lf swa	llowed			ntion if irritation develops and persists.
			Get medical atter	ntion if symptoms occur. oughly with water.
	mportant symptoms ffects, both acute and ed	:	None known.	
Protec	ction of first-aiders	:	No special preca	utions are necessary for first aid responders.
Notes	to physician	:	Treat symptomat	ically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides Formaldehyde Boron oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures		Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version	Revision Date:	SDS Number:	Date of last issue: 11/17/2016
3.2	05/02/2017	1337509-00007	Date of first issue: 02/23/2015
	ds and materials for nment and cleaning up	For large spills containment to can be pumpe container. Clean up rema absorbent. Local or natior disposal of this employed in th determine whi Sections 13 ar	tained. nert absorbent material. s, provide diking or other appropriate b keep material from spreading. If diked material d, store recovered material in appropriate aining materials from spill with suitable hal regulations may apply to releases and s material, as well as those materials and items he cleanup of releases. You will need to ch regulations are applicable. hd 15 of this SDS provide information regarding r national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

0				
Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL

Ingredients with workplace control parameters

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version 3.2	Revision Date: 05/02/2017		DS Number: 37509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015
	Silicon dioxide			
Engineering measures :		10). Ensure adequate	orm hazardous compounds (see section ventilation, especially in confined areas. ce exposure concentrations.	
Perso	nal protective equipm	nent		
	atory protection	:		ratory protective equipment normally
Hand	protection			
Re	marks	:	Wash hands befo	re breaks and at the end of workday.
Eye pr	otection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin a	nd body protection	:	Skin should be wa	ashed after contact.
Hygier	ne measures	:	located close to the When using do not Wash contaminate These precaution	ot eat, drink or smoke. ed clothing before re-use. s are for room temperature handling. Use at ture or aerosol/spray applications may

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white, translucent
Odor	:	none
Odor Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	> 300 °C Method: closed cup
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Ver 3.2	sion	Revision Date: 05/02/2017		S Number: 37509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015
	Self-ignition Upper explosion limit / Upper flammability limit Lower explosion limit / Lower flammability limit		:		mixture is not classified as pyrophoric. The ure is not classified as self heating.
			:	No data available	
			:	No data available	9
	Vapor	oressure	:	Not applicable	
	Relativ	e vapor density	:	No data available	9
	Relative density Solubility(ies) Water solubility		:	1.1	
			:	No data available	9
	Partitio octano	n coefficient: n- l/water	:	No data available	9
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, dynamic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	llar weight	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version 3.2	Revision Date: 05/02/2017		OS Number: 37509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015
SECTION	I 11. TOXICOLOGICA	LINF	ORMATION	
Skin Inges	mation on likely rout contact stion contact	tes of	exposure	
Not c	e toxicity classified based on ava	ailable	information.	
	edients:			
	on dioxide: e oral toxicity	:	Assessment: Tl icity	,300 mg/kg ne substance or mixture has no acute oral tox- nation taken from reference works and the
Acute	e inhalation toxicity	:	tion toxicity	4 h
Acute	e dermal toxicity	:	toxicity	> 5,000 mg/kg ne substance or mixture has no acute dermal mation taken from reference works and the

Skin corrosion/irritation

Not classified based on available information.

Ingredients:

Silicon dioxide:

Result: No skin irritation Remarks: Information taken from reference works and the literature.

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Silicon dioxide:

Result: No eye irritation Remarks: Information taken from reference works and the literature.

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

rsion	Revision Date: 05/02/2017	SDS Number: 1337509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015					
Resp	iratory or skin sensi	tization						
-	Skin sensitization Not classified based on available information.							
Respiratory sensitization Not classified based on available information. Ingredients:								
					Silicon dioxide: Assessment: Does not cause skin sensitization.			
Speci Resul	Гуре: Skin: test type r es: Guinea pig lt: negative arks: Information take	not specified n from reference work	s and the literature.					
Germ cell mutagenicity Not classified based on available information. Ingredients:								
				Silico	on dioxide:			
Geno	toxicity in vitro	: Result: negati Remarks: Info literature.	ve rmation taken from reference works and the					
Geno	toxicity in vivo	: Application Ro Result: negati Remarks: Info literature.						
	cell mutagenicity - ssment	: Animal testing	did not show any mutagenic effects.					
Carci	Carcinogenicity							
Not cl IARC	assified based on ava	No ingredient of	this product present at levels greater than or identified as probable, possible or confirmed on by IARC.					
OSH	A		f this product present at levels greater than on OSHA's list of regulated carcinogens.					
NTP			this product present at levels greater than or identified as a known or anticipated carcino					

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version 3.2	Revision Date: 05/02/2017	SDS Number: 1337509-00007	Date of last issue: 11/17/2016 Date of first issue: 02/23/2015				
STO	T-repeated exposure						
Not c	lassified based on ava	ailable information.					
Aspi	ration toxicity						
Not c	lassified based on ava	ailable information.					
SECTION	12. ECOLOGICAL IN	FORMATION					
	oxicity						
	ata available						
	istence and degrada	bility					
No d	No data available						
Bioa	Bioaccumulative potential						
No da	ata available						
Mob	ility in soil						
No d	ata available						
Othe	r adverse effects						
No d	ata available						
SECTION	13. DISPOSAL CON	SIDERATIONS					
Disp	osal methods						
Reso	urce Conservation an	d · This product ha	s been evaluated for RCRA characteristics				

Resource Conservation and Recovery Act (RCRA)	:	This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.
Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version	Revision Date:	SDS Number:
3.2	05/02/2017	1337509-00007

Date of last issue: 11/17/2016 Date of first issue: 02/23/2015

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know					
Dimethyl siloxane, trimethylsiloxy-terminated	63148-62-9				
Silicon dioxide	7631-86-9				
Silicone Metalloid Complex	Trade secret				

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California List of Hazardous Substances				
Silicon dioxide		7631-86-9		
California Permissible Expos	sur	e Limits for Chemical Contaminants		
Silicon dioxide		7631-86-9		
The ingredients of this produ	uct	are reported in the following inventories:		
REACH	:	All ingredients (pre-)registered or exempt.		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
IECSC	:	All ingredients listed or exempt.		
DSL	:	This product contains one or more substances which are not on the Canadian Domestic Substances List (DSL). Import of this product into Canada has volume limitations. For volume limits please consult Dow Corning Regulatory Compliance.		




MOLYKOTE(R) G-804 SILICONE COMPOUND

Version	Revision Date:	SDS Number:	Date of last issue: 11/17/2016
3.2	05/02/2017	1337509-00007	Date of first issue: 02/23/2015

SECTION 16. OTHER INFORMATION

Further information



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL OSHA Z-3		USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quanti-

DOW CORNING

MOLYKOTE(R) G-804 SILICONE COMPOUND

Version	Revision Date:	SDS Number:	Date of last issue: 11/17/2016
3.2	05/02/2017	1337509-00007	Date of first issue: 02/23/2015

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 05/02/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8