

1 Identification

- **Product identifier**
- **Trade name: LUDOX® DF**
- **Application of the substance / the preparation:**
Intermediate product of varied applicability in industry and trade.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
GRACE
W. R. Grace & Co.-Conn
7500 Grace Drive
Columbia MD 21044
U. S. A.
- **Information department:**
Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000
MSDS.Davison@grace.com
- **Emergency telephone number:**
Chemtrec North America: +1-800-424-9300
Chemtrec International: +1-703-527-3887
Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** None
- **Hazard pictograms** None
- **Signal word** None
- **Hazard statements** None
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**

CAS No. and description:		
7732-18-5	water, distilled, or of similar purity	50-75%
7631-86-9	amorphous silicon dioxide, chemically prepared	25-50%

7732-18-5	water, distilled, or of similar purity	50-75%
7631-86-9	amorphous silicon dioxide, chemically prepared	25-50%

(Contd. on page 2)

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: LUDOX® DF

(Contd. of page 1)

List of Dangerous Components

68460-10-6	bis(polyoxyethylene)2-ethylhexyl phosphate	Eye Irrit. 2A, H319	≤ 2.5%
------------	--	---------------------	--------

4 First-aid measures**Description of first aid measures****General information:**

Immediately remove contaminated clothing if necessary to prevent direct skin contact.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately flush skin with water for at least 15 minutes.

Generally the product does not irritate the skin.

Remove contaminated clothing immediately.

After eye contact:

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

After swallowing: Seek medical attention. Do not induce vomiting.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

Hazardous combustion products No further relevant information available.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections No dangerous substances are released.

7 Handling and storage**Handling:**

Precautions for safe handling Avoid formation of respirable particles.

(Contd. on page 3)

—USA—

Trade name: **LUDOX® DF**

(Contd. of page 2)

- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Colloidal silica should be stored above 2 °C. Freezing temperatures can cause irreversible precipitation of the silica, therefore the product should be located in heated buildings. Avoid routine storage temperatures above 43 °C.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

7631-86-9 amorphous silicon dioxide, chemically prepared

IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80/%SiO ₂ mg/m ³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m ³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m ³ ACGIH TWA *Total dust **Respirable fraction

7732-18-5 water, distilled, or of similar purity

PEL	Long-term value: - OSHA TWA: NONE ESTABLISHED
TLV	Long-term value: - ACGIH TWA: NONE ESTABLISHED

- **Additional information:** Valid lists at time of creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
The usual precautionary measures for handling chemicals should be followed.
Do not breathe dust or spray mist.
Do not eat, drink, smoke or sniff while working.
- **Protection of hands:**



Protective gloves

Check protective gloves prior to each use for their proper condition.
Check the permeability prior to each new use of the glove.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: LUDOX® DF

(Contd. of page 3)

Use gloves of stable material (e.g. Nitrile)

- **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

- **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

- **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

- **Not suitable are gloves made of the following materials:**

Leather gloves

Strong fabric gloves

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Fluid

Color:

Cloudy

- **Odor:**

Odorless

- **Odor threshold:**

Not available.

- **pH-value at 25 °C (77 °F):**

9.2-9.9

- **Change in condition**

Melting point/Melting range:0 °C (32 °F)
(water)**Boiling point/Boiling range:**100 °C (212 °F)
(water)

- **Conditions of flammability**

Flash point:

Not available.

- **Flammability (solid, gaseous):**

Product is not flammable.

- **Ignition temperature:**

Not available.

- **Decomposition temperature:**

Not available.

- **Auto igniting:**

Product is not self-igniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Explosion limits:**

Lower:

Not determined.

(Contd. on page 5)

— USA —

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: **LUDOX® DF**

(Contd. of page 4)

Upper:	Not determined.
· Vapor pressure at 25 °C (77 °F):	23 hPa (17.3 mm Hg) (water)
· Density at 20 °C (68 °F):	1.1 - 1.3 g/cm ³ (9.1795-10.8485 lbs/gal)
· Vapor density	Not available
· Evaporation rate	Not available
· Solubility in / Miscibility with Water:	Fully miscible.
· Coefficient of water/oil distribution:	Not available.
· Viscosity:	
Dynamic at 25 °C (77 °F):	max. 45 mPas
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on the likely routes of exposure**
- **Delayed and immediate effects and chronic effects from short or long term exposure**
- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC0	>140->2,000 mg/m ³ /4h (rat) (OCED 403)
Maximum attainable concentration, mortality does not appear.		

- **Primary irritant effect:**

- **on the skin:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of skin	IS	0 (rabbit) (OECD 404)
not irritating		

- **on the eye:**

7631-86-9 amorphous silicon dioxide, chemically prepared

Irritation of eyes	IS	0 (rabbit) (OECD 405)
not irritating		

- **Respiratory sensitization** No further relevant information available.
- **Skin sensitization** No further relevant information available.

(Contd. on page 6)

—USA—

Trade name: **LUDOX® DF**

(Contd. of page 5)

- Additional toxicological information:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

7631-86-9 amorphous silicon dioxide, chemically prepared

3

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Repeated dose toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral NOAEL (90 d) 9,000 mg/kg bw/day (rat) (OECD 408)

Inhalative NOAEC (90 d) 1 mg/m³ (rat) (OECD 413)

- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

- Carcinogenicity No further relevant information available.

- Mutagenicity

7631-86-9 amorphous silicon dioxide, chemically prepared
AMES Test >5 mg/plate (in-vitro) (OECD 471)
negative
with and without metabolic activation

- Reproductive toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral NOAEL (maternal toxicity) 1,350 mg/kg bw/day (rat) (OECD 414)

NOAEL (teratogenicity) 1,350 mg/kg bw/day (rat) (OECD 414)

- Specific target organ toxicity (single exposure) No further relevant information available.

- Specific target organ toxicity (repeated exposure) No further relevant information available.

- Aspiration hazard No further relevant information available.

12 Ecological information

- Toxicity

- Aquatic toxicity:

- Fish toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

LC0 (96 h) (static) 10,000 mg/l (zebra fish) (OECD 203)

- Water flea toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

EC50 (24 h) >1,000 mg/l (Daphnia magna) (OECD 202)

- Algae toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared
EC50 (72 h) >10,000 mg/l (Scenedesmus subspicatus) (OECD 201)
comparable substance

- Persistence and degradability No further relevant information available.

- Other information: Amorphous silica dioxide is chemically and biologically inert.

- Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.

- Mobility in soil No further relevant information available.

(Contd. on page 7)

USA

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: **LUDOX® DF**

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Recommendation:**
Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/provincial and local requirements.

14 Transport information

• UN-Number	
• DOT, ADR, ADN, IMDG, IATA	None
• UN proper shipping name	
• DOT, ADR, ADN, IMDG, IATA	None
• Transport hazard class(es)	
• DOT, ADR, ADN, IMDG, IATA	
• Class	None
• Packing group	
• DOT, ADR, IMDG, IATA	None
• Environmental hazards:	Not applicable.
• Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications. GRACE recommendation for air transport: Cargo aircraft only.
• DOT	
• Hazardous substance:	-

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **SARA**

- **SARA 302/304**

None of the ingredients is listed.

- **SARA 313**

None of the ingredients is listed.

(Contd. on page 8)

—USA—

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: **LUDOX® DF**

(Contd. of page 7)

• **TSCA (Toxic Substances Control Act):**

7631-86-9	amorphous silicon dioxide, chemically prepared
68460-10-6	bis(polyoxyethylene)2-ethylhexyl phosphate
7732-18-5	water, distilled, or of similar purity

• **Proposition 65**• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogenic categories**• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **Canadian DSL**

7631-86-9	amorphous silicon dioxide, chemically prepared
68460-10-6	bis(polyoxyethylene)2-ethylhexyl phosphate
7732-18-5	water, distilled, or of similar purity

• **Canadian NDSL**

All substances are listed or exempt from listing.

• **European EINECS**

Inventory listing could not be confirmed for one or more substances.

• **Philippines Inventory of Chemicals and Chemical Substances PICCS**

Inventory listing could not be confirmed for one or more substances.

• **Inventory of the Existing Chemical Substances manufactured or imported in China IECSC**

Inventory listing could not be confirmed for one or more substances.

• **Australian Inventory of Chemical Substances AICS**

All ingredients are listed or exempted from listing.

• **Existing and New Chemical Substance List ENCS**

Inventory listing could not be confirmed for one or more substances.

• **Korean Existing Chemical Inventory KECI**

7631-86-9	amorphous silicon dioxide, chemically prepared	KE-31032
68460-10-6	bis(polyoxyethylene)2-ethylhexyl phosphate	2011-3-5081
7732-18-5	water, distilled, or of similar purity	KE-35400

• **TCSCA (Taiwan)**

7631-86-9	amorphous silicon dioxide, chemically prepared	EPEP4A01648271
-----------	--	----------------

• **GHS label elements** None• **Hazard pictograms** None• **Signal word** None

(Contd. on page 9)

USA

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: **LUDOX® DF**· **Hazard statements** None

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H319 Causes serious eye irritation.

· **Department issuing SDS:** GRACE Safety & Health Department· **Tarif number** 3824 9996· **Contact:**

SALES OFFICES

USA:

GRACE

W. R. Grace & Co.-Conn

7500 Grace DR

Columbia, MD 21044

Tel: +1 410-531 4000

Europe:

Grace GmbH

In der Hollerhecke 1

D-67545 Worms, Germany

Tel: +49 6241 4030

Asia Pacific:

Grace Products (Singapore) Pte Ltd

230 Orchard Road

09-232, Faber House

Singapore 238854

Tel: +65 6737 3033

Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd

19th Floor K.Wah Center

1010 Huai Hai Zhong Road

Shanghai, 200031 China

T (电话): +86 21 3325 8288

F (传真): +86 21 5405 1500

W. R. Grace Japan K.K

Kohken New River Bldg 3F

2-21-18, Shinkawa

Chuo-ku, Tokyo 104-0033

JAPAN

Tel: +81 3.3537.6006

Fax: +81 3.3537.6007

GRACE Discovery Sciences

2051 Waukegan Road

Deerfield, IL 60015

U. S. A.

Tel.: 847-948-8600

FAX: 847-948-1078

NZ Alltech Inc. Limited

Unit 9-11 Silverfield

Glenfield, North Shore City 0627

(Contd. on page 10)

USA

Printing date 11/29/2017

Version: 2.1

Reviewed on 11/29/2017

Trade name: LUDOX® DF

(Contd. of page 9)

NEW ZEALAND
+64 0800 255 832

Alltech Associates (Australia) Pty Ltd
40 Scanlon Drive
Epping, Victoria 3076
AUSTRALIA
Tel: 1300 36 24 12
Fax: 1300 36 24 12

- **Date of preparation / last revision** 11/29/2017 / 2.0
- **The first date of preparation** 10/24/2012
- **Number of revision times and the latest revision date** 2.1 / 11/29/2017

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

- **Others** No further relevant information available.
- *** Data compared to the previous version altered.**

USA