

Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

1 Identification

· Product identifier

· Trade name: LUDOX® P W-50 EC

· Application of the substance / the preparation:

Intermediate product of varied applicability in industry and trade.

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

GRACE

W. R. Grace & Co.-Conn 7500 Grace Drive

Columbia MD 21044

U. S. A.

· Information department:

Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000

MSDS.Davison@grace.com

· Emergency telephone number:

Chemtrec North America: +1-800-424-9300 Chemtrec International: +1-703-527-3887 Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Water colloidal suspension of amorphous silica.

· CAS No. and description:			
7732-18-5	water, distilled, or of similar purity	50-60%	
7631-86-9	amorphous silicon dioxide, chemically prepared	40-50%	

· List of Dangerous Components None



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove contaminated clothing if necessary to prevent direct skin contact.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately flush skin with water for at least 15 minutes.

Generally the product does not irritate the skin.

Remove contaminated clothing immediately.

After eye contact:

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

- · After swallowing: Seek medical attention. Do not induce vomiting.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · Hazardous combustion products No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear personal protective equipment.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Reference to other sections No dangerous substances are released.
- · Protective Action Criteria for Chemicals

· PAC-1:		
7631-86-9	amorphous silicon dioxide, chemically prepared	18 mg/m3
· PAC-2:		
7631-86-9	amorphous silicon dioxide, chemically prepared	740 mg/m3
· PAC-3:		
7631-86-9	amorphous silicon dioxide, chemically prepared	4,500 mg/m3

USA



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 2)

7 Handling and storage

- · Handling:
- Precautions for safe handling Avoid formation of respirable particles.
- · Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Colloidal silica should be stored above 2 °C. Freezing temperatures can cause irreversible precipitation of the silica, therefore the product should be located in heated buildings. Avoid routine storage temperatures above 43 °C.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the	at require monitoring at the workplace:	Components with limit values the
---	---	----------------------------------

7631-86-9 amorphous silicon dioxide, chemically prepared

IDLH Short-term value: 3000 mg/m³

IDLH: Immediately Dangerous to Life or Health

PEL Long-term value: 80/%SiO2 mg/m³

OSHA TWA for amorphous silica

REL | Long-term value: 6 mg/m³

NIOSH TWA

TLV |Long-term value: 10* 5** mg/m³

ACGIH TWA *Total dust **Respirable fraction

7732-18-5 water, distilled, or of similar purity

PEL Long-term value: -

OSHA TWA: NONE ESTABLISHED

TLV Long-term value: -

ACGIH TWA: NONE ESTABLISHED

- · Additional information: Valid lists at time of creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

The usual precautionary measures for handling chemicals should be followed.

Do not breathe dust or spray mist.

Do not eat, drink, smoke or sniff while working.

Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

Check the permeability prior to each new use of the glove.

(Contd. on page 4)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use gloves of stable material (e.g. Nitrile)

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Not suitable are gloves made of the following materials:

Leather gloves Strong fabric gloves

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Information on basic physical an · General Information	d chemical properties
· Appearance:	
Form:	Fluid
Color:	Cloudy
· Odor:	Odorless
· Odor threshold:	Not available.
· pH-value at 25 °C (77 °F):	9,0 - 10,5
· Change in condition	
Melting point/Melting range:	0 °C (32 °F)
	(water)
Boiling point/Boiling range:	100 °C (212 °F)
	(water)
· Conditions of flammability	
Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.
· Ignition temperature:	Not available.
· Decomposition temperature:	Not available.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.

(Contd. on page 5)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

		(Contd. of page 4)
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 25 °C (77 °F):	32 hPa (24 mm Hg)	
· Density at 20 °C (68 °F): · Vapor density	1,3-1,4 g/cm³ (10.8485-11.683 lbs/gal) Not available	
· Evaporation rate	Not available	
Solubility in / Miscibility with Water: Coefficient of water/oil distributio	Fully miscible. n: Not available.	
· Viscosity: Dynamic at 25 °C (77 °F):	max. 55 mPas	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on the likely routes of exposure
- Delayed and immediate effects and chronic effects from short or long term exposure
- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
7631-86-9	7631-86-9 amorphous silicon dioxide, chemically prepared			
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC0	>140->2,000 mg/m³/4h (rat) (OCED 403) Maximum attainable concentration, mortality does not appear.		

· Primary irritant effect:

· on the skin:				
7631-86-9 amoi	7631-86-9 amorphous silicon dioxide, chemically prepared			
Irritation of skin IS 0 (rabbit) (OECD 404) not irritating				
· on the eye:	· on the eye:			
7631-86-9 amorphous silicon dioxide, chemically prepared				
Irritation of eyes	IS	0 (rabbit) (OECD 405) not irritating		

- · Respiratory sensitization No further relevant information available.
- · Skin sensitization No further relevant information available.

(Contd. on page 6)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 5)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7631-86-9 amorphous silicon dioxide, chemically prepared

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated dose toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral NOAEL (90 d) 9,000 mg/kg bw/day (rat) (OECD 408) Inhalative NOAEC (90 d) 1 mg/m³ (rat) (OECD 413)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Carcinogenicity No further relevant information available.
- · Mutagenicity

7631-86-9 amorphous silicon dioxide, chemically prepared

AMES Test >5 mg/plate (in-vitro) (OECD 471)

negative

with and without metabolic activation

· Reproductive toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

Oral NOAEL (maternal toxicity) 1,350 mg/kg bw/day (rat) (OECD 414) NOAEL (teratogenicity) 1,350 mg/kg bw/day (rat) (OECD 414)

- · Specific target organ toxicity (single exposure) No further relevant information available.
- · Specific target organ toxicity (repeated exposure) No further relevant information available.
- · Aspiration hazard No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:
- · Fish toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

LC0 (96 h) (static) 10,000 mg/l (zebra fish) (OECD 203)

· Water flea toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

EC50 (24 h) >1,000 mg/l (Daphnia magna) (OECD 202)

· Algae toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

EC50 (72 h) >10,000 mg/l (Scenedesmus subspicatus) (OECD 201) comparable substance

- · Persistence and degradability No further relevant information available.
- · Other information: Amorphous silica dioxide is chemically and biologically inert.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 6)

- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation:

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/provincial and local requirements.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	None
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	None
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	None
· Packing group · DOT, ADR, IMDG, IATA	None
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications. GRACE recommendation for air transport: Cargo aircraft only.
· DOT · Hazardous substance:	-

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·SARA
- · SARA 302/304

None of the ingredients is listed.

(Contd. on page 8)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

(Contd. of page 7) · SARA 313 None of the ingredients is listed. · TSCA (Toxic Substances Control Act): 7631-86-9 amorphous silicon dioxide, chemically prepared 7732-18-5 water, distilled, or of similar purity Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Canadian DSL 7631-86-9 amorphous silicon dioxide, chemically prepared 7732-18-5 water, distilled, or of similar purity · Canadian NDSL Not available. · European EINECS All ingredients are listed or exempted from listing. · Philippines Inventory of Chemicals and Chemical Substances PICCS All ingredients are listed or exempted from listing. · Inventory of the Existing Chemical Substances manufactured or imported in China IECSC All ingredients are listed. · Australian Inventory of Chemical Substances AICS All ingredients are listed or exempted from listing. · Existing and New Chemical Substance List ENCS 7631-86-9 amorphous silicon dioxide, chemically prepared 1-548 7732-18-5 water, distilled, or of similar purity · Korean Existing Chemical Inventory KECI 7631-86-9 amorphous silicon dioxide, chemically prepared KE-31032 7732-18-5 water, distilled, or of similar purity KE-35400 · TCSCA (Taiwan) 7631-86-9 amorphous silicon dioxide, chemically prepared EPEP4A01648271 GHS label elements None

· Hazard pictograms None

· Signal word None

(Contd. on page 9)



Printing date 11/29/2017 Version: 5.1 Reviewed on 11/29/2017

Trade name: LUDOX® P W-50 EC

· Hazard statements None

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: GRACE Safety & Health Department
- **Tarif number** 3824 9996
- · Contact:

SALES OFFICES

USA: GRACE W. R. Grace & Co.-Conn 7500 Grace DR Columbia, MD 21044 Tel: +1 410-531 4000

Europe: Grace GmbH In der Hollerhecke 1 D-67545 Worms, Germany Tel: +49 6241 4030

Asia Pacific:

Grace Products (Singapore) Pte Ltd 230 Orchard Road 09-232, Faber House Singapore 238854 Tel: +65 6737 3033

Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd 19th Floor K.Wah Center 1010 Huai Hai Zhong Road Shanghai, 200031 China T (电话): +86 21 3325 8288 F (传真): +86 21 5405 1500

W. R. Grace Japan K.K Kohken New River Bldg 3F 2-21-18, Shinkawa Chuo-ku, Tokyo 104-0033 JAPAN

Tel: +81 3.3537.6006 Fax: +81 3.3537.6007

- · Date of preparation / last revision 11/29/2017 / 5.0
- · The first date of preparation 10/28/2011
- · Number of revision times and the latest revision date 5.1 / 11/29/2017
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)



Version: 5.1 Reviewed on 11/29/2017 Printing date 11/29/2017

Trade name: LUDOX® P W-50 EC

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

·* Data compared to the previous version altered.

(Contd. of page 9)