

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) CP 377W Water-Reducible Chlorinated Polyolefin Adhesion Promoter

Product code : P3850701

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Adhesion promoter

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Specific target organ toxicity : Category 2 (Kidney)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
Response:
P314 Get medical advice/ attention if you feel unwell.

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
C9-11 alcohols, ethoxylated	68439-46-3	>= 1 - < 5
ethylene glycol	107-21-1	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| If inhaled | : Move to fresh air.
Call a physician or poison control center immediately. |
| In case of skin contact | : Wash off immediately with plenty of water for at least 15 minutes.
Take off all contaminated clothing immediately.
Call a physician or poison control center immediately. |
| In case of eye contact | : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| If swallowed | : Seek medical advice. |
| Most important symptoms and effects, both acute and delayed | : May cause damage to organs through prolonged or repeated exposure.
May cause damage to organs through prolonged or repeated exposure. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Carbon dioxide (CO2)
Dry chemical
Water spray |
| Unsuitable extinguishing media | : Do not use a solid water stream as it may scatter and spread fire. |
| Hazardous combustion products | : No hazardous combustion products are known |

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Further information : None known.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURESPersonal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : None known.

Advice on safe handling : Do not breathe vapors or spray mist.
Do not get on skin or clothing.
Use only with adequate ventilation.
Wash thoroughly after handling.

Conditions for safe storage : Keep tightly closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethylene glycol	107-21-1	C	50 ppm 125 mg/m3	OSHA P0
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH

Engineering measures : Ensure adequate ventilation.

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Safety glasses

Protective measures : Remove respiratory and skin/eye protection only after vapors have been cleared from the area.
Ensure that eye flushing systems and safety showers are located close to the working place.
Use personal protective equipment as required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : tan

Odor : amine-like

Odor Threshold : not determined

pH : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : 392 °F / 200 °C
Method: estimated

Evaporation rate : not determined

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Vapor pressure	:	not determined
Relative vapor density	:	not determined
Solubility(ies)	:	
Water solubility	:	completely soluble
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	not determined
Viscosity	:	
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable
Conditions to avoid	:	None known.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon dioxide (CO ₂) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	Remarks: No data available
		Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : No data available

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

STOT-single exposure

Not classified based on available information.

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Product:

Remarks : No data available

STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

Product:

Remarks : No data available

Repeated dose toxicity**Product:**

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Routes of exposure**Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: None known.

Further information**Product:**

Remarks : None known.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
chlorobenzene	108-90-7	100	83333
ethylene glycol	107-21-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

ethylene glycol 107-21-1

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information**

Eastman(TM) CP 377W Water-Reducible Chlorinated Polyolefin Adhesion Promoter

Customer PO: PO00103642

Version
3.1
PRDRevision Date:
07/07/2021SDS Number:
150000114095
SDSUS / Z8 / 0001Date of last issue: 12/02/2020
Date of first issue: 02/06/2019
N43 / 0091345080 / 0004306357**NFPA 704:****HMIS® IV:**

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
OSHA P0 / C	:	Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

**Eastman(TM) CP 377W Water-Reducible
Chlorinated Polyolefin Adhesion Promoter**

Customer PO: PO00103642

Version	Revision Date:	SDS Number:	Date of last issue: 12/02/2020
3.1	07/07/2021	150000114095	Date of first issue: 02/06/2019
PRD		SDSUS / Z8 / 0001	N43 / 0091345080 / 0004306357

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/07/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8