# **VC-50**



Version **Revision Date:** SDS Number: Date of last issue: 11/08/2018 10/10/2019 1328341-00036 Date of first issue: 02/27/2017 7.1

#### **SECTION 1. IDENTIFICATION**

Product name : VC-50

SDS-Identcode 130000001245

Manufacturer or supplier's details

Company name of supplier The Chemours Company FC, LLC

Address 1007 Market Street

Wilmington, DE 19801 United States of America (USA)

1-844-773-CHEM (outside the U.S. 1-302-773-1000) Telephone

Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-Emergency telephone

773-2000); Transport emergency: +1-800-424-9300 (outside

the U.S. +1-703-527-3887)

Recommended use of the chemical and restrictions on use

Recommended use Processing aid

Curing chemical

For professional users only. Restrictions on use

> Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information,

please contact your Chemours representative.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Reproductive toxicity : Category 1B

- repeated exposure

Specific target organ toxicity : Category 2 (Seminal vesicle, Prostate)

**GHS** label elements

Hazard pictograms

Signal Word Danger

**Hazard Statements** H360 May damage fertility or the unborn child.

H373 May cause damage to organs (Seminal vesicle, Prostate)

through prolonged or repeated exposure.





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 11/08/2018

 7.1
 10/10/2019
 1328341-00036
 Date of first issue: 02/27/2017

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Substance name : Reaction mass of 4,4'-[2,2,2-trifluoro-1-

(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-

(trifluoromethyl)ethylidene]bis[phenol] (1:1)

CAS-No. : Not Assigned

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)	J	>= 90 - <= 100

Actual concentration is withheld as a trade secret

# **Alternative CAS Numbers for some regions**

Chemical name	Alternative CAS Number(s)
Reaction mass of 4,4'-[2,2,2-trifluoro-1- (trifluoromethyl)ethylidene]diphenol and ben- zyltriphenylphosphonium, salt with 4,4'-[2,2,2- trifluoro-1- (trifluoromethyl)ethylidene]bis[phenol] (1:1)	75768-65-9, 1478-61-1

# **VC-50**



Version **Revision Date:** SDS Number: Date of last issue: 11/08/2018 1328341-00036 Date of first issue: 02/27/2017 7.1 10/10/2019

**SECTION 4. FIRST AID MEASURES** 

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection. Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Metal oxides

Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

# **VC-50**



Version **Revision Date:** SDS Number: Date of last issue: 11/08/2018 10/10/2019 1328341-00036 Date of first issue: 02/27/2017 7.1

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

**Environmental precautions** Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling Do not get on skin or clothing.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

> Strong oxidizing agents Organic peroxides

# **VC-50**



Version 7.1

Revision Date: 10/10/2019

SDS Number: 1328341-00036

Date of last issue: 11/08/2018 Date of first issue: 02/27/2017

**Explosives** 

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

## Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release,

exposure levels are unknown, or any other circumstance

where air purifying respirators may not provide adequate protection.

Hand protection

Material : Nitrile rubber Glove thickness : 0.38 mm

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the pro-

duct. Change gloves often!

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke.

# **VC-50**



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

Wash contaminated clothing before re-use.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets

Color : pink, dark violet

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Density : 1.38 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

# **VC-50**



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

# **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

## **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

### Skin corrosion/irritation

Not classified based on available information.





Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : Not tested on animals
Method : OECD Test Guideline 439

Result : No skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

# **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : In Vitro - Bovine Result : No eye irritation

Method : OECD Test Guideline 437

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

## **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

.

Test Type : Direct Peptide Reactivity Assay (DPRA)

Routes of exposure : Skin contact

Species : Not tested on animals

Method : OECD Test Guideline 442C

Result : equivocal

Test Type : KeratinoSens assay

Routes of exposure : Skin contact

Species : Not tested on animals
Method : OECD Test Guideline 442D

Result : positive

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials





Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

Assessment : Does not cause skin sensitization.

# Germ cell mutagenicity

Not classified based on available information.

### **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

## Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage fertility or the unborn child.

### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

.

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: positive

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

# **VC-50**



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and ferti-

lity, and/or on development, based on animal experiments

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Seminal vesicle, Prostate) through prolonged or repeated exposure.

#### Components:

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Routes of exposure : Ingestion

Target Organs : Seminal vesicle, Prostate

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

## Repeated dose toxicity

# **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Species : Rat, male and female

NOAEL : 10 mg/kg
LOAEL : 100 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Method : OECD Test Guideline 407

Remarks : Based on data from similar materials

## **Aspiration toxicity**

Not classified based on available information.

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

### **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltri-phenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:





Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.79 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.45 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.0087 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

## Persistence and degradability

### **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301B

## **Bioaccumulative potential**

### **Components:**

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[phenol] (1:1)

.

Partition coefficient: n-

octanol/water

log Pow: 2.28

# Mobility in soil

No data available

### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

# **VC-50**



Version **Revision Date:** SDS Number: Date of last issue: 11/08/2018 10/10/2019 1328341-00036 Date of first issue: 02/27/2017 7.1

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

**UN** number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(4,4'-(Hexafluoroisopropylidene)diphenol, 2.4'-Trifluoro-1-

(trifluoromethyl)ethylidene diphenol)

Class Ш Packing group Labels 9

**IATA-DGR** 

**UN 3077** UN/ID No.

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(4,4'-(Hexafluoroisopropylidene)diphenol, 2.4'-Trifluoro-1-

(trifluoromethyl)ethylidene diphenol)

Class 9 Ш Packing group

Labels Miscellaneous

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

ger aircraft)

956

Environmentally hazardous

yes

**IMDG-Code** 

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(4,4'-(Hexafluoroisopropylidene)diphenol, 2.4'-Trifluoro-1-

(trifluoromethyl)ethylidene diphenol)

Class Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** 

UN/ID/NA number **UN 3077** 

Environmentally hazardous substance, solid, n.o.s. Proper shipping name

(4,4'-(Hexafluoroisopropylidene)diphenol, 2.4'-Trifluoro-1-

(trifluoromethyl)ethylidene diphenol)

Class 9 Packing group Ш CLASS 9 Labels **ERG Code** 

Marine pollutant yes(4,4'-(Hexafluoroisopropylidene)diphenol, 2.4'-Trifluoro-1-

# **VC-50**



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

(trifluoromethyl)ethylidene diphenol)

Remarks : Above applies only to containers over 119 gallons or 450 li-

ters., Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or

IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Hydrofluoric acid	7664-39-3	100	182481
Phenol	108-95-2	1000	*
Nickel	7440-02-0	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
-		(lbs)	(lbs)
Hydrofluoric acid	7664-39-3	100	182481
Phenol	108-95-2	1000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Not Assigned

# **US State Regulations**

## Pennsylvania Right To Know

Reaction mass of 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and benzyltriphenylphosphonium, salt with 4,4'-[2,2,2-trifluoro-1-

(trifluoromethyl)ethylidene]bis[phenol] (1:1)

Phenol 108-95-2 Hydrofluoric acid 7664-39-3

# **VC-50**



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

### California Prop. 65


WARNING: This product can expose you to chemicals including Nickel, which is/are known to the State of California to cause cancer, and

Cadmium, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

### NFPA 704:



Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Oth-

## VC-50



Version Revision Date: SDS Number: Date of last issue: 11/08/2018 7.1 10/10/2019 1328341-00036 Date of first issue: 02/27/2017

erwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 10/10/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8